


# EMMS - Technical Specification - Data Model v5.6 - November 2025

2.00 September~~1.02 August~~ 2025

Pre-production: Tuesday 14 October 2025

Production: Wednesday 19 November  
2025





# Important notice

## Purpose & audience

This document describes the technical changes required to participant's systems for the EMMS - Technical Specification - Data Model v5.6 - November 2025 (Release). The Australian Energy Market Operator (AEMO) provides this information as a service targeting business analysts and IT staff in participant organisations. It provides guidance about the changes to their market systems under the National Electricity Rules (Rules), as at the date of publication.

## How to use this document

- If you have questions about the business aspects of these changes, please see Consultations on AEMO's website.
- The references listed throughout this document are primary resources and take precedence over this document.
- Unless otherwise stated, you can find resources mentioned in this guide on AEMO's website.
- **Text in this format** is a link to related information. Some links require access to MarketNet.
- **Text in this format**, indicates a reference to a document on AEMO's website.
- **Text in this format** is an action to perform in the Markets Portal.
- This document is written in plain language for easy reading. Where there is a discrepancy between the Rules and information or a term in this document, the Rules take precedence.
- Glossary Terms are capitalised and have the meanings listed against them in the Glossary.
- Rules Terms have the meaning listed against them in the [National Electricity Rules](#) (Rules).

## Privacy and legal notices

The material in this publication may be used in accordance with the [privacy and legal notices](#) on AEMO's website.

## Trademark Notices

Microsoft, Windows and SQL Server are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

Oracle and Java are registered trademarks of Oracle and/or its affiliates.

UNIX is a registered trademark of The Open Group in the US and other countries.

© 2015 Google Inc, used with permission. Google and the Google logo are registered trademarks of Google Inc.

## Distribution

Available to the public.

## Document Identification

Prepared by: AEMO Digital

Last update: Monday, 22 September 2025 9:54 PM

## Version History

[2.001-02](#) Initial creation

## Documents made obsolete

The release of this document changes only the version of EMMS - Technical Specification - Data Model v5.6 - November 2025.

## Support Hub

To contact AEMO's Support Hub use Contact Us on AEMO's website or for urgent matters phone: 1300 AEMO 00 (1300 236 600).

# Contents

<b>1</b>	<b>Introduction .....</b>	<b>1</b>
1.1	Audience.....	1
1.2	Objective .....	1
1.3	Status.....	1
1.4	Release dates.....	2
1.5	Rule and procedure changes .....	2
1.6	Related technical specifications .....	2
1.7	Related documents .....	2
1.8	Approval to change .....	3
1.9	Market systems user group meetings .....	3
1.10	Version numbers .....	3
1.11	Changes in this version.....	3
<b>2</b>	<b>Proposed Timeline .....</b>	<b>9</b>
<b>3</b>	<b>Participant Impact .....</b>	<b>11</b>
3.1	Electricity data model v5.6 .....	11
3.2	Data population dates .....	11
3.2.1	ISF.....	11
3.2.2	Operational Forecasting .....	11
3.2.3	ST PASA Procedure and Recall Period .....	11
3.2.4	FPP Settlements .....	11
3.2.5	Inverter Management System.....	12
3.3	Data subscription.....	12
3.3.1	Auto-subscription .....	12
3.3.2	Legacy files.....	12
<b>4</b>	<b>Electricity Data Model v5.6 .....</b>	<b>13</b>
4.1	Data model changes summary.....	13
4.2	Package: BIDS.....	13
4.2.1	Modified table: BIDPEROFFER D.....	19
4.3	Package: DEMAND FORECASTS.....	19
4.3.1	Modified table: INTERMITTENT GEN FCST (comment changes heading only).....	20

4.3.2	Modified table: INTERMITTENT GEN FCST DATA (comment changes heading only)	20
4.3.3	New table: INTERMITTENT GEN FCST RUN	21
4.3.4	New table: INTERMITTENT GEN FCST PRED	23
4.3.5	New table: INTERMITTENT GEN FCST P5 RUN	24
4.3.6	New table: INTERMITTENT GEN FCST P5 PRED	26
4.3.7	Modified table: INTERMITTENT P5 PRED (comment changes heading only)	27
4.3.8	Modified table: INTERMITTENT P5 RUN (comment changes heading only)	28
4.3.9	New table: ROOFTOP PV FCST RUN	28
4.3.10	New table: ROOFTOP PV FCST PRED	30
4.3.11	New table: ROOFTOP PV FCST P5 RUN	31
4.3.12	New table: ROOFTOP PV FCST P5 PRED	33
4.3.13	Modified table: ROOFTOP PV ACTUAL (comment changes heading only)	35
4.3.14	New table: ROOFTOP PV ACTUAL RUN	35
4.3.15	New table: ROOFTOP PV ACTUAL PRED	37
4.3.16	Modified table: ROOFTOP PV FORECAST (comment changes heading only)	39
4.4	Package: SETTLEMENT DATA	39
4.4.1	Modified table: DAYTRACK (comment changes only)	40
4.4.2	New table: SET NMAS MANUAL PAYMENT	41
4.4.3	Modified table: SET FCAS REG RESIDAMT (comment changes only)	42
4.4.4	Modified table: SET FCAS REG DEF RESIDAMT (comment changes only)	44
4.5	Package: BILLING RUN	45
4.5.1	New table: BILLING NMAS MANUAL PAYMENT	45
4.5.2	New table: BILLING NMAS MANUAL RECOVERY	46
4.6	Package: DISPATCH	48
4.6.1	New table: DISPATCH ROOFTOP PV FCST TRK	49
4.6.2	New table: DISPATCH ELEMENT CAP	50
4.7	Package: P5MIN	51
4.7.1	New table: P5MIN INTERMITTENT FCST TRK	51
4.7.2	New table: P5MIN ROOFTOP PV FCST TRK	53
4.8	Package: PRE DISPATCH	54
4.8.1	New table: PD INTERMITTENT FCST TRK	54
4.8.2	New table: PD ROOFTOP PV FCST TRK	56
4.8.3	New table: PD ELEMENT CAP	57
4.9	Package: MARKET CONFIG	58

4.9.1	New table: AREA .....	58
4.9.2	New table: REGION AREA .....	60
4.10	New Package: SYSTEM SECURITY MANAGEMENT .....	61
4.10.1	New table: SSM CONTRACT UNIT AVAIL .....	61
4.10.2	New table: SSM INSTRUCTION .....	62
4.10.3	New table: SSM SCHEDULE .....	64
4.10.4	New table: SSM SCHEDULED AVAILABILITY .....	66
4.10.5	New table: SSM ENABLEMENT PERIOD .....	67
4.10.6	New table: SSM ENABLEMENT COSTS .....	68
4.11	Package: PDPASA .....	69
4.11.1	Modified table: PDPASA DUIDAVAILABILITY (comment changes only) .....	69
4.11.2	Modified table: PDPASA REGION SOLUTION (comment changes only) .....	70
4.11.3	Modified table: PDPASA CONSTRAINT SOLUTION (comment changes only) .....	75
4.11.4	Modified table: PDPASA INTERCONNECTOR SOLN (comment changes only) .....	76
4.12	Package: STPASA .....	76
4.12.1	Modified table: STPASA DUIDAVAILABILITY (comment changes only) .....	77
4.12.2	Modified table: STPASA REGION SOLUTION (comment changes only) .....	78
4.12.3	Modified table: STPASA CONSTRAINT SOLUTION (comment changes only) .....	81
4.12.4	Modified table: STPASA INTERCONNECTOR SOLN (comment changes only) .....	82
4.13	File interface changes .....	84
4.14	Participant interfaces changes .....	91
4.15	Discontinued reports .....	94
4.16	Non-functional changes .....	96
<b>5</b>	<b>FAQs .....</b>	<b>Error! Bookmark not defined.</b>
<b>6</b>	<b>Implementation .....</b>	<b>Error! Bookmark not defined.</b>
6.1	Transition .....	<b>Error! Bookmark not defined.</b>
6.2	Upgrading .....	<b>Error! Bookmark not defined.</b>
6.3	Implications .....	<b>Error! Bookmark not defined.</b>
6.4	Risks .....	<b>Error! Bookmark not defined.</b>
<b>7</b>	<b>Terms .....</b>	<b>Error! Bookmark not defined.</b>
7.1	Rules Terms .....	<b>Error! Bookmark not defined.</b>
7.2	Glossary .....	<b>Error! Bookmark not defined.</b>
<b>8</b>	<b>References .....</b>	<b>Error! Bookmark not defined.</b>
8.1	Data interchange and data model resources .....	<b>Error! Bookmark not defined.</b>

8.1.1	About .....	Error! Bookmark not defined.
8.1.2	Help .....	Error! Bookmark not defined.
8.1.3	Software .....	Error! Bookmark not defined.
8.1.4	Reports .....	Error! Bookmark not defined.
8.1.5	Releases.....	Error! Bookmark not defined.

## **9 Index .....** Error! Bookmark not defined.

<b>1</b>	<b>Introduction .....</b>	<b>1</b>
1.1	Audience .....	1
1.2	Objective .....	1
1.3	Status .....	1
1.4	Release dates .....	2
1.5	Rule and procedure changes .....	2
1.6	Related technical specifications .....	2
1.7	Related documents .....	2
1.8	Approval to change .....	3
1.9	Market systems user group meetings .....	3
1.10	Version numbers .....	3
1.11	Changes in this version .....	3
<b>2</b>	<b>Proposed Timeline .....</b>	<b>8</b>
<b>3</b>	<b>Participant Impact .....</b>	<b>10</b>
3.1	Electricity data model v5.6 .....	10
3.2	Data population dates .....	10
3.2.1	ISF .....	10
3.2.2	Operational Forecasting .....	10
3.2.3	ST PASA Procedure and Recall Period .....	10
3.2.4	FPP Settlements .....	10
3.3	Data subscription .....	11
3.3.1	Auto-subscription .....	11
3.3.2	Legacy files .....	11
<b>4</b>	<b>Electricity Data Model v5.6 .....</b>	<b>12</b>
4.1	Data model changes summary .....	12
4.2	Package: BIDS .....	15
4.2.1	Modified table: BIDPEROFFER_D .....	15
4.3	Package: DEMAND_FORECASTS .....	16

4.3.1	Modified table: INTERMITTENT_GEN_FCST (comment changes heading only)	16
4.3.2	Modified table: INTERMITTENT_GEN_FCST_DATA (comment changes heading only)	16
4.3.3	New table: INTERMITTENT_GEN_FCST_RUN	17
4.3.4	New table: INTERMITTENT_GEN_FCST_PRED	19
4.3.5	New table: INTERMITTENT_GEN_FCST_P5_RUN	20
4.3.6	New table: INTERMITTENT_GEN_FCST_P5_PRED	22
4.3.7	Modified table: INTERMITTENT_P5_PRED (comment changes heading only)	23
4.3.8	Modified table: INTERMITTENT_P5_RUN (comment changes heading only)	24
4.3.9	New table: ROOFTOP_PV_FCST_RUN	24
4.3.10	New table: ROOFTOP_PV_FCST_PRED	26
4.3.11	New table: ROOFTOP_PV_FCST_P5_RUN	27
4.3.12	New table: ROOFTOP_PV_FCST_P5_PRED	29
4.3.13	Modified table: ROOFTOP_PV_ACTUAL (comment changes heading only)	30
4.3.14	New table: ROOFTOP_PV_ACTUAL_RUN	31
4.3.15	New table: ROOFTOP_PV_ACTUAL_PRED	33
4.3.16	Modified table: ROOFTOP_PV_FORECAST (comment changes heading only)	34
4.4	Package: SETTLEMENT_DATA	35
4.4.1	Modified table: DAYTRACK (comment changes only)	35
4.4.2	New table: SET_NMAS_MANUAL_PAYMENT	36
4.4.3	Modified table: SET_FCAS_REG_RESIDAMT (comment changes only)	37
4.4.4	Modified table: SET_FCAS_REG_DEF_RESIDAMT (comment changes only)	38
4.5	Package: BILLING_RUN	39
4.5.1	New table: BILLING_NMAS_MANUAL_PAYMENT	39
4.5.2	New table: BILLING_NMAS_MANUAL_RECOVERY	41
4.6	Package: DISPATCH	43
4.6.1	New table: DISPATCH_ROOFTOP_PV_FCST_TRK	43
4.7	Package: P5MIN	44
4.7.1	New table: P5MIN_INTERMITTENT_FCST_TRK	44
4.7.2	New table: P5MIN_ROOFTOP_PV_FCST_TRK	46
4.8	Package: PRE_DISPATCH	47
4.8.1	New table: PD_INTERMITTENT_FCST_TRK	47
4.8.2	New table: PD_ROOFTOP_PV_FCST_TRK	49
4.9	Package: MARKET_CONFIG	50
4.9.1	New table: AREA	50

4.9.2	New table: REGION_AREA.....	51
4.10	New Package: SYSTEM_SECURITY_MANAGEMENT .....	52
4.10.1	New table: SSM_CONTRACT_UNIT_AVAIL .....	53
4.10.2	New table: SSM_INSTRUCTION .....	54
4.10.3	New table: SSM_SCHEDULE .....	56
4.10.4	New table: SSM_SCHEDULED_AVAILABILITY .....	57
4.10.5	New table: SSM_ENABLEMENT_PERIOD .....	58
4.10.6	New table: SSM_ENABLEMENT_COSTS .....	59
4.11	Package: PDPASA.....	60
4.11.1	Modified table: PDPASA_DUIDAVAILABILITY (comment changes only) .....	61
4.11.2	Modified table: PDPASA_REGIONSOLUTION (comment changes only) .....	62
4.11.3	Modified table: PDPASA_CONSTRAINTSOLUTION (comment changes only) .....	65
4.11.4	Modified table: PDPASA_INTERCONNECTORSOLN (comment changes only) .....	66
4.12	Package: STPASA.....	67
4.12.1	Modified table: STPASA_DUIDAVAILABILITY (comment changes only) .....	67
4.12.2	Modified table: STPASA_REGIONSOLUTION (comment changes only) .....	68
4.12.3	Modified table: STPASA_CONSTRAINTSOLUTION (comment changes only) .....	71
4.12.4	Modified table: STPASA_INTERCONNECTORSOLN (comment changes only) .....	72
4.13	File interface changes.....	73
4.14	Participant interfaces changes.....	75
4.15	Discontinued reports.....	77
4.16	Non-functional changes.....	79
<b>5</b>	<b>FAQs.....</b>	<b>80</b>
<b>6</b>	<b>Implementation .....</b>	<b>81</b>
6.1	Transition.....	81
6.2	Upgrading.....	81
6.3	Implications .....	81
6.4	Risks.....	81
<b>7</b>	<b>Terms .....</b>	<b>82</b>
7.1	Rules Terms .....	82
7.2	Glossary .....	83
<b>8</b>	<b>References .....</b>	<b>84</b>
8.1	Data interchange and data model resources .....	84
8.1.1	About .....	84



8.1.2	Help	84
8.1.3	Software	84
8.1.4	Reports	84
8.1.5	Releases	85
<b>9</b>	<b>Index</b>	<b>86</b>

# 1 Introduction


## 1.1 Audience

AEMO provides this information as a service targeting business analysts and IT staff in Registered Participant companies.

## 1.2 Objective

The EMMS - Technical Specification - Data Model v5.6 - November 2025 (Release) describes the projects planned by AEMO from a participant perspective and includes any system related changes for participants.

## 1.3 Status

Version	Status
<a href="#">2.00</a>	<a href="#">The Data Model design is ready for participant builds. However, there are a few critical changes identified by business.</a>
1.02	The Data Model design is ready for participant builds. The design is certified so no major changes are planned. However, there may be minor changes due to current testing.
1.01	In progress. The design is not ready for participants' builds Improving Security Frameworks (ISF) – Design complete estimation – 80% Operational Forecasting – Design complete estimation – 80% ST PASA Procedure and Recall Period – Additional updates – 90% Frequency Performance Payments (FPP) Settlements – Additional updates – 90%
1.00	In progress. The design is not ready for participants' builds Improving Security Frameworks (ISF) – Design complete estimation – 10% Operational Forecasting – Design complete estimation – 10%
0.01	 <p>Initial Draft for review. The design is not ready for participants' builds</p> <p>Presents the EMMS - Technical Specification - Data Model v5.6 - November 2025 evolving design.</p> <p>Please send feedback to <a href="#">Contact Us</a>. In the Details of your enquiry section, mention the EAS Knowledge Management team as the Resolver group.</p>

## 1.4 Release dates

Scheduled for implementation in:

- Pre-production: Tuesday 14 October 2025
- Production: Wednesday 19 November 2025

## 1.5 Rule and procedure changes

The following rules and procedures take precedence over technical specifications and guides.

For details, see the Rule and procedure changes section in [EMMS – Technical Specification – December 2025](#)

## 1.6 Related technical specifications

Title	Project
<a href="#">EMMS – Technical Specification – 31 July 2025</a>	ST PASA Procedure and Recall Period
<a href="#">EMMS – Data Model 5.5 – April 2025</a>	Frequency Performance Payments (FPP) Settlements
<a href="#">EMMS – Technical Specification – December 2025</a>	Improving Security Frameworks (ISF)

## 1.7 Related documents

Once published, these resources take precedence over this technical specification

These guides and resources are updated according to this technical specification and published by the dates below.

Title	Description	Published
<a href="#">Data Interchange Online Help</a>	Help for participants using Data Interchange and the Data Model	See Release Dates in <a href="#">Timeline</a>

Title	Description	Published
<a href="#">Data Model Reports</a>	Explains the packages, tables and reports in the Electricity and Gas Data Models	
<a href="#">Release Documents</a>	Release Notes	

## 1.8 Approval to change

AEMO gained approval to proceed from all participant change controllers on close of business Monday, 7 July 2025.

## 1.9 Market systems user group meetings

The Market Systems User Group (MSUG) is an industry user group established to discuss NEM wholesale and retail IT systems releases. Its purpose is to facilitate the continuing improvement of AEMO's IT systems by seeking feedback and collaboration from participants.

MSUG meetings are open to all interested parties, with invitations sent to all included on the distribution list. If you have a technical question for a project and want to attend the MSUG ask your company's support team to include your email address in their **AEMO Help Desk Bulletin (CRM)** distribution list.

## 1.10 Version numbers

**AEMO releases new versions of this document as the technical requirements are streamlined.**

Incremental version numbers such as 1.01, 2.01 and so on mean there is a minor change to the technical specification.

Major version numbers such as 1.00, 2.00 means there are substantial changes to the technical specification. Participants must carefully review these changes, detailed below.

## 1.11 Changes in this version

The changes in this version are:

- Updates to [Participant Impact](#)
- Updates to [File interface changes](#)~~Proposed Timeline~~
- [Updates to Participant interfaces changes](#)

- ~~Updates to Discontinued reports~~
- Updates to **Data Model tables** include changes to table ~~names, table~~ details, ~~column data types,~~ primary key order and column comments.

Table	Column	Reason
<del>INTERMITTENT_GEN_FCST</del>	n/a	<del>Table details comment updated to show planned removal of this table in a Data Model release after v5.6.</del>
<del>INTERMITTENT_GEN_FCST_DATA</del>	n/a	<del>Table details comment updated to show planned removal of this table in a Data Model release after v5.6.</del>
<del>INTERMITTENT_GEN_FCST_PRED</del>	<del>FORECAST_RUN_DATETIME</del> <del>DUID</del> <del>OFFERDATETIME</del> <del>PROVIDERID</del> <del>FORECAST_PRIORITY</del> <del>INTERVAL_DATETIME</del> <del>FORECAST_TYPE</del> <del>FORECAST_VALUE</del>	Primary keys reordered
<del>DISPATCH_ELEMENT_CAP</del> <del>INTERMITTENT_GEN_FCS</del> <del>T_RUN</del>	<del>FORECAST_RUN_DATETIME</del> <del>————</del> <del>DUID</del> <del>OFFERDATETIME</del> <del>ELEMENT_CAP</del>  <del>PROVIDERID</del> <del>FORECAST_PRIORITY</del> <del>PROVIDER_TIMESTAMP</del> <del>REMARKS</del> <del>MODEL_USED</del> <del>SUPPRESSED_PROVIDER</del> <del>TRANSACTION_ID</del> <del>LASTCHANGED</del>	<del>New table</del> Primary keys reordered  <del>Data volume updated from small to medium.</del>

Table	Column	Reason
<del>PD_ELEMENT_CAP</del> <del>INTERMITTENT_GEN_FCST_P5_RUN</del>	<del>PREDISPATCHSEQNO</del> <del>PERIODID</del> <del>FORECAST_RUN_DATETIME</del>  <del>DUID</del> <del>ELEMENT_CAP</del>  <del>OFFERDATETIME</del> <del>PROVIDERID</del> <del>FORECAST_PRIORITY</del> <del>PROVIDER_TIMESTAMP</del> <del>REMARKS</del> <del>MODEL_USED</del> <del>SUPPRESSED_PROVIDER</del> <del>TRANSACTION_ID</del> <del>LASTCHANGED</del>	<del>New table</del> <del>Primary keys reordered</del>  <del>Data volume updated from small to medium.</del>
<del>ROOFTOP_PV</del> <del>INTERMITTENT_GEN_FCST_P5_RUN_PRED</del>	<del>FORECAST_RUN_DATETIME</del> <del>AREAD</del>  <del>DUID</del> <del>OFFERDATETIME</del>  <del>PROVIDERID</del>  <del>FORECAST_PRIORITY</del> <del>INTERVAL_DATETIME</del> <del>FORECAST_TYPE</del> <del>FORECAST_VALUE</del>	<del>Primary keys reordered</del>  <del>Data volume updated from medium to large.</del>
<del>INTERMITTENT_P5_PRED</del>	<del>n/a</del>	<del>Table details comment updated to show planned removal of this table in a Data Model release after v5.6.</del>
<del>INTERMITTENT_P5_RUN</del>	<del>n/a</del>	<del>Table details comment updated to show planned removal of this table in a Data Model release after v5.6.</del>
<del>ROOFTOP_PV_FCST_P5_RUN</del>	<del>n/a</del>	<del>Data volume updated from small to medium.</del>
<del>ROOFTOP_PV_FCST_P5_PRED</del>	<del>n/a</del>	<del>Data volume updated from medium to large.</del>

Table	Column	Reason
<del>ROOFTOP_PV_FCST_RUN</del>	<del>FORECAST_RUN_DATETIME</del> <del>AREAID</del> <del>OFFERDATETIME</del> <del>PROVIDERID</del> <del>FORECAST_PRIORITY</del> <del>PROVIDER_TIMESTAMP</del> <del>REMARKS</del> <del>MODEL_USED</del> <del>SUPPRESSED_PROVIDER</del> <del>INSTALLED_CAPACITY</del> <del>LASTCHANGED</del>	Primary keys reordered
ROOFTOP_PV_FCST_P5_PRED	FORECAST_RUN_DATETIME  AREAID  OFFERDATETIME  PROVIDERID  FORECAST_PRIORITY  INTERVAL_DATETIME_  FORECAST_TYPE <del>FORECAST_VALUE</del>	Primary keys reordered
ROOFTOP_PV_ACTUAL	n/a	Table details comment updated to show planned removal of this table in a Data Model release after v5.6.

Table	Column	Reason
ROOFTOP_PV_ACTUAL_RUN	PREDICTION_RUN_DATETIME INTERVAL_DURATION AREAID OFFERDATETIME ESTIMATE_TYPE PROVIDERID PREDICTION_PRIORITY PROVIDER_TIMESTAMP REMARKS MODEL_USED SUPPRESSED_PROVIDER INSTALLED_CAPACITY LASTCHANGED	Primary keys reordered
ROOFTOP_PV_ACTUAL_PRED	PREDICTION_RUN_DATETIME INTERVAL_DURATION AREAID OFFERDATETIME ESTIMATE_TYPE PROVIDERID PREDICTION_PRIORITY INTERVAL_DATETIME PREDICTION_VALUE PREDICTION_QUALITY	Primary keys reordered  Data volume updated from small to large.
ROOFTOP_PV_FORECAST	n/a	Table details comment updated to show planned removal of this table in a Data Model release after v5.6.
DAYTRACK	EXANTERUNSTATUS EXPOSTRUNSTATUS	Comments updated for the following columns.
BILLINGSET_NMAS_MANUAL_PAYMENT	n/a	Data volume updated from small to medium.
DISPATCH_ROOFTOP_PV_FCST_TRK	n/a	Data volume updated from small to medium.



Table	Column	Reason
<del>P5MIN_INTERMITTENT_FCST_TRK</del>	n/a	<del>Data volume updated from small to medium.</del>
<del>P5MIN_ROOFTOP_PV_FCST_TRK</del>	n/a	<del>Data volume updated from small to medium.</del>
<del>PD_INTERMITTENT_FCST_TRK</del>	n/a	<del>Table name updated from PREDISPATCHINTERMITTENTFCSTTRK.</del> <del>Data volume updated from small to medium.</del>
<del>PD_ROOFTOP_PV_ROOFTOPPV_FCST_TRK</del>	n/a	<del>Table name updated from PREDISPATCH_ROOFTOPPV_FCST_TRK.</del> <del>Data volume updated from small to medium.</del>
<del>SSM_CONTRACT_UNIT_AVAIL</del>	n/a	<del>Data volume updated from small to medium.</del>
<b>SSM_ENABLEMENT_COSTS</b>	<u>END_TRADINGDATE</u> <u>ENABLEMENT_REASON</u> <u>ESTIMATED_COSTS</u>	<u>Table details comment updated.</u> <u>Primary keys updated</u> <u>Comment updated for ESTIMATED_COSTS.</u> <del>Updated data type to NUMBER(18,8).</del> <u>Updated primary key fields.</u>
<b>PDPASA_CONSTRAINTSOLUTION</b>	<u>RUNTYPE</u>	<u>Added existing table with comment only changes.</u>
<b>PDPASA_INTERCONNECTORSOLN</b>	<u>RUNTYPE</u>	<u>Added existing table with comment only changes.</u>
<b>STPASA_REGIONSOLUTION</b>	n/a	<del>Data volume updated from medium to large.</del>
<b>STPASA_CONSTRAINTSOLUTION</b>	<u>RUNTYPE</u>	<u>Added existing table with comment only changes.</u>
<b>STPASA_INTERCONNECTORSOLN</b>	<u>RUNTYPE</u>	<u>Added existing table with comment only changes.</u>

## 2 Proposed Timeline

The dates for the Market System User Group Meetings (MSUG) are tentative. We will provide an invitation one week prior to the meeting.

Milestone	Date	Description
Approval required	7 July 2025	Final date for participant approval of this Release
Revised Technical Specification	<a href="#">October 2025</a> <del><a href="#">29 September 2025</a></del>	<p>AEMO releases new versions of this document as the technical requirements are streamlined. During the project this document is the source of truth</p> <p>From the production release, the technical specification becomes final and the <a href="#">related documents</a> become the source of truth</p> <p><a href="#">Technical Specification Portal</a></p>
Related Documents publication	Tuesday 14 October 2025	Release of guides and resources mentioned in Related on page 2
Next MSUG meeting	15 October 2025	<p>Market Systems User Group Meeting (MSUG) to review the technical specification and ask AEMO technical SMEs questions</p> <p>This date is tentative. The Knowledge Management Team provides the invitation prior to the meeting</p>
Pre-production Data Model auto subscription	14 October 2025 auto-subscription for new files	For any existing files with modified or new tables, if participants are subscribed, AEMO moves them to the Legacy version
Pre-production Data Model release	Tuesday 14 October 2025	Participant Data Model scripts released
Pre-production refresh	18 August 2025 – 5 September 2025 See <a href="#">pre-production refresh</a>	<p>Refresh of the pre-production system with data refreshed from the production system. An outage of up to five days can occur to the pre-production environment during this period. Participant access is not restricted, however, AEMO do not guarantee the pre-production data content or system availability. During the refresh, access to other AEMO systems such as AWEFS, EMMS, OPDMS, and STTM may be intermittently affected</p>

Milestone	Date	Description
<b>Pre-production implementation</b>	Tuesday 14 October 2025	<p>AEMO implements components of the Release to pre-production for participant testing</p> <p>AEMO has full access to the system during this period</p> <p>Participant access is not restricted; however, the data content or system availability is not guaranteed</p>
<b>Pre-production available</b>	Tuesday 14 October 2025	Testing period begins for participants
<b>Participant Testing</b>	14 October 2025 - 19 November 2025	Unstructured participant testing in the pre-production environment
<b>Production implementation</b>	Wednesday 19 November 2025	AEMO implements the release to production
<b>Production Data Model auto subscription</b>	19 November 2025 auto-subscription for new files	For any existing files with modified or new tables, if participants are subscribed, AEMO moves them to the Legacy version
<b>Production Data Model release</b>	Wednesday 19 November 2025	Participant Data Model scripts released

## 3 Participant Impact

Participants must upgrade to the latest version of Data Model 5.6 to receive the new and updated Data Model information in their Data Interchange environments.

### 3.1 Electricity data model v5.6

Participants must upgrade to [Electricity Data Model v5.6](#) to receive the new Reports.

### 3.2 Data population dates

#### 3.2.1 ISF

Pre-production: Tuesday 28 October 2025

Production: Tuesday 2 December 2025

#### 3.2.2 Operational Forecasting

Pre-production: TBC

Production: TBC

#### 3.2.3 ST PASA Procedure and Recall Period

The ST PASA Procedure and Recall Period project is in production 31 July 2025. The changes in the Data Model 5.6 are comment only changes.

Pre-production: Tuesday 20 May 2025

Production: Tuesday 31 July 2025

#### 3.2.4 FPP Settlements

The FPP Settlements project went in production 8 June 2025. The changes in the Data Model 5.6 are comment only changes.

Pre-production: Sunday 2 February 2025

Production: Sunday 8 June 2025

### [3.2.5 Inverter Management System](#)

[Pre-production: TBC](#)

[Production: TBC](#)

## 3.3 Data subscription

### 3.3.1 Auto-subscription

Existing participants are auto subscribed to any new files when they upgrade to the latest data model version. New file names to be advised.

### 3.3.2 Legacy files

On the [Release Dates](#), AEMO moves participants subscribed to existing files to the Legacy version. After you have upgraded to v5.6, subscribe to the current files in [Data Subscription](#). For help, see [Subscribe to Files](#).



# 4 Electricity Data Model v5.6

Participant systems incorrectly configured and not compliant with the Baseline Assumptions in the Data Interchange Framework and Glossary may suffer data loss.

This Release contains an updated version of the Electricity/Gas Data Model 5.6. This section describes the affected packages, tables, files, reports, and interfaces.

## 4.1 Data model changes summary

- [4.1 Data model changes summary](#).....13
- [4.2 Package: BIDS](#).....13
  - [4.2.1 Modified table: BIDPEROFFER D](#).....19
- [4.3 Package: DEMAND FORECASTS](#).....19
  - [4.3.1 Modified table: INTERMITTENT GEN FCST \(comment changes heading only\)](#) 20
  - [4.3.2 Modified table: INTERMITTENT GEN FCST DATA \(comment changes heading only\)](#) 20
  - [4.3.3 New table: INTERMITTENT GEN FCST RUN](#) .....21
  - [4.3.4 New table: INTERMITTENT GEN FCST PRED](#) .....23
  - [4.3.5 New table: INTERMITTENT GEN FCST P5 RUN](#).....24
  - [4.3.6 New table: INTERMITTENT GEN FCST P5 PRED](#) .....26
  - [4.3.7 Modified table: INTERMITTENT P5 PRED \(comment changes heading only\)](#) 27
  - [4.3.8 Modified table: INTERMITTENT P5 RUN \(comment changes heading only\)](#) 28
  - [4.3.9 New table: ROOFTOP PV FCST RUN](#).....28



4.3.10	New table: ROOFTOP PV FCST PRED .....	30
4.3.11	New table: ROOFTOP PV FCST P5 RUN .....	31
4.3.12	New table: ROOFTOP PV FCST P5 PRED .....	33
4.3.13	Modified table: ROOFTOP PV ACTUAL (comment changes heading only) .....	35
4.3.14	New table: ROOFTOP PV ACTUAL RUN .....	35
4.3.15	New table: ROOFTOP PV ACTUAL PRED .....	37
4.3.16	Modified table: ROOFTOP PV FORECAST (comment changes heading only) .....	39
4.4	Package: SETTLEMENT DATA .....	39
4.4.1	Modified table: DAYTRACK (comment changes only) .....	40
4.4.2	New table: SET NMAS MANUAL PAYMENT .....	41
4.4.3	Modified table: SET FCAS REG RESIDAMT (comment changes only) .....	42
4.4.4	Modified table: SET FCAS REG DEF RESIDAMT (comment changes only) .....	44
4.5	Package: BILLING RUN .....	45
4.5.1	New table: BILLING NMAS MANUAL PAYMENT .....	45
4.5.2	New table: BILLING NMAS MANUAL RECOVERY .....	46
4.6	Package: DISPATCH .....	48
4.6.1	New table: DISPATCH ROOFTOP PV FCST TRK .....	49
4.6.2	New table: DISPATCH ELEMENT CAP .....	50
4.7	Package: P5MIN .....	51
4.7.1	New table: P5MIN INTERMITTENT FCST TRK .....	51
4.7.2	New table: P5MIN ROOFTOP PV FCST TRK .....	53
4.8	Package: PRE DISPATCH .....	54
4.8.1	New table: PD INTERMITTENT FCST TRK .....	54



4.8.2	New table: PD ROOFTOP PV FCST TRK.....	56
4.8.3	New table: PD ELEMENT CAP.....	57
4.9	Package: MARKET CONFIG.....	58
4.9.1	New table: AREA.....	58
4.9.2	New table: REGION AREA.....	60
4.10	New Package: SYSTEM SECURITY MANAGEMENT.....	61
4.10.1	New table: SSM CONTRACT UNIT AVAIL.....	61
4.10.2	New table: SSM INSTRUCTION.....	62
4.10.3	New table: SSM SCHEDULE.....	64
4.10.4	New table: SSM SCHEDULED AVAILABILITY.....	66
4.10.5	New table: SSM ENABLEMENT PERIOD.....	67
4.10.6	New table: SSM ENABLEMENT COSTS.....	68
4.11	Package: PDPASA.....	69
4.11.1	Modified table: PDPASA DUIDAVAILABILITY (comment changes only).....	69
4.11.2	Modified table: PDPASA REGIONSOLUTION (comment changes only).....	70
4.11.3	Modified table: PDPASA CONSTRAINTSOLUTION (comment changes only).....	75
4.11.4	Modified table: PDPASA INTERCONNECTORSOLN (comment changes only).....	76
4.12	Package: STPASA.....	76
4.12.1	Modified table: STPASA DUIDAVAILABILITY (comment changes only).....	77
4.12.2	Modified table: STPASA REGIONSOLUTION (comment changes only).....	78
4.12.3	Modified table: STPASA CONSTRAINTSOLUTION (comment changes only).....	81
4.12.4	Modified table: STPASA INTERCONNECTORSOLN (comment changes only).....	82
4.13	File interface changes.....	84





<b>4.14 Participant interfaces changes</b>	91
<b>4.15 Discontinued reports</b>	94
<b>4.16 Non-functional changes</b>	96
 4.2 Package: BIDS	15
4.2.1 Modified table: BIDPEROFFER_D	15
4.3 Package: DEMAND_FORECASTS	16
4.3.1 Modified table: INTERMITTENT_GEN_FCST (comment changes heading only)	16
4.3.2 Modified table: INTERMITTENT_GEN_FCST_DATA (comment changes heading only)	16
4.3.3 New table: INTERMITTENT_GEN_FCST_RUN	17
4.3.4 New table: INTERMITTENT_GEN_FCST_PRED	19
4.3.5 New table: INTERMITTENT_GEN_FCST_P5_RUN	20
4.3.6 New table: INTERMITTENT_GEN_FCST_P5_PRED	22
4.3.7 Modified table: INTERMITTENT_P5_PRED (comment changes heading only)	23
4.3.8 Modified table: INTERMITTENT_P5_RUN (comment changes heading only)	24
4.3.9 New table: ROOFTOP_PV_FCST_RUN	24
4.3.10 New table: ROOFTOP_PV_FCST_PRED	26
4.3.11 New table: ROOFTOP_PV_FCST_P5_RUN	27
4.3.12 New table: ROOFTOP_PV_FCST_P5_PRED	29
4.3.13 Modified table: ROOFTOP_PV_ACTUAL (comment changes heading only)	30
4.3.14 New table: ROOFTOP_PV_ACTUAL_RUN	31
4.3.15 New table: ROOFTOP_PV_ACTUAL_PRED	33
4.3.16 Modified table: ROOFTOP_PV_FORECAST (comment changes heading only)	34



4.4	Package: SETTLEMENT_DATA .....	35
4.4.1	Modified table: DAYTRACK (comment changes only) .....	35
4.4.2	New table: SET_NMAS_MANUAL_PAYMENT .....	36
4.4.3	Modified table: SET_FCAS_REG_RESIDAMT (comment changes only) .....	37
4.4.4	Modified table: SET_FCAS_REG_DEF_RESIDAMT (comment changes only) .....	38
4.5	Package: BILLING_RUN .....	39
4.5.1	New table: BILLING_NMAS_MANUAL_PAYMENT .....	39
4.5.2	New table: BILLING_NMAS_MANUAL_RECOVERY .....	41
4.6	Package: DISPATCH .....	43
4.6.1	New table: DISPATCH_ROOFTOP_PV_FCST_TRK .....	43
4.7	Package: P5MIN .....	44
4.7.1	New table: P5MIN_INTERMITTENT_FCST_TRK .....	44
4.7.2	New table: P5MIN_ROOFTOP_PV_FCST_TRK .....	46
4.8	Package: PRE_DISPATCH .....	47
4.8.1	New table: PD_INTERMITTENT_FCST_TRK .....	47
4.8.2	New table: PD_ROOFTOP_PV_FCST_TRK .....	49
4.9	Package: MARKET_CONFIG .....	50
4.9.1	New table: AREA .....	50
4.9.2	New table: REGION_AREA .....	51
4.10	New Package: SYSTEM_SECURITY_MANAGEMENT .....	52
4.10.1	New table: SSM_CONTRACT_UNIT_AVAIL .....	53
4.10.2	New table: SSM_INSTRUCTION .....	54
4.10.3	New table: SSM_SCHEDULE .....	56



4.10.4	New table: SSM_SCHEDULED_AVAILABILITY .....	57
4.10.5	New table: SSM_ENABLEMENT_PERIOD .....	58
4.10.6	New table: SSM_ENABLEMENT_COSTS .....	59
4.11	Package: PDPASA .....	60
4.11.1	Modified table: PDPASA_DUIDAVAILABILITY (comment changes only) .....	61
4.11.2	Modified table: PDPASA_REGIONSOLUTION (comment changes only) .....	62
4.11.3	Modified table: PDPASA_CONSTRAINTSOLUTION (comment changes only) ....	65
4.11.4	Modified table: PDPASA_INTERCONNECTORSOLN (comment changes only) ..	66
4.12	Package: STPASA .....	67
4.12.1	Modified table: STPASA_DUIDAVAILABILITY (comment changes only) .....	67
4.12.2	Modified table: STPASA_REGIONSOLUTION (comment changes only) .....	68
4.12.3	Modified table: STPASA_CONSTRAINTSOLUTION (comment changes only) ....	71
4.12.4	Modified table: STPASA_INTERCONNECTORSOLN (comment changes only) ...	72
4.13	File interface changes .....	73
4.14	Participant interfaces changes .....	75
4.15	Discontinued reports .....	77
4.16	Non-functional changes .....	79

## 4.2 Package: BIDS

### Energy and Market Based FCAS Offers



#### 4.2.1 Modified table: BIDPEROFFER\_D

<b>Comment</b>	BIDPEROFFER_D shows the public summary of the energy and FCAS offers applicable in the Dispatch for the intervals identified. BIDPEROFFER_D is the child to BIDDAYOFFER_D.
<b>Visibility</b>	Public
<b>Data volume</b>	Large
<b>Trigger</b>	Updates daily shortly after 4am.
<b>Participant file share location</b>	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVREPORTS
<b>Primary key (in order)</b>	BIDTYPE, DIRECTION, DUID, INTERVAL_DATETIME, SETTLEMENTDATE
<b>Project</b>	ST PASA Procedure and Recall Period

#### New columns

Field name	Data type	Primary key	Comment
<b>RECALL_PERIOD</b>	NUMBER(8,3)	No	The advance notice (in hours) that a Scheduled Resource requires to achieve the PASA Availability MW for this trading interval.

### 4.3 Package: DEMAND\_FORECASTS

Regional Demand Forecasts, Intermittent Generator forecasts and Rooftop PV forecasts.



#### 4.3.1 Modified table: INTERMITTENT\_GEN\_FCST (comment changes heading only)

<b>Comment</b>	Identifying record for a given forecast of an intermittent generation. This table is the version table for the INTERMITTENT_GEN_FCST_DATA table which stores the individual forecast values. AEMO plans to remove this table in a Data Model version release after 5.6.
<b>Visibility</b>	Private
<b>Data volume</b>	Medium
<b>Trigger</b>	INTERMITTENT_GEN_FCST_DATA updates every 30 minutes when AEMO issues a new 30-minute forecast of intermittent generation out to 8 days ahead.
<b>Participant file share location</b>	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
<b>Primary key (in order)</b>	DUID, RUN_DATETIME
<b>Project</b>	Operational Forecasting

#### 4.3.2 Modified table: INTERMITTENT\_GEN\_FCST\_DATA (comment changes heading only)

<b>Comment</b>	Stores the forecast generation (MW) for each interval within a given forecast of an intermittent generator. AEMO plans to remove this table in a Data Model version release after 5.6.
<b>Visibility</b>	Private
<b>Data volume</b>	Medium
<b>Trigger</b>	INTERMITTENT_GEN_FCST_DATA updates every 30 minutes when AEMO issues a new 30-minute forecast of wind generation out to 8 days ahead.



<b>Comment</b>	Stores the forecast generation (MW) for each interval within a given forecast of an intermittent generator. AEMO plans to remove this table in a Data Model version release after 5.6.
<b>Participant file share location</b>	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
<b>Primary key (in order)</b>	DUID, INTERVAL_DATETIME, RUN_DATETIME
<b>Project</b>	Operational Forecasting

#### 4.3.3 New table: INTERMITTENT\_GEN\_FCST\_RUN

<b>Comment</b>	Contains forecast runs for intermittent wind and solar units, with a 30-minute resolution over the week-ahead PD/STPASA timeframe. This is the parent table to the child table INTERMITTENT_GEN_FCST_PRED, which contains the corresponding forecast predictions over the full horizon.
<b>Visibility</b>	Private, Public Next-Day
<b>Data volume</b>	Medium
<b>Trigger</b>	Every 30 minutes when a new intermittent generator forecast is available, covering the 8 days ahead horizon with 30-minute resolution.
<b>Participant file share location</b>	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
<b>Primary key (in order)</b>	FORECAST_RUN_DATETIME, DUID, OFFERDATETIME, PROVIDERID, FORECAST_PRIORITY
<b>Project</b>	Operational Forecasting



## New columns

Field name	Data type	Primary key	Comment
<b>FORECAST_RUN_DATETIME</b>	DATE	YES	Datetime (interval ending) when this forecast run is valid. It aligns with run_datetime in downstream processes, unless a forecast run is missed, in this case the previous run is used.
<b>DUID</b>	VARCHAR2(20)	YES	Dispatchable unit identifier for which this forecast applies.
<b>OFFERDATETIME</b>	DATE	YES	Datetime when this forecast submission was loaded.
<b>PROVIDERID</b>	VARCHAR2(20)	YES	Forecast provider identifier
<b>FORECAST_PRIORITY</b>	NUMBER(10,0)	YES	Priority of forecast run, higher number is used in preference to lower number for the same provider.
<b>PROVIDER_TIMESTAMP</b>	DATE	NO	Datetime when the provider created the forecast.
<b>REMARKS</b>	VARCHAR2(300)	NO	Comments relating to the forecast run. This column is not made available to the public.
<b>MODEL_USED</b>	VARCHAR2(30)	NO	Metadata describing the model used to produce the forecast run. This column is not made available to the public.
<b>SUPPRESSED_PROVIDER</b>	NUMBER(1,0)	NO	Flag indicating if the forecast run was suppressed by the provider when submitted. Suppressed forecasts are not used by downstream systems. Suppressed = 1, Unsuppressed = 0.
<b>TRANSACTION_ID</b>	VARCHAR2(100)	NO	Transaction identifier for receiving the forecast run
<b>LASTCHANGED</b>	DATE	NO	Datetime when the forecast run was written into AEMO's database.



#### 4.3.4 New table: INTERMITTENT\_GEN\_FCST\_PRED

<b>Comment</b>	Contains forecast predictions for intermittent wind and solar units, with a 30-minute resolution over the week-ahead PD/STPASA timeframe. This is the child table of the parent table INTERMITTENT_GEN_FCST_RUN, which contains the corresponding forecast runs.
<b>Visibility</b>	Private, Public Next-Day
<b>Data volume</b>	Large
<b>Trigger</b>	Every 30 minutes when a new intermittent generator forecast is available, covering the 8 days ahead horizon with 30-minute resolution.
<b>Participant file share location</b>	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
<b>Primary key (in order)</b>	FORECAST_RUN_DATETIME, DUID, OFFERDATETIME, PROVIDERID, FORECAST_PRIORITY, INTERVAL_DATETIME, FORECAST_TYPE
<b>Project</b>	Operational Forecasting

#### New columns

Field name	Data type	Primary key	Comment
<b>FORECAST_RUN_DATETIME</b>	DATE	YES	Datetime (interval ending) when this forecast run is valid. It aligns with run_datetime in downstream processes, unless a forecast run is missed, in this case the previous run is used.
<b>DUID</b>	VARCHAR2(20)	YES	Dispatchable unit identifier for which this forecast applies.
<b>OFFERDATETIME</b>	DATE	YES	Datetime when this forecast submission was loaded.
<b>PROVIDERID</b>	VARCHAR2(20)	YES	Forecast provider identifier





Field name	Data type	Primary key	Comment
FORECAST_PRIORITY	NUMBER(10,0)	YES	Priority of forecast run, higher number is used in preference to lower number for the same provider.
INTERVAL_DATETIME	DATE	YES	Datetime (interval-ending) for the period that this forecast applies to, within the current forecast_run_datetime.
FORECAST_TYPE	VARCHAR2(20)	YES	Type of forecast, for example, POE_10, POE_50, POE_90, MEAN and so on.
FORECAST_VALUE	NUMBER(18,8)	NO	Forecast value in MW.

#### 4.3.5 New table: INTERMITTENT\_GEN\_FCST\_P5\_RUN

Comment	Contains forecast runs for intermittent wind and solar units, with a 5-minute resolution over the hour-ahead P5MIN timeframe. This is the parent table to the child table INTERMITTENT_GEN_FCST_P5_PRED, which contains the corresponding forecast predictions over the full horizon.
Visibility	Private, Public Next-Day
Data volume	Medium
Trigger	Every 5 minutes when a new intermittent generator forecast is available, covering the 2 hours ahead horizon with 5-minute resolution.
Participant file share location	<#INTRFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	FORECAST_RUN_DATETIME, DUID, OFFERDATETIME, PROVIDERID, FORECAST_PRIORITY
Project	Operational Forecasting



## New columns

Field name	Data type	Primary key	Comment
<b>FORECAST_RUN_DATETIME</b>	DATE	YES	Datetime (interval ending) when this forecast run is valid. It aligns with run_datetime in downstream processes, unless a forecast run is missed, in this case the previous run is used.
<b>DUID</b>	VARCHAR2(20)	YES	Dispatchable unit identifier for which this forecast applies.
<b>OFFERDATETIME</b>	DATE	YES	Datetime when this forecast submission was loaded.
<b>PROVIDERID</b>	VARCHAR2(20)	YES	Forecast provider identifier
<b>FORECAST_PRIORITY</b>	NUMBER(10,0)	YES	Priority of forecast run, higher number is used in preference to lower number for the same provider.
<b>PROVIDER_TIMESTAMP</b>	DATE	NO	Datetime when the provider created the forecast.
<b>REMARKS</b>	VARCHAR2(300)	NO	Comments relating to the forecast run. This column is not made available to the public.
<b>MODEL_USED</b>	VARCHAR2(30)	NO	Metadata describing the model used to produce the forecast run. This column is not made available to the public.
<b>SUPPRESSED_PROVIDER</b>	NUMBER(1,0)	NO	Flag indicating if the forecast run was suppressed by the provider when submitted. Suppressed forecasts are not used by downstream systems. Suppressed = 1, Unsuppressed = 0.
<b>TRANSACTION_ID</b>	VARCHAR2(100)	NO	Transaction identifier for receiving the forecast run.
<b>LASTCHANGED</b>	DATE	NO	Datetime when the forecast run was written into AEMO's database.



#### 4.3.6 New table: INTERMITTENT\_GEN\_FCST\_P5\_PRED

<b>Comment</b>	Contains forecast predictions for intermittent wind and solar units, with a 5-minute resolution over the hour-ahead P5MIN timeframe. This is the child table of the parent table INTERMITTENT_GEN_FCST_P5_RUN, which contains the corresponding forecast runs.
<b>Visibility</b>	Private, Public Next-Day
<b>Data volume</b>	Large
<b>Trigger</b>	Every 5 minutes when a new intermittent generator forecast is available, covering the 2 hours ahead horizon with 5-minute resolution.
<b>Participant file share location</b>	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
<b>Primary key (in order)</b>	FORECAST_RUN_DATETIME, DUID, OFFERDATETIME, PROVIDERID, FORECAST_PRIORITY, INTERVAL_DATETIME, FORECAST_TYPE
<b>Project</b>	Operational Forecasting

#### New columns

Field name	Data type	Primary key	Comment
<b>FORECAST_RUN_DATETIME</b>	DATE	YES	Datetime (interval ending) when this forecast run is valid. It aligns with run_datetime in downstream processes, unless a forecast run is missed, in this case the previous run is used.
<b>DUID</b>	VARCHAR2(20)	YES	Dispatchable unit identifier for which this forecast applies.
<b>OFFERDATETIME</b>	DATE	YES	Datetime when this forecast submission was loaded.
<b>PROVIDERID</b>	VARCHAR2(20)	YES	Forecast provider identifier



Field name	Data type	Primary key	Comment
FORECAST_PRIORITY	NUMBER(10,0)	YES	Priority of forecast run, higher number is used in preference to lower number for the same provider.
INTERVAL_DATETIME	DATE	YES	Datetime (interval-ending) for the period that this forecast applies to, within the current forecast_run_datetime.
FORECAST_TYPE	VARCHAR2(20)	YES	Type of forecast, for example, POE_10, POE_50, POE_90, MEAN and so on.
FORECAST_VALUE	NUMBER(18,8)	NO	Forecast value in MW.

#### 4.3.7 Modified table: INTERMITTENT\_P5\_PRED (comment changes heading only)

Comment	Unconstrained Intermittent Generation Forecasts (UIGF) for 5-Minute Pre-dispatch. AEMO plans to remove this table in a Data Model version release after 5.6.
Visibility	Private
Data volume	Large
Trigger	Not applicable
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	DUID, FORECAST_PRIORITY, INTERVAL_DATETIME, OFFERDATETIME, ORIGIN, RUN_DATETIME
Project	Operational Forecasting



#### 4.3.8 Modified table: INTERMITTENT\_P5\_RUN (comment changes heading only)

Comment	Unconstrained Intermittent Generation Forecasts (UIGF) for 5-Minute Pre-dispatch. AEMO plans to remove this table in a Data Model version release after 5.6.
Visibility	Private
Data volume	Medium
Trigger	Not applicable
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	DUID, FORECAST_PRIORITY, OFFERDATETIME, ORIGIN, RUN_DATETIME
Project	Operational Forecasting

#### 4.3.9 New table: ROOFTOP\_PV\_FCST\_RUN

Participant facing

Comment	Contains forecast runs for rooftop PV areas, with a 30-minute resolution over the week-ahead PD/STPASA timeframe. This is the parent table to the child table ROOFTOP_PV_FCST_PRED, which contains the corresponding forecast predictions over the full horizon.
Visibility	Public
Data volume	Medium
Trigger	Every 30 minutes when a new rooftop PV forecast is available, covering the 8 days ahead horizon with 30-minute resolution.
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports



<b>Comment</b>	Contains forecast runs for rooftop PV areas, with a 30-minute resolution over the week-ahead PD/STPASA timeframe. This is the parent table to the child table ROOFTOP_PV_FCST_PRED, which contains the corresponding forecast predictions over the full horizon.
<b>Primary key (in order)</b>	FORECAST_RUN_DATETIME, AREAID, OFFERDATETIME, PROVIDERID, FORECAST_PRIORITY
<b>Project</b>	Operational Forecasting

### New columns

Field name	Data type	Primary key	Comment
<b>FORECAST_RUN_DATETIME</b>	DATE	YES	Datetime (interval ending) when this forecast run is valid. It aligns with run_datetime in downstream processes, unless a forecast run is missed, in this case the previous run is used.
<b>AREAID</b>	VARCHAR2(10)	YES	Area identifier, aligning with the load forecasting areas.
<b>OFFERDATETIME</b>	DATE	YES	Datetime when this forecast submission was loaded.
<b>PROVIDERID</b>	VARCHAR2(20)	YES	Forecast provider identifier, for example, AEMO, PROVIDER_A and so on.
<b>FORECAST_PRIORITY</b>	NUMBER(10,0)	YES	Priority of forecast run, higher number is used in preference to lower number for the same provider.
<b>PROVIDER_TIMESTAMP</b>	DATE	NO	Datetime when the provider created the forecast.
<b>REMARKS</b>	VARCHAR2(300)	NO	Comments relating to the forecast run.
<b>MODEL_USED</b>	VARCHAR2(30)	NO	Metadata describing the model used to produce the forecast run.



Field name	Data type	Primary key	Comment
<b>SUPPRESSED_PROVIDER</b>	NUMBER(1,0)	NO	Flag indicating if the forecast run was suppressed by the provider when submitted. Suppressed forecasts are not used by downstream systems. Suppressed = 1, Unsuppressed = 0.
<b>INSTALLED_CAPACITY</b>	NUMBER(18,8)	NO	Installed rooftop PV capacity that was used for the forecast run, in MW.
<b>LASTCHANGED</b>	DATE	NO	Datetime when the forecast run was written into AEMO's database.

#### 4.3.10 New table: ROOFTOP\_PV\_FCST\_PRED

Participant facing

<b>Comment</b>	Contains forecast predictions for rooftop PV areas, with a 30-minute resolution over the week-ahead PD/STPASA timeframe. This is the child table of the parent table ROOFTOP_PV_FCST_RUN, which contains the corresponding forecast runs.
<b>Visibility</b>	PUBLIC
<b>Data volume</b>	Large
<b>Trigger</b>	Every 30 minutes when a new rooftop PV forecast is available, covering the 8 days ahead horizon with 30-minute resolution.
<b>Participant file share location</b>	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
<b>Primary key (in order)</b>	FORECAST_RUN_DATETIME, AREAID, OFFERDATETIME, PROVIDERID, FORECAST_PRIORITY, INTERVAL_DATETIME, FORECAST_TYPE
<b>Project</b>	Operational Forecasting



## New columns

Field name	Data type	Primary key	Comment
<b>FORECAST_RUN_DATETIME</b>	DATE	YES	Datetime (interval ending) when this forecast run is valid. It aligns with run_datetime in downstream processes, unless a forecast run is missed, in this case the previous run is used.
<b>AREAID</b>	VARCHAR2(10)	YES	Area identifier, aligning with the load forecasting areas.
<b>OFFERDATETIME</b>	DATE	YES	Datetime when this forecast submission was loaded.
<b>PROVIDERID</b>	VARCHAR2(20)	YES	Forecast provider identifier, for example, AEMO, PROVIDER_A and so on.
<b>FORECAST_PRIORITY</b>	NUMBER(10,0)	YES	Priority of forecast run, higher number is used in preference to lower number for the same provider.
<b>INTERVAL_DATETIME</b>	DATE	YES	Datetime (interval-ending) for the period that this forecast applies to, within the current forecast_run_datetime.
<b>FORECAST_TYPE</b>	VARCHAR2(20)	YES	Type of forecast, for example, POE_10, POE_50, POE_90, MEAN and so on.
<b>FORECAST_VALUE</b>	NUMBER(18,8)	NO	Forecast value in MW.

### 4.3.11 New table: ROOFTOP\_PV\_FCST\_P5\_RUN

Participant facing

<b>Comment</b>	Contains forecast runs for rooftop PV areas, with a 5-minute resolution over the hour-ahead DS/P5MIN timeframe. This is the parent table to the child table ROOFTOP_PV_FCST_P5_PRED, which contains the corresponding forecast predictions over the full horizon.
<b>Visibility</b>	Public





<b>Comment</b>	Contains forecast runs for rooftop PV areas, with a 5-minute resolution over the hour-ahead DS/P5MIN timeframe. This is the parent table to the child table ROOFTOP_PV_FCST_P5_PRED, which contains the corresponding forecast predictions over the full horizon.
<b>Data volume</b>	Medium
<b>Trigger</b>	Every 5 minutes when a new rooftop PV forecast is available, covering the 2 hours ahead horizon with 5-minute resolution.
<b>Participant file share location</b>	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
<b>Primary key (in order)</b>	FORECAST_RUN_DATETIME, AREAID, <a href="#">OFFERDATETIME</a> , PROVIDERID, FORECAST_PRIORITY, <a href="#">OFFERDATETIME</a>
<b>Project</b>	Operational Forecasting

## New columns

Field name	Data type	Primary key	Comment
<b>FORECAST_RUN_DATETIME</b>	DATE	YES	Datetime (interval ending) when this forecast run is valid. It aligns with run_datetime in downstream processes, unless a forecast run is missed, in this case the previous run is used.
<b>AREAID</b>	VARCHAR2(10)	YES	Area identifier, aligning with the load forecasting areas.
<b>OFFERDATETIME</b>	DATE	YES	Datetime when this forecast submission was loaded.
<b>PROVIDERID</b>	VARCHAR2(20)	YES	Forecast provider identifier, for example, AEMO, PROVIDER_A and so on.
<b>FORECAST_PRIORITY</b>	NUMBER(10,0)	YES	Priority of forecast run, higher number is used in preference to lower number for the same provider.



Field name	Data type	Primary key	Comment
PROVIDER_TIMESTAMP	DATE	NO	Datetime when the provider created the forecast.
REMARKS	VARCHAR2(300)	NO	Comments relating to the forecast run.
MODEL_USED	VARCHAR2(30)	NO	Metadata describing the model used to produce the forecast run.
SUPPRESSED_PROVIDER	NUMBER(1,0)	NO	Flag indicating if the forecast run was suppressed by the provider when submitted. Suppressed forecasts are not used by downstream systems. Suppressed = 1, Unsuppressed = 0.
INSTALLED_CAPACITY	NUMBER(18,8)	NO	Installed rooftop PV capacity that was used for the forecast run, in MW.
LASTCHANGED	DATE	NO	Datetime when the forecast run was written into AEMO's database.

#### 4.3.12 New table: ROOFTOP\_PV\_FCST\_P5\_PRED

Participant facing

Comment	Contains forecast predictions for rooftop PV areas, with a 5-minute resolution over the hour-ahead DS/P5MIN timeframe. This is the child table of the parent table ROOFTOP_PV_FCST_P5_RUN, which contains the corresponding forecast runs.
Visibility	PUBLIC
Data volume	Large
Trigger	Every 5 minutes when a new rooftop PV forecast is available, covering the 2 hours ahead horizon with 5-minute resolution.
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports



<b>Comment</b>	Contains forecast predictions for rooftop PV areas, with a 5-minute resolution over the hour-ahead DS/P5MIN timeframe. This is the child table of the parent table ROOFTOP_PV_FCST_P5_RUN, which contains the corresponding forecast runs.
<b>Primary key (in order)</b>	FORECAST_RUN_DATETIME, AREAID, <u>OFFERDATETIME</u> , PROVIDERID, FORECAST_PRIORITY, <u>OFFERDATETIME</u> , INTERVAL_DATETIME, FORECAST_TYPE
<b>Project</b>	Operational Forecasting

### New columns

Field name	Data type	Primary key	Comment
<b>FORECAST_RUN_DATETIME</b>	DATE	YES	Datetime (interval ending) when this forecast run is valid. It aligns with run_datetime in downstream processes, unless a forecast run is missed in which case the previous run is used.
<b>AREAID</b>	VARCHAR2(10)	YES	Area identifier, aligning with the load forecasting areas.
<b>OFFERDATETIME</b>	DATE	YES	Datetime when this forecast submission was loaded.
<b>PROVIDERID</b>	VARCHAR2(20)	YES	Forecast provider identifier, for example, AEMO, PROVIDER_A and so on.
<b>FORECAST_PRIORITY</b>	NUMBER(10,0)	YES	Priority of forecast run, higher number is used in preference to lower number for the same provider.
<b>INTERVAL_DATETIME</b>	DATE	YES	Datetime (interval-ending) for the period that this forecast applies to, within the current forecast_run_datetime.
<b>FORECAST_TYPE</b>	VARCHAR2(20)	YES	Type of forecast, for example, POE_10, POE_50, POE_90, MEAN and so on.
<b>FORECAST_VALUE</b>	NUMBER(18,8)	NO	Forecast value in MW.



#### 4.3.13 Modified table: ROOFTOP\_PV\_ACTUAL (comment changes heading only)

Comment	Estimate of regional Rooftop Solar actual generation for each half-hour interval in a day. AEMO plans to remove this table in a Data Model version release after 5.6.
Visibility	Public
Data volume	Medium
Trigger	Not applicable
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	INTERVAL_DATETIME, REGIONID, TYPE
Project	Operational Forecasting

#### 4.3.14 New table: ROOFTOP\_PV\_ACTUAL\_RUN

Participant facing

Comment	Contains prediction runs for rooftop PV area estimated actuals, with a 5-minute and 30-minute resolution for different estimate types. This is the parent table to the child table ROOFTOP_PV_ACTUAL_PRED, which contains the corresponding actual predictions.
Visibility	Public
Data volume	Medium
Trigger	Every 5 or 30 minutes when a new rooftop PV estimated actual is available, covering the most recent 5 or 30-minute interval that is available.
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports



<b>Comment</b>	Contains prediction runs for rooftop PV area estimated actuals, with a 5-minute and 30-minute resolution for different estimate types. This is the parent table to the child table ROOFTOP_PV_ACTUAL_PRED, which contains the corresponding actual predictions.
<b>Primary key (in order)</b>	PREDICTION_RUN_DATETIME, INTERVAL_DURATION, AREAID, OFFERDATETIME, ESTIMATE_TYPE, PROVIDERID, PREDICTION_PRIORITY
<b>Project</b>	Operational Forecasting

### New columns

Field name	Data type	Primary key	Comment
<b>PREDICTION_RUN_DATETIME</b>	DATE	YES	Datetime (interval ending) from which this prediction run is valid.
<b>INTERVAL_DURATION</b>	NUMBER(3,0)	YES	Duration of each interval (in minutes) for this prediction, for example, 5 or 30.
<b>AREAID</b>	VARCHAR2(10)	YES	Area identifier, aligning with the load forecasting areas.
<b>OFFERDATETIME</b>	DATE	YES	Datetime when this prediction submission was loaded.
<b>ESTIMATE_TYPE</b>	VARCHAR2(20)	YES	Type of Rooftop PV estimate, for example, MEASURED, SATELLITE and so on.
<b>PROVIDERID</b>	VARCHAR2(20)	YES	Provider identifier, for example, AEMO, PROVIDER_A and so on.
<b>PREDICTION_PRIORITY</b>	NUMBER(10,0)	YES	Priority of prediction run, higher number is used in preference to lower number for the same provider.
<b>PROVIDER_TIMESTAMP</b>	DATE	NO	Datetime when the provider created the forecast.
<b>REMARKS</b>	VARCHAR2(300)	NO	Comments relating to the prediction run.



Field name	Data type	Primary key	Comment
<b>MODEL_USED</b>	VARCHAR2(30)	NO	Metadata describing the model used to produce the prediction run.
<b>SUPPRESSED_PROVIDER</b>	NUMBER(1,0)	NO	Flag indicating if the prediction run was suppressed by the provider when submitted. Suppressed predictions are not used by downstream forecasting systems. Suppressed = 1, Unsuppressed = 0.
<b>INSTALLED_CAPACITY</b>	NUMBER(18,8)	NO	Installed rooftop PV capacity used for the prediction run, in MW.
<b>LASTCHANGED</b>	DATE	NO	Datetime when the prediction run was written into AEMO's database.

#### 4.3.15 New table: ROOFTOP\_PV\_ACTUAL\_PRED

Participant facing

<b>Comment</b>	Contains predictions for rooftop PV area estimated actuals, with a 5-minute and 30-minute resolution for different estimate types. This is the child table of the parent table ROOFTOP_PV_ACTUAL_RUN, which contains the corresponding actual prediction runs.
<b>Visibility</b>	Public
<b>Data volume</b>	Large
<b>Trigger</b>	Every 5 or 30 minutes when a new rooftop PV estimated actual is available, covering the most recent 5 or 30-minute interval that is available.
<b>Participant file share location</b>	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports



<b>Comment</b>	Contains predictions for rooftop PV area estimated actuals, with a 5-minute and 30-minute resolution for different estimate types. This is the child table of the parent table ROOFTOP_PV_ACTUAL_RUN, which contains the corresponding actual prediction runs.
<b>Primary key (in order)</b>	PREDICTION_RUN_DATETIME, INTERVAL_DURATION, AREAID, OFFERDATETIME, ESTIMATE_TYPE, PROVIDERID, PREDICTION_PRIORITY, INTERVAL_DATETIME
<b>Project</b>	Operational Forecasting

### New columns

Field name	Data type	Primary key	Comment
PREDICTION_RUN_DATETIME	DATE	YES	Datetime (interval ending) from which this prediction run is valid.
INTERVAL_DURATION	NUMBER(3,0)	YES	Duration of each interval (in minutes) for this prediction, for example, 5 or 30.
AREAID	VARCHAR2(10)	YES	Area identifier, aligning with the load forecasting areas.
OFFERDATETIME	DATE	YES	Datetime when this prediction submission was loaded.
ESTIMATE_TYPE	VARCHAR2(20)	YES	Type of Rooftop PV estimate, for example, MEASURED, SATELLITE and so on.
PROVIDERID	VARCHAR2(20)	YES	Provider identifier, for example, AEMO, PROVIDER_A and so on.
PREDICTION_PRIORITY	NUMBER(10,0)	YES	Priority of prediction run, higher number is used in preference to lower number for the same provider.
INTERVAL_DATETIME	DATE	YES	Date and Time the forecast applies (dispatch interval ending).
PREDICTION_VALUE	NUMBER(18,8)	NO	Prediction value in MW.



Field name	Data type	Primary key	Comment
PREDICTION_QUALITY	NUMBER(2,0)	NO	Prediction quality. Higher number represents better quality.

4.3.16 Modified table: ROOFTOP\_PV\_FORECAST (comment changes heading only)

Comment	Regional forecasts of Rooftop Solar generation across the half-hour intervals over 8 days. AEMO plans to remove this table in a Data Model version release after 5.6.
Visibility	Public
Data volume	Large
Trigger	Not applicable
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	INTERVAL_DATETIME, REGIONID, VERSION_DATETIME
Project	Operational Forecasting

4.4 Package: SETTLEMENT\_DATA

Results from a published Settlements Run. The settlement data and billing run data are updated daily between 6 am and 8 am for AEMO's prudential processes. In a normal week, AEMO publishes one PRELIM, one FINAL and two REVISION runs in addition to the daily runs





4.4.1 Modified table: DAYTRACK (comment changes only)

Comment	DAYTRACK identifies the actual settlement run processed for each settlement day. Settlement run is in the column EXPOSTRUNNO. Generally, the number of the settlement run used in the latest statement is the maximum number.
Visibility	Public
Data volume	Low
Trigger	DAYTRACK is populated by the posting of a billing run.
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	EXPOSTRUNNO, SETTLEMENTDATE
Project	Improving Security Frameworks

Modified columns [\(comment changes only\)](#)

Field name	Data type	Primary key	Comment
EXANTERUNSTATUS	VARCHAR2(15)	NO	This is to determine whether the Settlement Run is a valid run or not.
EXPOSTRUNSTATUS	VARCHAR2(15)	NO	Estimate for DAILY/INITIAL and Actual for PRELIM/FINAL and REVISE.



4.4.2 New table: SET\_NMAS\_MANUAL\_PAYMENT

Comment	This report contains the NMAS Manual TI Payments that are uploaded by the Settlement Business Team. Amounts in this table are not calculated by the Settlement System.
Visibility	Private
Data volume	Medium
Trigger	Daily Billing Run & Posting a PRELIM/FINAL and REVISE Billing Run.
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	SETTLEMENTDATE, VERSIONNO, PARTICIPANTID, CONTRACTID, DUID, SERVICETYPE, PAYMENTTYPE, PERIODID
Project	Improving Security Frameworks

New columns

Field name	Data type	Primary key	Comment
SETTLEMENTDATE	DATE	Yes	The Settlement Date of the Billing Week.
VERSIONNO	NUMBER(3,0)	Yes	The Settlement Run No.
PARTICIPANTID	VARCHAR2(20)	Yes	The Contract Participant Id.
CONTRACTID	VARCHAR2(20)	Yes	The NMAS System Security Contract ID.
DUID	VARCHAR2(20)	Yes	The DUID associated with the Contract Payment.



Field name	Data type	Primary key	Comment
<b>SERVICETYPE</b>	VARCHAR2(20)	Yes	The NMAS System Security Service Types (INERTIA, SYSTEM STRENGTH, TYPE1, TYPE2 and so on).
<b>PAYMENTTYPE</b>	VARCHAR2(20)	Yes	The Payment Type associated with the Service like Availability, Usage, Enablement, Energy Revenue, Test, ADHOC and so on.
<b>PERIODID</b>	NUMBER(3,0)	Yes	The Settlement Period Id (1-288).
<b>REGIONID</b>	VARCHAR2(10)	No	The Contract Region Id.
<b>PAYMENTAMOUNT</b>	NUMBER(18,8)	No	The NMAS Contract Manual Payment for the Payment Type.
<b>LASTCHANGED</b>	DATE	No	The last changed date time of the record.

#### 4.4.3 Modified table: SET\_FCAS\_REG\_RESIDAMT (comment changes only)

<b>Comment</b>	This report contains the FCAS Regulation Residue Amounts that include FPP Residual Amounts, Used Residual Amounts and Unused Residual Amounts calculated using the Energy Ratio for each Requirement Region.
<b>Visibility</b>	Private
<b>Data volume</b>	Medium
<b>Trigger</b>	Daily Billing Run & Posting a PRELIM/FINAL and REVISE Billing Run.
<b>Participant file share location</b>	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
<b>Primary key (in order)</b>	SETTLEMENTDATE, VERSIONNO, PARTICIPANTID, CONSTRAINTID, PERIODID, REGIONID



Comment	This report contains the FCAS Regulation Residue Amounts that include FPP Residual Amounts, Used Residual Amounts and Unused Residual Amounts calculated using the Energy Ratio for each Requirement Region.
Project	Frequency Performance Payments

Modified columns [\(comment changes only\)](#)

Field name	Data type	Primary key	Comment
ASOE_MWH	NUMBER(18,8)	No	The ASOE MWh value that is used for the FCAS Residual Calculation.(Excluding CPID with CF).
RESIDUAL_MWH	NUMBER(18,8)	No	Sum of ABS(ACE_MWh) + ASOE_MWh. The MWh is not netted for residual calculation.
USED_ASOE_AMOUNT	NUMBER(18,8)	No	The Used Recovery ASOE Amount calculated using the portion of ASOE MWh value against the Total residual MWh of the requirement regions.
USED_RESIDUAL_AMOUNT	NUMBER(18,8)	No	Sum of USED_ACE_AMOUNT + USED_ASOE_AMOUNT.
UNUSED_ASOE_AMOUNT	NUMBER(18,8)	No	The Unused Recovery ASOE Amount calculated using the portion of ASOE MWh value against the Total residual MWh of the requirement regions.
UNUSED_RESIDUAL_AMOUNT	NUMBER(18,8)	No	Sum of UNUSED_ACE_AMOUNT + UNUSED_ASOE_AMOUNT.



4.4.4 Modified table: SET\_FCAS\_REG\_DEF\_RESIDAMT (comment changes only)

Comment	This report contains the FCAS Regulation Residue Amounts that include FPP Residual Amounts, Used Residual Amounts and Unused Residual Amounts calculated using the Energy Ratio for each Requirement Region and the Default Residual CF.
Visibility	Private
Data volume	Medium
Trigger	Daily Billing Run & Posting a PRELIM/FINAL and REVISE Billing Run.
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	SETTLEMENTDATE, VERSIONNO, PARTICIPANTID, CONSTRAINTID, PERIODID, REGIONID
Project	Frequency Performance Payments

Modified columns (comment changes only)

Field name	Data type	Primary key	Comment
RESIDUAL_MWH	NUMBER(18,8)	No	Sum of ABS(ACE_MWh) + ASOE_MWh. The MWh is not netted for residual calculation.
UNUSED_ASOE_AMOUNT	NUMBER(18,8)	No	The Unused Recovery ASOE Amount calculated using the ASOE MWh value of the requirement regions.
UNUSED_RESIDUAL_AMOUNT	NUMBER(18,8)	No	Sum of UNUSED_ACE_AMOUNT + UNUSED_ASOE_AMOUNT.



## 4.5 Package: BILLING\_RUN

Results from a published Billing Run. The settlement data and billing run data are updated daily between 6 am and 8 am for AEMO's prudential processes. In a normal week, AEMO publishes one PRELIM, one FINAL and two REVISION runs in addition to the daily runs. Each billing run is uniquely identified by contract year, week no and bill run number.

### 4.5.1 New table: BILLING\_NMAS\_MANUAL\_PAYMENT

Comment	This report contains the NMAS Manual Weekly Payments that are uploaded by the Settlement Business Team. Amounts in this table are not calculated by the Settlement System.
Visibility	Private
Data volume	<a href="#">Medium</a> <del>Low</del>
Trigger	Daily Billing Run & Posting a PRELIM/FINAL and REVISE Billing Run.
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	CONTRACTYEAR, WEEKNO, BILLRUNNO, PARTICIPANTID, CONTRACTID, DUID, SERVICETYPE, PAYMENTTYPE
Project	Improving Security Frameworks

### New columns

Field name	Data type	Primary key	Comment
CONTRACTYEAR	NUMBER(4,0)	Yes	The Billing Contract Year.



Field name	Data type	Primary key	Comment
WEEKNO	NUMBER(3,0)	Yes	The Billing WeekNo
BILLRUNNO	NUMBER(4,0)	Yes	The Billing RunNo
PARTICIPANTID	VARCHAR2(20)	Yes	The Contract Participant Id.
CONTRACTID	VARCHAR2(20)	Yes	The NMAS System Security Contract ID.
DUID	VARCHAR2(20)	Yes	The DUID associated with the Contract Payment.
SERVICETYPE	VARCHAR2(20)	Yes	The NMAS System Security Service Types (INERTIA, SYSTEM STRENGTH, TYPE1, TYPE2 and so on).
PAYMENTTYPE	VARCHAR2(20)	Yes	The Payment Type associated with the Service like Availability, Usage, Enablement, Energy Revenue, Test, ADHOC and so on.
REGIONID	VARCHAR2(10)	No	The Contract Region Id.
PAYMENTAMOUNT	NUMBER(18,8)	No	The NMAS Contract Manual Payment for the Payment Type.
LASTCHANGED	DATE	No	The last changed date time of the record.

4.5.2 New table: BILLING\_NMAS\_MANUAL\_RECOVERY

Comment	This report shows the summary of the Billing NMAS Recovery Amounts. This table will have recovery data for manual payments for System Security Services.
Visibility	Private
Data volume	Medium



Comment	This report shows the summary of the Billing NMAS Recovery Amounts. This table will have recovery data for manual payments for System Security Services.
Trigger	Daily Billing Run & Posting a PRELIM/FINAL and REVISE Billing Run.
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	CONTRACTYEAR, WEEKNO, BILLRUNNO, PARTICIPANTID, CONTRACTID, SERVICETYPE, PAYMENTTYPE, REGIONID
Project	Improving Security Frameworks

New columns

Field name	Data type	Primary key	Comment
CONTRACTYEAR	NUMBER(4,0)	Yes	The Billing Contract Year.
WEEKNO	NUMBER(3,0)	Yes	The Billing WeekNo
BILLRUNNO	NUMBER(4,0)	Yes	The Billing RunNo
PARTICIPANTID	VARCHAR2(20)	Yes	The Contract Participant Id.
CONTRACTID	VARCHAR2(20)	Yes	The NMAS System Security Contract ID.
SERVICETYPE	VARCHAR2(20)	Yes	The NMAS System Security Service Types (INERTIA, SYSTEM STRENGTH, TYPE1, TYPE2 and so on).
PAYMENTTYPE	VARCHAR2(20)	Yes	The Payment Type associated with the Service like Availability, Usage, Enablement, Energy Revenue, Test, ADHOC and so on.





Field name	Data type	Primary key	Comment
REGIONID	VARCHAR2(10)	Yes	Region Identifier
PAYMENTAMOUNT	NUMBER(18,8)	No	The NMAS Contract Manual Payment for the Payment Type.
RECOVERYSTARTDATETIME	DATE	No	The Recovery Start Date and Time for the Payment Calculation.
RECOVERYENDDATETIME	DATE	No	The Recovery End Date and Time for the Payment Calculation.
RECOVERYAMOUNT_ACE	NUMBER(18,8)	No	Recovery Amount on ACE portion (\$).
RECOVERYAMOUNT_ASOE	NUMBER(18,8)	No	Recovery Amount on ASOE portion (\$).
PARTICIPANT_ACE_MWH	NUMBER(18,8)	No	Participant Consumed Energy in MWh.
PARTICIPANT_ASOE_MWH	NUMBER(18,8)	No	Participant Sent Out Energy in MWh.
REGION_ACE_MWH	NUMBER(18,8)	No	Region Consumed Energy in MWh.
REGION_ASOE_MWH	NUMBER(18,8)	No	Region Sent Out Energy in MWh.
LASTCHANGED	DATE	No	The last changed date time of the record.

## 4.6 Package: DISPATCH

Results from a published Dispatch Run.



4.6.1 New table: DISPATCH\_ROOFTOP\_PV\_FCST\_TRK

Comment	Uniquely tracks which Rooftop PV forecast run (from ROOFTOP_PV_FCST_P5_RUN) was used for the Area in which Dispatch run.
Visibility	PUBLIC
Data volume	Medium
Trigger	Every 5 minutes when a new dispatch run is published.
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	RUN_DATETIME, AREAID
Project	Operational Forecasting

New columns

Field name	Data type	Primary key	Comment
RUN_DATETIME	DATE	YES	Datetime (interval ending) of the Dispatch run.
AREAID	VARCHAR2(10)	YES	Area identifier aligning with the load forecasting areas, tracks to ROOFTOP_PV_FCST_P5_RUN.AREAID.
FORECAST_RUN_DATETIME	DATE	NO	Datetime (interval ending) when this forecast run is valid. It aligns with run_datetime, unless a forecast run is missed, in this case the previous run is used. Tracks to ROOFTOP_PV_FCST_P5_RUN.FORECAST_RUN_DATETIME.



Field name	Data type	Primary key	Comment
PROVIDERID	VARCHAR2(20)	NO	Provider identifier of the forecast run used for the DS run, tracks to ROOFTOP_PV_FCST_P5_RUN.PROVIDERID.
FORECAST_PRIORITY	NUMBER(10,0)	NO	Priority of the forecast run used for the DS run, tracks to ROOFTOP_PV_FCST_P5_RUN.FORECAST_PRIORITY.
OFFERDATETIME	DATE	NO	Submission datetime of the forecast run used for the DS run, tracks to ROOFTOP_PV_FCST_P5_RUN.OFFERDATETIME.

4.6.2 New table: DISPATCH ELEMENT CAP

Comment	Indicates the upper number of turbines or inverters for a dispatchable unit for each dispatch interval
Visibility	PUBLIC
Data volume	Medium
Trigger	Every 5 minutes when a new dispatch run is published
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	RUN DATETIME, DUID
Project	P3502 - Inverter Management System



**New columns**

<u>Field name</u>	<u>Data type</u>	<u>Primary key</u>	<u>Comment</u>
<u>RUN_DATETIME</u>	<u>DATE</u>	<u>YES</u>	<u>Datetime (interval ending) of the Dispatch run</u>
<u>DUID</u>	<u>VARCHAR2(20)</u>	<u>YES</u>	<u>Dispatchable unit identifier</u>
<u>ELEMENT_CAP</u>	<u>NUMBER(5,0)</u>	<u>NO</u>	<u>Cap on the number of turbines or inverters at a DUID</u>
<u>LASTCHANGED</u>	<u>DATE</u>	<u>NO</u>	<u>Last date and time record was updated.</u>

**4.7 Package: P5MIN**

Results from a published Five-Minute Predispatch Run.

**4.7.1 New table: P5MIN\_INTERMITTENT\_FCST\_TRK**

<b>Comment</b>	Uniquely tracks which Intermittent Generation forecast run (from INTERMITTENT_GEN_FCST_P5_RUN) was used for the DUID in which 5-Minute Pre-dispatch run.
<b>Visibility</b>	Private, Public Next-Day
<b>Data volume</b>	Medium
<b>Trigger</b>	Every 5 minutes when a new 5-Minute Pre-dispatch run is published.
<b>Participant file share location</b>	<#INTRFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
<b>Primary key (in order)</b>	RUN_DATETIME, DUID



Comment	Uniquely tracks which Intermittent Generation forecast run (from INTERMITTENT_GEN_FCST_P5_RUN) was used for the DUID in which 5-Minute Pre-dispatch run.
Project	Operational Forecasting

New columns

Field name	Data type	Primary key	Comment
RUN_DATETIME	DATE	YES	Datetime (interval ending) of the 5-Minute Pre-dispatch run.
DUID	VARCHAR2(20)	YES	Dispatchable unit identifier, tracks to INTERMITTENT_GEN_FCST_P5_RUN.DUID.
FORECAST_RUN_DATETIME	DATE	NO	Datetime (interval ending) when this forecast run is valid. It aligns with run_datetime, unless a forecast run is missed in which case the previous run is used. Tracks to INTERMITTENT_GEN_FCST_P5_RUN.FORECAST_RUN_DATETIME.
PROVIDERID	VARCHAR2(20)	NO	Provider of the forecast run used for the 5MPD run, tracks to INTERMITTENT_GEN_FCST_P5_RUN.PROVIDERID.
FORECAST_PRIORITY	NUMBER(10,0)	NO	Priority of the forecast run used for the 5MPD run, tracks to INTERMITTENT_GEN_FCST_P5_RUN.FORECAST_PRIORITY.
OFFERDATETIME	DATE	NO	Submission datetime of the forecast run used for the 5MPD run, tracks to INTERMITTENT_GEN_FCST_P5_RUN.OFFERDATETIME.



4.7.2 New table: P5MIN\_ROOFTOP\_PV\_FCST\_TRK

Comment	Uniquely tracks which Rooftop PV forecast run (from ROOFTOP_PV_FCST_P5_RUN) was used for the Area in which 5-Minute Pre-dispatch run.
Visibility	PUBLIC
Data volume	Medium
Trigger	Every 5 minutes when a new 5-Minute Pre-dispatch run is published.
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	RUN_DATETIME, AREAID
Project	Operational Forecasting

New columns

Field name	Data type	Primary key	Comment
RUN_DATETIME	DATE	YES	Datetime (interval ending) of the 5-Minute Pre-dispatch run.
AREAID	VARCHAR2(10)	YES	Area identifier aligning with the load forecasting areas, tracks to ROOFTOP_PV_FCST_P5_RUN.AREAID.
FORECAST_RUN_DATETIME	DATE	NO	Datetime (interval ending) when this forecast run is valid. It aligns with run_datetime, unless a forecast run is missed, in this case the previous run is used. Tracks to ROOFTOP_PV_FCST_P5_RUN.FORECAST_RUN_DATETIME.



Field name	Data type	Primary key	Comment
PROVIDERID	VARCHAR2(20)	NO	Provider identifier of the forecast run used for the DS run, tracks to ROOFTOP_PV_FCST_P5_RUN.PROVIDERID.
FORECAST_PRIORITY	NUMBER(10,0)	NO	Priority of the forecast run used for the DS run, tracks to ROOFTOP_PV_FCST_P5_RUN.FORECAST_PRIORITY.
OFFERDATETIME	DATE	NO	Submission datetime of the forecast run used for the DS run, tracks to ROOFTOP_PV_FCST_P5_RUN.OFFERDATETIME.

## 4.8 Package: PRE\_DISPATCH

Results from a published 30-minute Pre-dispatch Run.

### 4.8.1 New table: PD\_INTERMITTENT\_FCST\_TRK

Comment	Uniquely tracks which Intermittent Generation forecast run (from INTERMITTENT_GEN_FCST_RUN) was used for the DUID in which Pre-dispatch run.
Visibility	Private, Public Next-Day
Data volume	Medium
Trigger	Every 30 minutes when a new Pre-dispatch run is published.
Participant file share location	<#INTRFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports



Comment	Uniquely tracks which Intermittent Generation forecast run (from INTERMITTENT_GEN_FCST_RUN) was used for the DUID in which Pre-dispatch run.
Primary key (in order)	PREDISPATCHSEQNO, DUID
Project	Operational Forecasting

New columns

Field name	Data type	Primary key	Comment
PREDISPATCHSEQNO	DATE	YES	Unique identifier of Pre-dispatch run in the form YYYYMMDDPP with 01 at 04:30.
DUID	VARCHAR2(20)	YES	Dispatchable unit identifier, tracks to INTERMITTENT_GEN_FCST_RUN.DUID.
FORECAST_RUN_DATETIME	DATE	NO	Datetime (interval ending) when this forecast run is valid. It aligns with run_datetime, unless a forecast run is missed, in this case the previous run is used. Tracks to INTERMITTENT_GEN_FCST_RUN.FORECAST_RUN_DATETIME.
PROVIDERID	VARCHAR2(20)	NO	Provider of the forecast run used for the PD run, tracks to INTERMITTENT_GEN_FCST_RUN.PROVIDERID.
FORECAST_PRIORITY	NUMBER(10,0)	NO	Priority of the forecast run used for the PD run, tracks to INTERMITTENT_GEN_FCST_RUN.FORECAST_PRIORITY.
OFFERDATETIME	DATE	NO	Submission datetime of the forecast run used for the PD run, tracks to INTERMITTENT_GEN_FCST_RUN.OFFERDATETIME.

-





#### 4.8.2 New table: PD\_ROOFTOP\_PV\_FCST\_TRK

<b>Comment</b>	Uniquely tracks which Rooftop PV forecast run (from ROOFTOP_PV_FCST_RUN) was used for the Area in which Pre-dispatch run.
<b>Visibility</b>	Public
<b>Data volume</b>	Medium
<b>Trigger</b>	Every 30 minutes when a new Pre-dispatch run is published.
<b>Participant file share location</b>	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
<b>Primary key (in order)</b>	PREDISPATCHSEQNO, AREAID
<b>Project</b>	Operational Forecasting

#### New columns

Field name	Data type	Primary key	Comment
<b>PREDISPATCHSEQNO</b>	DATE	YES	Unique identifier of Pre-dispatch run in the form YYYYMMDDPP with 01 at 04:30.
<b>AREAID</b>	VARCHAR2(10)	YES	Area identifier aligning with the load forecasting areas, tracks to ROOFTOP_PV_FCST_RUN.AREAID.
<b>FORECAST_RUN_DATETIME</b>	DATE	NO	Datetime (interval ending) when the forecast run is valid. It would align with run_datetime, unless a forecast run is missed, in this case the previous run will be used. Tracks to ROOFTOP_PV_FCST_RUN.FORECAST_RUN_DATETIME.



Field name	Data type	Primary key	Comment
PROVIDERID	VARCHAR2(20)	NO	Provider identifier of the forecast run used for the PD run, tracks to ROOFTOP_PV_FCST_RUN.PROVIDERID.
FORECAST_PRIORITY	NUMBER(10,0)	NO	Priority of the forecast run used for the PD run, tracks to ROOFTOP_PV_FCST_RUN.FORECAST_PRIORITY.
OFFERDATETIME	DATE	NO	Submission datetime of the forecast run used for the PD run, tracks to ROOFTOP_PV_FCST_RUN.OFFERDATETIME.

4.8.3 New table: PD\_ELEMENT\_CAP

Comment	Indicates the upper number of turbines or inverters for a dispatchable unit for each trading interval
Visibility	PUBLIC
Data volume	Medium
Trigger	Every 30 minutes when a new Pre-dispatch run is published
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	PREDISPATCHSEQNO,RUN_DATETIME,DUID
Project	P3502 - Inverter Management System



New columns

<u>Field name</u>	<u>Data type</u>	<u>Primary key</u>	<u>Comment</u>
<u>PREDISPATCHSEQNO</u>	<u>VARCHAR2(20)</u>	<u>YES</u>	<u>Unique identifier of Pre-dispatch run in the form YYYYMMDDPP with 01 at 04:30</u>
<u>PERIODID</u>	<u>VARCHAR2(20)</u>	<u>YES</u>	<u>Unique period identifier, in the format yyyyymmddpp. The period (pp) is 01 to 48, with 01 corresponding to the half-hour ending at 04:30am.</u>
<u>DATETIME</u>	<u>DATE</u>	<u>YES</u>	<u>Period Date and Time</u>
<u>DUID</u>	<u>VARCHAR2(20)</u>	<u>YES</u>	<u>Dispatchable unit identifier</u>
<u>ELEMENT CAP</u>	<u>NUMBER(5,0)</u>	<u>NO</u>	<u>Cap on the number of turbines/inverters at a DUID</u>
<u>LASTCHANGED</u>	<u>DATE</u>	<u>NO</u>	<u>Last date and time record updated.</u>

-

4.9 Package: MARKET\_CONFIG

Standing data for the market.

4.9.1 New table: AREA

<b>Comment</b>	Table containing static metadata for the Areas, which are sub-regions used in load forecasting and rooftop PV forecasting. The latest metadata can be obtained for each AreaID using the most recent EffectiveDate and then VersionNo. If an AreaID is not mapped to an active RegionID in the corresponding REGION_AREA table, then that AreaID can be considered inactive.
<b>Visibility</b>	Public



<b>Comment</b>	Table containing static metadata for the Areas, which are sub-regions used in load forecasting and rooftop PV forecasting. The latest metadata can be obtained for each AreaID using the most recent EffectiveDate and then VersionNo. If an AreaID is not mapped to an active RegionID in the corresponding REGION_AREA table, then that AreaID can be considered inactive.
<b>Data volume</b>	Small
<b>Trigger</b>	Ad hoc when Areas are updated or added.
<b>Participant file share location</b>	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
<b>Primary key (in order)</b>	AREAID, EFFECTIVEDATE, VERSIONNO
<b>Project</b>	Operational Forecasting

### New columns

Field name	Data type	Primary key	Comment
<b>AREAID</b>	VARCHAR2(10)	YES	Area identifier
<b>EFFECTIVEDATE</b>	DATE	YES	Calendar date from when this record set is effective.
<b>VERSIONNO</b>	NUMBER(3,0)	YES	Version number for the same effective date.
<b>AREA_NAME</b>	VARCHAR2(20)	NO	Area name
<b>AREA_DESCRIPTION</b>	VARCHAR2(200)	NO	Area description
<b>LASTCHANGED</b>	DATE	NO	Last date and time record changed.



#### 4.9.2 New table: REGION\_AREA

<b>Comment</b>	Table containing static metadata for mapping the Areas to Regions. The latest mapping can be obtained for each RegionID using the most recent EffectiveDate and then VersionNo.
<b>Visibility</b>	Public
<b>Data volume</b>	Small
<b>Trigger</b>	Ad hoc when Area-Region mappings are updated or added.
<b>Participant file share location</b>	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
<b>Primary key (in order)</b>	REGIONID, EFFECTIVEDATE, VERSIONNO, AREAID
<b>Project</b>	Operational Forecasting

#### New columns

Field name	Data type	Primary key	Comment
<b>REGIONID</b>	VARCHAR2(10)	YES	Region identifier
<b>EFFECTIVEDATE</b>	DATE	YES	Calendar date from when this record set is effective.
<b>VERSIONNO</b>	NUMBER(3,0)	YES	Version number for the same effective date.
<b>AREAID</b>	VARCHAR2(10)	YES	Area identifier
<b>LASTCHANGED</b>	DATE	NO	Last date and time record changed.



## 4.10 New Package: SYSTEM\_SECURITY\_MANAGEMENT

Package for ISF (Improving Security Frameworks) for Electricity Power System Security procurement (not related to IT security)

### 4.10.1 New table: SSM\_CONTRACT\_UNIT\_AVAIL

Participant facing

Comment	The variable parameters associated to the Unit within an SSM Contract, allowing changes to the base contract values due to unit availabilities (e.g Maintenance, Outages).
Visibility	Private
Data volume	Medium
Trigger	On change of the Contract Availability.
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	CONTRACT_ID, DUID, INTERVAL_DATETIME, VERSION_DATETIME
Project	Improving Security Frameworks (ISF) Phase 1 (Dec 2025 rule change)

### New columns

Field name	Data type		Primary key	Comment
CONTRACT_ID	VARCHAR2(20)	Yes	Unique Contract Identifier	
DUID	VARCHAR2(20)		Yes	Dispatchable Unit Identifier



Field name	Data type	Primary key	Comment
INTERVAL_DATETIME	DATE	Yes	The starting Dispatch Interval for the availability change. This will be the active availability until the next INTERVAL_DATETIME record for this Contract and DUID.
VERSION_DATETIME	DATE	Yes	Effective Date and Time of this record.
AVAILABLE	NUMBER(1,0)	No	Indicates if DUID is available for the INTERVAL_DATETIME (1 = True, 0 = False).
UNIT_COUNT	NUMBER(4,0)	No	Number of sub-units within a DUID that are available for enablement.
ACTIVATION_LEAD_TIME	NUMBER(6,0)	No	The expected maximum lead time for the system security service to be enabled from a non-operational state in minutes.
MIN_DISPATCH_MW	NUMBER(18,8)	No	Minimum Dispatch Target required for DUID to enable the contract.
MIN_ENABLEMENT_DURATION	NUMBER(6,0)	No	Minimum duration a unit must be active to enable the contract in minutes.
LASTCHANGED	DATE	No	Last time record was changed

4.10.2 New table: SSM\_INSTRUCTION

Participant facing

Comment	An enablement of an SSM Contract that instructs a Dispatchable Unit is to provide a System Security Service.
Visibility	Private



<b>Comment</b>	<b>An enablement of an SSM Contract that instructs a Dispatchable Unit is to provide a System Security Service.</b>
<b>Data volume</b>	Medium
<b>Trigger</b>	On enablement of a contract to provide System Security Services.
<b>Participant file share location</b>	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
<b>Primary key (in order)</b>	INSTRUCTION_ID, VERSION_DATETIME
<b>Project</b>	Improving Security Frameworks (ISF) Phase 1 (Dec 2025 rule change)

### New columns

Field name	Data type	Primary key	Comment
<b>INSTRUCTION_ID</b>	VARCHAR2(20)	Yes	Unique Instruction Identifier.
<b>VERSION_DATETIME</b>	DATE	Yes	Effective Date and Time of this record.
<b>INITIAL_INSTRUCTION_ID</b>	VARCHAR2(20)	No	Unique transaction identifier of initiating transaction if instruction related to an amendment or cancellation.
<b>DUID_PARTICIPANTID</b>	VARCHAR2(10)	No	Primary recipient (SSM Service Provider) of enablement instruction.
<b>CONTRACT_ID</b>	VARCHAR2(20)	No	Unique Contract Identifier used to create enablement.
<b>TNSP_PARTICIPANTID</b>	VARCHAR2(10)	No	Participant ID of TNSP if contract procurer is TNSP.
<b>DUID</b>	VARCHAR2(20)	No	Dispatchable Unit Identifier





Field name	Data type	Primary key	Comment
UNIT_COUNT	NUMBER(4,0)	No	Number of sub-units within a DUID that are required for enablement. Value of zero means cancellation of instruction.
EQUIPMENT_TYPE	VARCHAR2(40)	No	Dispatchable Unit resource (for example, GENERATOR, LOAD, BIDIRECTIONAL, SYNCHRONOUS CONDENSER).
SERVICE_TYPE	VARCHAR2(40)	No	Requested Service to provide (System strength – combination, System strength – coefficient, NSCAS – voltage control, NSCAS, Inertia, Transitional service – type 1 MSL, Transitional service – type 1, Transitional service – type 2).
MIN_DISPATCH_MW	NUMBER(18,8)	No	Minimum Dispatch Target required for DUID to enable the contract. Value of zero means cancellation of instruction.
START_INTERVAL_DATETIME	DATE	No	The first Dispatch Interval of the enablement.
END_INTERVAL_DATETIME	DATE	No	The last Dispatch Interval of the enablement.
LASTCHANGED	DATE	No	Last time record was changed.

4.10.3 New table: SSM\_SCHEDULE

Participant facing

Comment	Scheduled SSM contract enablement's.
Visibility	Private
Data volume	Medium
Trigger	Timed trigger once per day for previous day.



Comment	Scheduled SSM contract enablement's.
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	INSTRUCTION_ID
Project	Improving Security Frameworks (ISF) Phase 1 (Dec 2025 rule change)

### New columns

Field name	Data type	Primary key	Comment
INSTRUCTION_ID	VARCHAR2(20)	Yes	Unique Instruction Identifier
CONTRACT_ID	VARCHAR2(20)	No	Unique Contract Identifier used to create enablement.
DUID_PARTICIPANTID	VARCHAR2(10)	No	Primary recipient (SSM Service Provider)
TNSP_PARTICIPANTID	VARCHAR2(10)	No	Participant ID of TNSP if contract procurer is TNSP.
DUID	VARCHAR2(20)	No	Dispatchable Unit Identifier
UNIT_COUNT	NUMBER(4,0)	No	Number of sub-units within a DUID that are required for enablement.
EQUIPMENT_TYPE	VARCHAR2(40)	No	Dispatchable Unit resource (for example, GENERATOR, LOAD, BIDIRECTIONAL, SYNCHRONOUS CONDENSER).
SERVICE_TYPE	VARCHAR2(40)	No	Requested Service to provide (System strength – combination, System strength – coefficient, NSCAS – voltage control, NSCAS, Inertia, Transitional service – type 1 MSL, Transitional service – type 1, Transitional service – type 2).
MIN_DISPATCH_MW	NUMBER(18,8)	No	Minimum Dispatch Target required for DUID to enable the contract.



Field name	Data type	Primary key	Comment
START_INTERVAL_DATETIME	DATE	No	The first Dispatch Interval of the enablement.
END_INTERVAL_DATETIME	DATE	No	The last Dispatch Interval of the enablement.
LASTCHANGED	DATE	No	Last time record was changed.

4.10.4 New table: SSM\_SCHEDULED\_AVAILABILITY

Participant facing

Comment	Scheduled SSM availability
Visibility	Private
Data volume	Medium
Trigger	Timed trigger once per day for previous day.
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	CONTRACT_ID, DUID, AVAILABLE_START_INTERVAL
Project	Improving Security Frameworks (ISF) Phase 1 (Dec 2025 rule change)



New columns

Field name	Data type	Primary key	Comment
CONTRACT_ID	VARCHAR2(20)	Yes	Unique Contract Identifier
DUID	VARCHAR2(20)	Yes	Dispatchable Unit Identifier
AVAILABLE_START_INTERVAL	DATE	Yes	The first Dispatch Interval the unit is available.
AVAILABLE_END_INTERVAL	DATE	No	The last Dispatch Interval the unit is available.
TNSP_PARTICIPANTID	VARCHAR2(10)	No	TNSP Participant ID
LASTCHANGED	DATE	No	Last time record was changed.

4.10.5 New table: SSM\_ENABLEMENT\_PERIOD

Participant facing

Comment	SSM Contract Enablement Periods
Visibility	Public
Data volume	Medium
Trigger	Timed trigger once per day for previous day.
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	INSTRUCTION_ID, DUID, ENABLEMENT_START_INTERVAL
Project	Improving Security Frameworks (ISF) Phase 1 (Dec 2025 rule change)



New columns

Field name	Data type	Primary key	Comment
INSTRUCTION_ID	VARCHAR2(20)	Yes	Unique Instruction Identifier
DUID	VARCHAR2(20)	Yes	Dispatchable Unit Identifier
ENABLEMENT_START_INTERVAL	DATE	Yes	The first Dispatch Interval the unit is enabled for SSM Services.
ENABLEMENT_END_INTERVAL	DATE	No	The last Dispatch Interval the unit is enabled for SSM Services.
ENABLEMENT_REASON	VARCHAR2(40)	No	Reason for the enablement.
LASTCHANGED	DATE	No	Last time record was changed.

4.10.6 New table: SSM\_ENABLEMENT\_COSTS

Participant facing

Comment	SSM Contract Enablement Costs <a href="#">for NEM</a>
Visibility	Public
Data volume	Medium
Trigger	Timed trigger once per day for previous day.
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	<a href="#">END TRADINGDATE, ENABLEMENT REASON</a> <del>INSTRUCTION_ID</del>
Project	Improving Security Frameworks (ISF) Phase 1 (Dec 2025 rule change)



New columns

Field name	Data type	Primary key	Comment
<del>END_TRADINGDATE</del> INSTRUCTION_ID	<del>DATE</del> VARCHAR2(20)	Yes	<del>Trading Date of the end of the enablement.</del> Unique Instruction Identifier
ENABLEMENT_REASON	VARCHAR2(20)	<del>Yes</del> No	Primary Service type associated <del>to the DUID.</del>
ESTIMATED_COSTS	NUMBER(18,8)	No	<del>Cost estimation for the service type.</del> The first Dispatch Interval the unit is enabled for SSM Services.
LASTCHANGED	DATE	No	Last time record was changed.

4.11 Package: PDPASA

The PDPASA package provides a 30-minute solving process to the Market systems. The current methodology for calculating reserves in the PreDispatch timeframe is determined in a post processing step using a heuristic calculation based the results and Interconnector limits from the PreDispatch run. The calculation is a reserve assessment based on the PASA solver similar to existing ST and MT PASA business processes. The process reflects all intra-regional and inter-regional network constraints as an input to the process.

4.11.1 Modified table: PDPASA\_DUIDAVAILABILITY (comment changes only)

Comment	This report delivers available capacity, PASA availability and given recall period for all scheduled resources. Note that for an MNSP, DUID = LINKID in the MNSP_INTERCONNECTOR table.
Visibility	Public
Data volume	Medium



Comment	This report delivers available capacity, PASA availability and given recall period for all scheduled resources. Note that for an MNSP, DUID = LINKID in the MNSP_INTERCONNECTOR table.
Trigger	Close to or start of PDPASA run.
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	RUN_DATETIME, INTERVAL_DATETIME, DUID
Project	ST PASA Procedure and Recall Period

Modified columns [\(comment changes only\)](#)

Comment changes only

Field name	Data type	Primary key	Comment
RUN_DATETIME	DATE	Yes	PDPASA run, identified by the first half hour ended interval of the run.
LASTCHANGED	DATE	No	Report Creation Date Time.

4.11.2 Modified table: PDPASA\_REGIONSOLUTION (comment changes only)

Comment	The PDPASA region solution data Note that the OUTAGE_LRC Run Type is no longer reported from 31 July 2025.
Visibility	Public



<b>Comment</b>	<b>The PDPASA region solution data</b> <b>Note that the OUTAGE_LRC Run Type is no longer reported from 31 July 2025.</b>
<b>Data volume</b>	Medium
<b>Trigger</b>	PDPASA_REGIONSOLUTION is updated each PDPASA run (i.e. half-hourly).
<b>Participant file share location</b>	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
<b>Primary key (in order)</b>	INTERVAL_DATETIME, REGIONID, RUN_DATETIME, RUNTYPE
<b>Project</b>	ST PASA Procedure and Recall Period

Modified columns

Comment changes only

Field name	Data type	Primary key	Comment
<b>RUN_DATETIME</b>	DATE	Yes	Unique Timestamp Identifier for this run, identified by the first half hour ended interval of the run.
<b>RESERVEREQ</b>	NUMBER(12,2)	No	Reserve Requirement (MW). This field is not populated after 30 July 2025.
<b>CAPACITYREQ</b>	NUMBER(12,2)	No	Demand + Reserve requirements (MW). This field is not populated after 30 July 2025.
<b>ENERGYREQDEMAND50</b>	NUMBER(12,2)	No	Sum of: (Region Demand50)/Period (sum by trading day, entered in first period of trading day, GWh).





Field name	Data type	Primary key	Comment
<b>UNCONSTRAINEDCAPACITY</b>	NUMBER(12,0)	No	Aggregate generation + WDR capacity from Non-Energy Constrained plant subjected to restrictions due to network constraints.
<b>CONSTRAINEDCAPACITY</b>	NUMBER(12,0)	No	Aggregate generation + WDR capacity from Energy Constrained plant subjected to restrictions due to network constraints.
<b>NETINTERCHANGEUNDERSARCITY</b>	NUMBER(12,2)	No	Net export (MW) out of this region in the LOR evaluation. Export if > 0, Import if < 0. This value is the same as LORNETINTERCHANGEUNDERSARCITY.
<b>SURPLUSCAPACITY</b>	NUMBER(12,2)	No	Regional surplus capacity (MW), +/- values indicate surplus/deficit capacity respectively. This value reflects Regional LOR reserve.
<b>SURPLUSRESERVE</b>	NUMBER(12,2)	No	Regional surplus reserve (MW). This value also reflects Regional LOR reserve. Note: For LOR runs, RESERVEREQ requirement input is not used.
<b>RESERVECONDITION</b>	NUMBER(1,0)	No	Regional reserve condition from LRC run. This field is not populated after 30 July 2025.
<b>MAXSURPLUSRESERVE</b>	NUMBER(12,2)	No	Maximum Surplus Reserve (MW) evaluated for this region from LRC runs. This field is no longer populated.
<b>MAXSPARECAPACITY</b>	NUMBER(12,2)	No	Maximum Spare Capacity (MW) evaluated for this region. Calculated for each region in turn. This value reflects Regional LOR reserve.
<b>LASTCHANGED</b>	DATE	No	Date time this record was created.



Field name	Data type	Primary key	Comment
<b>AGGREGATEPASAAVAILABILITY</b>	NUMBER(12,0)	No	Sum of PASAAVAILABILITY for all scheduled generating units and scheduled bidirectional units (Gen side) with a Recall_Period <= 24 hours plus the sum of Unconstrained Intermittent Generation Forecasts (UIGF) for all semi-scheduled generating units. For the OUTAGE_LRC run, UIGF is the POE90 forecast. For the LOR Run, UIGF is the POE50 forecast. Note that the OUTAGE_LRC Run Type is discontinued from 31 July 2025.
<b>RUNTYPE</b>	VARCHAR2(20)	Yes	Type of run. Values are OUTAGE_LRC and LOR. Note that the PDPASA OUTAGE_LRC Run Type is discontinued from 31 July 2025, with only the LOR Run Type reported.
<b>MSRNETINTERCHANGEUNDERSCARCITY</b>	NUMBER(12,2)	No	Net interconnector flow from the region for this interval from the MSR assessment. This field is no longer populated.
<b>SEMISCHEDULEDCAPACITY</b>	NUMBER(12,2)	No	Constrained generation forecast (MW) for semi-scheduled units for the region. For OUTAGE_LRC run and LOR run, semi-scheduled generation is constrained by both System Normal and Outage constraints. All run types (OUTAGE_LRC, LOR) incorporate MAXAVAIL limits.
<b>LCR2</b>	NUMBER(16,6)	No	Two Largest Credible Risks. MW value for highest two credible contingencies.
<b>SS_SOLAR_UIGF</b>	NUMBER(12,2)	No	Unconstrained Intermittent Generation Forecast for solar for the region. For OUTAGE_LRC run, this is the POE90 forecast (determined by LRCUIGFOption in CaseSolution). For LOR run, this is the POE50 forecast.



Field name	Data type	Primary key	Comment
<b>SS_WIND_UIGF</b>	NUMBER(12,2)	No	Unconstrained Intermittent Generation Forecast for wind for the region. For OUTAGE_LRC run, this is the POE90 forecast (determined by LRCUIGFOption in CaseSolution). For LOR run, this is the POE50 forecast.
<b>SS_SOLAR_CAPACITY</b>	NUMBER(12,2)	No	Constrained generation forecast for solar for the region. For OUTAGE_LRC run and LOR run, solar generation is constrained by both System Normal and Outage constraints. All run types (OUTAGE_LRC, LOR) incorporate MAXAVAIL limits.
<b>SS_WIND_CAPACITY</b>	NUMBER(12,2)	No	Constrained generation forecast for wind for the region. For OUTAGE_LRC run and LOR run, wind generation is constrained by both System Normal and Outage constraints. All run types (OUTAGE_LRC, LOR) incorporate MAXAVAIL limits.
<b>SS_SOLAR_CLEARED</b>	NUMBER(12,2)	No	Constrained generation forecast (MW) for solar for the region. For OUTAGE_LRC run and LOR run, solar generation is constrained by both System Normal and Outage constraints. All run types (OUTAGE_LRC, LOR) incorporate MAXAVAIL limits. This value is the same as SS_SOLAR_CAPACITY.
<b>SS_WIND_CLEARED</b>	NUMBER(12,2)	No	Constrained generation forecast (MW) for wind for the region. For OUTAGE_LRC run and LOR run, wind generation is constrained by both System Normal and Outage constraints. All run types (OUTAGE_LRC, LOR) incorporate MAXAVAIL limits. This value is the same as SS_WIND_CAPACITY.



4.11.3 Modified table: PDPASA\_CONSTRAINTSOLUTION (comment changes only)

Comment	PDPASA_CONSTRAINTSOLUTION shows binding and violated constraint results from the capacity evaluation, including the RHS value.
Visibility	Public
Data volume	Medium
Trigger	Updated each PDPASA run (i.e. half-hourly).
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	RUN_DATETIME
Project	ST PASA Procedure and Recall Period

Modified columns

Comment changes only

Field name	Data type	Primary key	Comment
RUNTYPE	VARCHAR2(20)	Yes	Type of run. Values are OUTAGE_LRC and LOR. Note that the PDPASA OUTAGE_LRC Run Type is discontinued from 31 July 2025, with only the LOR Run Type reported.



4.11.4 Modified table: PDPASA\_INTERCONNECTORSOLN (comment changes only)

Comment	PDPASA_INTERCONNECTORSOLN shows the results of the capacity evaluation for Interconnectors, including the calculated limits for the interval.
Visibility	Public
Data volume	Medium
Trigger	Updated each PDPASA run (i.e. half-hourly).
Participant file share location	<#INTRFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	INTERCONNECTORID,INTERVAL_DATETIME,RUN_DATETIME,RUNTYPE,STUDYREGIONID
Project	ST PASA Procedure and Recall Period

Modified columns

Comment changes only

Field name	Data type	Primary key	Comment
RUNTYPE	VARCHAR2(20)	Yes	Type of run. Values are OUTAGE_LRC and LOR. Note that the PDPASA OUTAGE_LRC Run Type is discontinued from 31 July 2025, with only the LOR Run Type reported.

4.12 Package: STPASA

Results from a published Short Term PASA Run.



4.12.1 Modified table: STPASA\_DUIDAVAILABILITY (comment changes only)

Comment	This report delivers available capacity, PASA availability and given recall period for all scheduled resources. Note that for an MNSP, DUID = LINKID in the MNSP_INTERCONNECTOR table.
Visibility	Public
Data volume	Medium
Trigger	Start of each STPASA run (every hour).
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	RUN_DATETIME, INTERVAL_DATETIME, DUID
Project	ST PASA Procedure and Recall Period

Modified columns

Comment changes only

Field name	Data type	Primary key	Comment
RUN_DATETIME	DATE	Yes	STPASA run, identified by the nominal start time of the run.
LASTCHANGED	DATE	No	Report Creation Date Time.



4.12.2 Modified table: STPASA\_REGIONSOLUTION (comment changes only)

Comment	STPASA_REGIONSOLUTION shows the results of the regional capacity, maximum surplus reserve and maximum spare capacity evaluations for each period of the study.  Note that the RELIABILITY_LRC and OUTAGE_LRC Run Types are no longer reported from 31 July 2025.
Visibility	Public
Data volume	Medium
Trigger	Start of each STPASA run (every hour).
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	INTERVAL_DATETIME, REGIONID, RUN_DATETIME, RUNTYPE
Project	ST PASA Procedure and Recall Period

Modified columns

Comment changes only

Field name	Data type	Primary key	Comment
RUN_DATETIME	DATE	Yes	Unique Timestamp Identifier for this run, identified by the nominal start time of the run.
INTERVAL_DATETIME	DATE	Yes	End date time of the interval.
DEMAND10	NUMBER(12,2)	No	10% Probability of Exceedance demand forecast.



Field name	Data type	Primary key	Comment
<b>DEMAND50</b>	NUMBER(12,2)	No	50% Probability of Exceedance demand forecast.
<b>DEMAND90</b>	NUMBER(12,2)	No	90% Probability of Exceedance demand forecast.
<b>RESERVEREQ</b>	NUMBER(12,2)	No	Reserve Requirement (MW). This field is not populated after 30 July 2025.
<b>CAPACITYREQ</b>	NUMBER(12,2)	No	Demand + Reserve requirements (MW). This field is not populated after 30 July 2025.
<b>ENERGYREQDEMAND50</b>	NUMBER(12,2)	No	Sum of: (Region Demand50)/Period (sum by trading day, entered in first period of trading day, GWh).
<b>UNCONSTRAINEDCAPACITY</b>	NUMBER(12,0)	No	Aggregate generation + WDR capacity from Non-Energy Constrained plant subjected to restrictions due to network constraints.
<b>CONSTRAINEDCAPACITY</b>	NUMBER(12,0)	No	Aggregate generation + WDR capacity from Energy Constrained plant subjected to restrictions due to network constraints.
<b>NETINTERCHANGEUNDERSARCITY</b>	NUMBER(12,2)	No	Net export (MW) out of this region in the LOR evaluation. Export if > 0, Import if < 0. This value is the same as LORNETINTERCHANGEUNDERSARCITY.
<b>SURPLUSCAPACITY</b>	NUMBER(12,2)	No	Regional surplus capacity (MW), +/- values indicate surplus/deficit capacity respectively. This value reflects Regional LOR reserve.
<b>SURPLUSRESERVE</b>	NUMBER(12,2)	No	Regional surplus reserve (MW). This value also reflects Regional LOR reserve. Note: For LOR runs, RESERVEREQ requirement input is not used.
<b>RESERVECONDITION</b>	NUMBER(1,0)	No	Regional reserve condition from LRC run. This field is not populated after 30 July 2025.





Field name	Data type	Primary key	Comment
<b>MAXSURPLUSRESERVE</b>	NUMBER(12,2)	No	Maximum Surplus Reserve (MW) evaluated for this region from LRC runs. This field is no longer populated.
<b>MAXSPARECAPACITY</b>	NUMBER(12,2)	No	Maximum Spare Capacity (MW) evaluated for this region. Calculated for each region in turn. This value reflects Regional LOR reserve.
<b>LASTCHANGED</b>	DATE	No	Date time this record was created.
<b>AGGREGATEPASAAVAILABLEITY</b>	NUMBER(12,0)	No	Sum of PASAAVAILABLEITY for all scheduled generating units and scheduled bidirectional units (Gen side) with a Recall_Period <= 24 hours plus the sum of Unconstrained Intermittent Generation Forecasts (UIGF) for all semi-scheduled generating units. For the RELIABILITY_LRC and OUTAGE_LRC runs, UIGF is the POE90 forecast. For the LOR Run, UIGF is the POE50 forecast. Note that the RELIABILITY_LRC and OUTAGE_LRC Run Types are discontinued from 31 July 2025.
<b>MSRNETINTERCHANGEUNDERSARCITY</b>	NUMBER(12,2)	No	Net interconnector flow from the region for this interval from the MSR assessment. This field is no longer populated.
<b>SEMISCHEDULEDCAPACITY</b>	NUMBER(12,2)	No	Constrained generation forecast (MW) for semi-scheduled units for the region. For RELIABILITY_LRC run, semi-scheduled generation is constrained only by System Normal constraints. For OUTAGE_LRC run and LOR run, semi-scheduled generation is constrained by both System Normal and Outage constraints. All three run types (RELIABILITY_LRC, OUTAGE_LRC, LOR) incorporate MAXAVAIL limits.
<b>LOR_SEMISCHEDULEDCAPACITY</b>	NUMBER(12,2)	No	Constrained generation forecast for semi-scheduled units for the region for the LOR run. Semi-scheduled generation is constrained by both System Normal and Outage constraints, and incorporate MAXAVAIL limits.



Field name	Data type	Primary key	Comment
<b>LCR2</b>	NUMBER(16,6)	No	Two Largest Credible Risks. MW value for highest two credible contingencies.
<b>SS_SOLAR_CLEARED</b>	NUMBER(12,2)	No	Constrained generation forecast (MW) for solar for the region. For RELIABILITY_LRC run, solar generation is constrained only by System Normal constraints. For OUTAGE_LRC run and LOR run, solar generation is constrained by both System Normal and Outage constraints. All three run types (RELIABILITY_LRC, OUTAGE_LRC, LOR) incorporate MAXAVAIL limits. This value is the same as SS_SOLAR_CAPACITY.
<b>SS_WIND_CLEARED</b>	NUMBER(12,2)	No	Constrained generation forecast (MW) for wind for the region. For RELIABILITY_LRC run, wind generation is constrained only by System Normal constraints. For OUTAGE_LRC run and LOR run, wind generation is constrained by both System Normal and Outage constraints. All three run types (RELIABILITY_LRC, OUTAGE_LRC, LOR) incorporate MAXAVAIL limits. This value is the same as SS_WIND_CAPACITY.

#### 4.12.3 Modified table: STPASA\_CONSTRAINTSOLUTION (comment changes only)

Comment	STPASA_CONSTRAINTSOLUTION shows binding and violated constraint results from the capacity evaluation, including the RHS value.
<b>Visibility</b>	Public
<b>Data volume</b>	Medium
<b>Trigger</b>	Updated each STPASA run (i.e. every 2 hours).



<b>Comment</b>	STPASA_CONSTRAINTSOLUTION shows binding and violated constraint results from the capacity evaluation, including the RHS value.
<b>Participant file share location</b>	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
<b>Primary key (in order)</b>	CONSTRAINTID, INTERVAL_DATETIME, RUN_DATETIME, RUNTYPE, STUDYREGIONID
<b>Project</b>	ST PASA Procedure and Recall Period

### Modified columns

Comment only changes

Field name	Data type	Primary key	Comment
<b>RUNTYPE</b>	VARCHAR2(20)	Yes	Type of run. Values are RELIABILITY_LRC, OUTAGE_LRC and LOR. Note that the STPASA RELIABILITY_LRC and OUTAGE_LRC Run Types are discontinued from 31 July 2025, with only the LOR Run Type reported.

#### 4.12.4 Modified table: STPASA\_INTERCONNECTORSOLN (comment changes only)

<b>Comment</b>	STPASA_INTERCONNECTORSOLN shows the results of the capacity evaluation for Interconnectors, including the calculated limits for the interval.
<b>Visibility</b>	Public
<b>Data volume</b>	Medium
<b>Trigger</b>	Updated each STPASA run (i.e. every 2 hours).



Comment	STPASA_INTERCONNECTORSOLN shows the results of the capacity evaluation for Interconnectors, including the calculated limits for the interval.
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	INTERCONNECTORID,INTERVAL_DATETIME,RUN_DATETIME,RUNTYPE,STUDYREGIONID
Project	ST PASA Procedure and Recall Period

Modified columns

Comment only changes

Field name	Data type	Primary key	Comment
RUNTYPE	VARCHAR2(20)	Yes	Type of run. Values are RELIABILITY_LRC, OUTAGE_LRC and LOR. Note that the STPASA RELIABILITY_LRC and OUTAGE_LRC Run Types are discontinued from 31 July 2025, with only the LOR Run Type reported.



4.13 File interface changes

Package	File ID	Description	Batcher file masks	Frequency	Change	Auto-subscription
DEMAND_FORECASTS	INTERMITTENT_GEN_FCST	Real-time private forecasts for intermittent wind and solar units (30-min PD/STPASA timeframe)	*_INTERMITTENT_GEN_FCST_*.CSV	30 min	<a href="#">ModifiedNew</a>	<a href="#">No</a> <a href="#">Yes</a>
	NEXT_DAY_INTERMITTENT_GEN_FCST	Next day public forecasts for intermittent wind and solar units (30-min PD/STPASA timeframe)	PUBLIC_NEXT_DAY_INTERMITTENT_GEN_FCST_*.CSV	Daily	New	No



Package	File ID	Description	Batcher file masks	Frequency	Change	Auto-subscription
	INTERMITTENT_GEN_FCST_P5	Real-time private forecasts for intermittent wind and solar units (5-min P5MIN timeframe)	*_INTERMITTENT_GEN_FCST_P5_*.CSV	5 min	New	Yes
	NEXT_DAY_INTERMITTENT_GEN_FCST_P5	Next day public forecasts for intermittent wind and solar units (5-min P5MIN timeframe)	PUBLIC_NEXT_DAY_INTERMITTENT_GEN_FCST_P5_*.CSV	Daily	New	No
	ROOFTOP_PV_FCST	Real-time public forecasts for rooftop PV Areas (30-min PD/STPASA timeframe)	PUBLIC_ROOFTOP_PV_FCST_*.CSV	30 min	New	<a href="#">Yes</a> <del>No</del>



Package	File ID	Description	Batcher file masks	Frequency	Change	Auto-subscription
	ROOFTOP_PV_FCST_P5	Real-time public forecasts for rooftop PV Areas (5-min DS/P5MIN timeframe)	PUBLIC_ROOFTOP_PV_FCST_P5_*.CSV	5 min	New	<a href="#">Yes</a> <del>No</del>
	ROOFTOP_PV_ACTL	Real-time public estimated actuals for rooftop PV Areas (5-min and 30-min resolution)	PUBLIC_ROOFTOP_PV_ACTL_*.CSV	5 and 30 min	New	<a href="#">Yes</a> <del>No</del>
<a href="#">DISPATCH</a>	<a href="#">DS ROOFTOP PV FCST TRK</a>	<a href="#">Real-time tracking of which Rooftop PV forecast run was used for the Area in the corresponding Dispatch run.</a>	<a href="#">PUBLIC ROOFTOP PV FCST DS TRK *.CSV</a>	<a href="#">5 min</a>	<a href="#">New</a>	<a href="#">Yes</a>



Package	File ID	Description	Batcher file masks	Frequency	Change	Auto-subscription
	<a href="#">DS_ELEMENT_CAP</a>	<a href="#">Indicates the upper number of turbines or inverters for a dispatchable unit for each dispatch interval</a>	<a href="#">PUBLIC_ELEMENT_CAP_DS_*.CSV</a>	<a href="#">5 min</a>	<a href="#">New</a>	<a href="#">Yes</a>
<a href="#">P5MIN</a>	<a href="#">P5_INTERMITTENT_GEN_FCST_TRK</a>	<a href="#">Real-time tracking of which Intermittent Generation forecast run was used for the DUID in the corresponding 5-min Pre-dispatch run.</a>	<a href="#">*_INTERMITTENT_GEN_FCST_P5_TRK_*.CSV</a>	<a href="#">5 min</a>	<a href="#">New</a>	<a href="#">Yes</a>





Package	File ID	Description	Batcher file masks	Frequency	Change	Auto-subscription
PRE DISPATCH	<a href="#">P5 ROOFTOP PV FCST TRK</a>	<a href="#">Real-time tracking of which Rooftop PV forecast run was used for the Area in the corresponding 5-min Pre-dispatch run.</a>	<a href="#">PUBLIC ROOFTOP PV FCST P5 TRK *.CSV</a>	<a href="#">5 min</a>	<a href="#">New</a>	<a href="#">Yes</a>
	<a href="#">PD INTERMITTENT GEN FCST TRK</a>	<a href="#">Real-time tracking of which Intermittent Generation forecast run was used for the DUID in the corresponding Pre-dispatch run.</a>	<a href="#">* INTERMITTENT GEN FCST PD TRK *.CSV</a>	<a href="#">30 min</a>	<a href="#">New</a>	<a href="#">Yes</a>



Package	File ID	Description	Batcher file masks	Frequency	Change	Auto-subscription
	<a href="#">PD ROOFTOP PV FCST TRK</a>	<a href="#">Real-time tracking of which Rooftop PV forecast run was used for the Area in the corresponding Pre-dispatch run.</a>	<a href="#">PUBLIC ROOFTOP PV FCST PD TRK *.CSV</a>	<a href="#">30 min</a>	<a href="#">New</a>	<a href="#">Yes</a>
	<a href="#">PD ELEMENT CAP</a>	<a href="#">Indicates the upper number of turbines or inverters for a dispatchable unit for each trading interval</a>	<a href="#">PUBLIC ELEMENT CAP PD *.CSV</a>	<a href="#">30 min</a>	<a href="#">New</a>	<a href="#">Yes</a>



Package	File ID	Description	Batcher file masks	Frequency	Change	Auto-subscription
MARKET_CONFIG	AREA	Static metadata for the Areas (sub-regions used in load forecasting and rooftop PV forecasting)	PUBLIC_AREA_*.CSV	Ad hoc	New	Yes
	REGION_AREA	Static metadata for mapping the Areas (sub-regions) to Regions	PUBLIC_REGION_AREA_*.CSV	Ad hoc	New	Yes
SYSTEM_SECURITY_MANAGEMENT	SSM_CONTACT_UNIT_AVAIL	-	-	-	New	Yes
	SSM_INSTRUCTION	-	-	-	New	Yes
	SSM_DAILY_SCHEDULE	-	-	-	New	Yes
	SSM_AVAILABILITY	-	-	-	New	Yes



Package	File ID	Description	Batcher file masks	Frequency	Change	Auto-subscription
	SSM_ENABLEMENT_PERIOD	-	-	-	New	Yes
	SSM_ENABLEMENT_COSTS	-	-	-	New	Yes

4.14 Participant interfaces changes

Package	Data model table	File ID	CSV report type	Change	
DEMAND_FORECASTS	INTERMITTENT_GEN_FCST_RUN	INTERMITTENT_GEN_FCST, NEXT_DAY_INTERMITTENT_GEN_FCST	INTERMITTENT_GEN,FORECAST,1	New	-
	INTERMITTENT_GEN_FCST_PRED	INTERMITTENT_GEN_FCST, NEXT_DAY_INTERMITTENT_GEN_FCST	INTERMITTENT_GEN,FORECAST,1	New	-
	INTERMITTENT_GEN_FCST_P5_RUN	INTERMITTENT_GEN_FCST_P5, NEXT_DAY_INTERMITTENT_GEN_FCST_P5	INTERMITTENT_GEN,FORECAST,1	New	-
	INTERMITTENT_GEN_FCST_P5_PRED	INTERMITTENT_GEN_FCST_P5, NEXT_DAY_INTERMITTENT_GEN_FCST_P5	INTERMITTENT_GEN,FORECAST,1	New	-
	ROOFTOP_PV_FCST_RUN	ROOFTOP_PV_FCST	ROOFTOP,FORECAST,1	New	-
	ROOFTOP_PV_FCST_PRED	ROOFTOP_PV_FCST	ROOFTOP,FORECAST,1	New	-



Package	Data model table	File ID	CSV report type	Change	
	ROOFTOP_PV_FCST_P5_RUN	ROOFTOP_PV_FCST_P5	ROOFTOP,FORECAST,1	New	-
	ROOFTOP_PV_FCST_P5_PRED	ROOFTOP_PV_FCST_P5	ROOFTOP,FORECAST,1	New	-
	ROOFTOP_PV_ACTUAL_RUN	ROOFTOP_PV_ACTL	ROOFTOP,ACTUAL1	New	-
	ROOFTOP_PV_ACTUAL_PRED	ROOFTOP_PV_ACTL	ROOFTOP,ACTUAL,1	New	-
SETTLEMENT_DATA	SET_NMAS_MANUAL_PAYMENT	SETTLEMENTS_EXTN	SETTLEMENTS,NMAS_MANUAL_PAYM ENT,1	New	-
BILLING_RUN	BILLING_NMAS_MANUAL_PAY MENT	BILLING	BILLING,NMAS_MANUAL_PAYMENT,1	New	-
	BILLING_NMAS_MANUAL_RECO VERY	BILLING	BILLING,NMAS_MANUAL_RECOVERY,1	New	-
DISPATCH	DISPATCH_ROOFTOP_PV_FCST_ TRK	<del>DS ROOFTOP_PV_FCST_TRK</del> <del>IS</del>	DISPATCH,ROOFTOP_PV,1	New	-
	<a href="#">DISPATCH_ELEMENT_CAP</a>	<a href="#">DS_ELEMENT_CAP</a>	<a href="#">DISPATCH,ELEMENT_CAP,1</a>	<a href="#">New</a>	
P5MIN	P5MIN_INTERMITTENT_FCST_T RK	<a href="#">P5_INTERMITTENT_GEN_FCST_TRK,</a> <del>P5MIN,</del> NEXT_DAY_INTERMITTENT_GEN_FCST _P5	P5MIN,INTERMITTENT_GEN,1	New	-
	P5MIN_ROOFTOP_PV_FCST_TR K	<a href="#">P5 ROOFTOP_PV_FCST_TRK</a> <del>P5MIN</del>	P5MIN,ROOFTOP_PV,1	New	-



Package	Data model table	File ID	CSV report type	Change	
PRE-DISPATCH	PD_INTERMITTENT_FCST_TRK	<a href="#">PD_INTERMITTENT_GEN_FCST_TRK</a> , <a href="#">PREDISPATCHIS</a> , NEXT_DAY_INTERMITTENT_GEN_FCST	PREDISPATCH,INTERMITTENT_GEN,1	New	-
	PD_ROOFTOP_PV_FCST_TRK	<a href="#">PD_ROOFTOP_PV_FCST_TRK</a> <del>PREDISPATCHIS</del>	PREDISPATCH,ROOFTOP_PV,1	New	-
	<a href="#">PD_ELEMENT_CAP</a>	<a href="#">PD_ELEMENT_CAP</a>	<a href="#">PREDISPATCH,ELEMENT_CAP,1</a>	<a href="#">New</a>	
MARKET_CONFIG	AREA	AREA	MARKET_CONFIG,AREA,1	New	-
	REGION_AREA	REGION_AREA	MARKET_CONFIG,REGION_AREA,1	New	-
SYSTEM_SECURITY_MANAGEMENT	SSM_CONTRACT_UNIT_AVAIL	SSM_CONTRACT_UNIT_AVAIL	SSM,CONTRACT_UNIT_AVAIL,1	New	-
	SSM_INSTRUCTION	SSM_INSTRUCTION	SSM,INSTRUCTION,1	New	-
	SSM_SCHEDULE	SSM_DAILY_SCHEDULE	SSM,SCHEDULE,1	New	-
	SSM_SCHEDULED_AVAILABILITY	SSM_AVAILABILITY	SSM,SCHEDULED_AVAILABILITY,1	New	-
	SSM_ENABLEMENT_PERIOD	SSM_ENABLEMENT_PERIOD	SSM,ENABLEMENT_PERIOD,1	New	-
	SSM_ENABLEMENT_COSTS	SSM_ENABLEMENT_COSTS	SSM,ENABLEMENT_COSTS,1	New	-



### 4.15 Discontinued reports

Data model table	File ID	Delivered in file	CSV report type	Replaced by	Reason
BILLING_DIRECTION_RECONCILIATN	BILLING, BILLING_LEGACY	-	-	-	Moved to HISTORICAL package.
SET_RUN_PARAMETER	SETTLEMENTS	-	-	-	Moved to HISTORICAL package.
SETCPDATA	SETTLEMENTS	-	-	SET_ENERGY_TRANSACTIONS and SET_ENERGY_GENSET_DETAIL	Moved to HISTORICAL package. Table comments updated to reflect this change.
SETGENDATA	SETTLEMENTS	-	-	SET_ENERGY_TRANSACTIONS and SET_ENERGY_GENSET_DETAIL	Moved to HISTORICAL package. Table comments updated to reflect this change.



Data model table	File ID	Delivered in file	CSV report type	Replaced by	Reason
SETSMALLGENDATA	SETTLEMENTS	-	-	SET_ENERGY_TRANSACTIONS and SET_ENERGY_GENSET_DETAIL	Moved to HISTORICAL package. Table comments updated to reflect this change.
SETCPDATAREGION	SETTLEMENTS	-	-	SET_ENERGY_REGION_SUMMARY	Moved to HISTORICAL package. Table comments updated to reflect this change.
SETGENDATAREGION	SETTLEMENTS	-	-	SET_ENERGY_REGION_SUMMARY	Moved to HISTORICAL package. Table comments updated to reflect this change.





Data model table	File ID	Delivered in file	CSV report type	Replaced by	Reason
BILLINGCPDATA	BILLING	-	-	BILLING_ENERGY_TRANSACTIONS	Moved to HISTORICAL package. Table comments updated to reflect this change.
BILLINGGENDATA	BILLING	-	-	BILLING_ENERGY_GENSET_DETAIL	Moved to HISTORICAL package. Table comments updated to reflect this change.

### 4.16 Non-functional changes

Table 1 MMS Data Model 5.6 non-functional changes

MMS Data Model table	Change detail
None	

## 5 FAQs

This section is updated based on the participant queries from the MSUG meetings.

## 6 Implementation

### 6.1 Transition

See [Participant Impact](#).

### 6.2 Upgrading

You can upgrade your pre-production or production Data Model environments once you receive the Data Model scripts. Applying the scripts sets up the new Data Model structure on your local database. You receive the same data until the new versions of fields, files, and reports are released into pre-production or production and you update your subscriptions.

For help, see:

- [Upgrading your DI environments](#)
- [Updating your subscriptions:](#)

### 6.3 Implications

To maintain systems in-line with AEMO's market systems, participants need to:

- Review and assess the impact on their market systems with respect to the changes implemented as part of this Release.
- Change their systems prior to the implementation of this Release.
- Schedule staff and resources to upgrade their market systems for the production implementation of this Release.

### 6.4 Risks

See [Participant Impact](#).

# 7 Terms

## 7.1 Rules Terms

You can find the following terms defined in the [National Electricity Rules \(NER\)](#) and the [Settlements Residue Auction Rules](#).

Term	Term
AEMO	
AEMO Markets Portal	
AEMO Website	
Directional interconnector	
Linked Bid	
Market Clearing Price	
Market Participants	
Maximum Units	
NEM	
National Interconnector	
Region	
Regional reference prices	
Registered Participant	
Trading Interval	
Trading Limit	
Trading Margin	
Trading Position	
Unit Category	
Unit	

## 7.2 Glossary

You can find a full list of AEMO glossary terms in [Industry Terminology](#) on AEMO's website.

Abbreviation/Term	Explanation
<b>AEST</b>	Australian Eastern Standard Time
<b>B2B</b>	Business-to-business
<b>B2M</b>	Business-to-market
<b>EMMS</b>	Electricity Market Management System; software, hardware, network and related processes to implement the wholesale energy market
<b>FCAS</b>	frequency control ancillary services
<b>FTP</b>	File transfer protocol
<b>MSATS</b>	Market Settlement and Transfer Solution for retail electricity
<b>NER</b>	National Electricity Rules
<b>MW</b>	Megawatt
<b>Release</b>	EMMS - Technical Specification - Data Model v5.6 - November 2025
<b>Release Dates</b>	Pre-production: Tuesday 14 October 2025 Production: Wednesday 19 November 2025
<b>TBC</b>	To be confirmed

## 8 References

**Guide to AEMO's e-Hub APIs:** Provides details about using AEMO's e-Hub as an interface to communicate information with AEMO. It assists Wholesale electricity and gas participants developing their own APIs.

**Guide to Information Systems:** Provides guidance for *Registered Participants* and interested parties about AEMO's participant electricity market systems.

**Guide to User Rights Management:** Assists participant administrators (PAs) to use the user rights management functions in the MSATS Web Portal.

**Retail Electricity Market Glossary and Framework:** assist participants of the Retail Electricity Market to understand the overall framework. It also contains a list of terms used in the Retail Electricity Market Procedures and a full list of NEM procedures, guidelines, and documents.

### 8.1 Data interchange and data model resources

#### 8.1.1 About

Information about setting up a Data Interchange environment: Data Interchange Help > [About Data Interchange](#).

#### 8.1.2 Help

- [Data interchange online help](#)

#### 8.1.3 Software

You can find Data Interchange software in the following locations:

- Data Interchange Help > [Software Releases](#).
- Releases directory on the participant file share: FTP to 146.178.211.2 > Data Interchange, pdrBatcher, pdrLoader, or pdrMonitor.

#### 8.1.4 Reports

- Data Interchange Help > [Data Model Reports](#).

### 8.1.5 Releases

- Data Interchange Help > [Release Documents](#).

# 9 Index

## C

continuing improvement of AEMO's IT systems, 3

## D

Data Interchange software, 58

## I

industry user group, 3

## M

Market Systems User Group, 3  
MSUG, 3



