


# EMMS - Technical Specification - Data Model v5.6 - November 2025

1.014.00 July 2025

Pre-production: Tuesday 14 October 2025

Production: Wednesday 19 November  
2025





# Important notice

## Purpose & audience

This document describes the technical changes required to participant's systems for the EMMS - Technical Specification - Data Model v5.6 - November 2025 (Release). The Australian Energy Market Operator (AEMO) provides this information as a service targeting business analysts and IT staff in participant organisations. It provides guidance about the changes to their market systems under the National Electricity Rules (Rules), as at the date of publication.

## How to use this document

- If you have questions about the business aspects of these changes, please see Consultations on AEMO's website.
- The references listed throughout this document are primary resources and take precedence over this document.
- Unless otherwise stated, you can find resources mentioned in this guide on AEMO's website.
- **Text in this format** is a link to related information. Some links require access to MarketNet.
- **Text in this format**, indicates a reference to a document on AEMO's website.
- **Text in this format** is an action to perform in the Markets Portal.
- This document is written in plain language for easy reading. Where there is a discrepancy between the Rules and information or a term in this document, the Rules take precedence.
- Glossary Terms are capitalised and have the meanings listed against them in the Glossary.
- Rules Terms have the meaning listed against them in the [National Electricity Rules](#) (Rules).

## Privacy and legal notices

The material in this publication may be used in accordance with the [privacy and legal notices](#) on AEMO's website.

## Trademark Notices

Microsoft, Windows and SQL Server are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

Oracle and Java are registered trademarks of Oracle and/or its affiliates.

UNIX is a registered trademark of The Open Group in the US and other countries.

© 2015 Google Inc, used with permission. Google and the Google logo are registered trademarks of Google Inc.

## Distribution

Available to the public.

## Document Identification

Prepared by: AEMO Digital

Last update: Tuesday, 29 July 2025 3:54 PM

## Version History

[1.011-00](#) Initial creation

## Documents made obsolete

The release of this document changes only the version of- EMMS - Technical Specification - Data Model v5.6 - November 2025.

## Support Hub

To contact AEMO's Support Hub use Contact Us on AEMO's website or for urgent matters phone: 1300 AEMO 00 (1300 236 600).



# Contents

<b>1</b>	<b>Introduction .....</b>	<b>1</b>
1.1	Audience.....	1
1.2	Objective .....	1
1.3	Status .....	1
1.4	Release dates.....	2
1.5	Rule and procedure changes .....	2
1.6	Related technical specifications .....	2
1.7	Related documents .....	2
1.8	Approval to change .....	3
1.9	Market systems user group meetings .....	3
1.10	Version numbers .....	3
1.11	Changes in this version.....	3
<b>2</b>	<b>Proposed Timeline .....</b>	<b>11</b>
<b>3</b>	<b>Participant Impact .....</b>	<b>13</b>
3.1	Electricity data model v5.6 .....	13
3.2	Data population dates .....	13
3.2.1	ISF.....	13
3.2.2	Operational Forecasting .....	13
3.3	Data subscription.....	14
3.3.1	Auto-subscription .....	14
3.3.2	Legacy files.....	14
<b>4</b>	<b>Electricity Data Model v5.6 .....</b>	<b>14</b>
4.1	Data model changes summary.....	2
4.2	Package: BIDS.....	4
4.2.1	Modified table: BIDPEROFFER D.....	4
4.3	Package: DEMAND FORECASTS.....	6
4.3.1	New table: INTERMITTENT GEN FCST RUN .....	6
4.3.2	New table: INTERMITTENT GEN FCST PRED.....	8
4.3.3	New table: INTERMITTENT GEN FCST P5 RUN .....	9
4.3.4	New table: INTERMITTENT GEN FCST P5 PRED.....	11
4.3.5	New table: ROOFTOP PV FCST RUN.....	13

4.3.6	New table: ROOFTOP PV FCST PRED .....	14
4.3.7	New table: ROOFTOP PV FCST P5 RUN .....	16
4.3.8	New table: ROOFTOP PV FCST P5 PRED .....	18
4.3.9	New table: ROOFTOP PV ACTUAL RUN .....	19
4.3.10	New table: ROOFTOP PV ACTUAL PRED .....	21
4.4	Package: SETTLEMENT DATA .....	23
4.4.1	New table: SET NMAS MANUAL PAYMENT .....	23
4.4.2	Modified table: SET FCAS REG RESIDAMT(Comment Changes Only) .....	24
4.4.3	Modified table: SET FCAS REG DEF RESIDAMT(Comment Changes Only) .....	26
4.5	Package: BILLING RUN .....	27
4.5.1	New table: BILLING NMAS MANUAL PAYMENT .....	27
4.5.2	New table: BILLING NMAS MANUAL RECOVERY .....	28
4.6	Package: DISPATCH .....	30
4.6.1	New table: DISPATCH ROOFTOP PV FCST TRK .....	31
4.7	Package: P5MIN .....	32
4.7.1	New table: P5MIN INTERMITTENT FCST TRK .....	32
4.7.2	New table: P5MIN ROOFTOP PV FCST TRK .....	34
4.8	Package: PRE-DISPATCH .....	35
4.8.1	New table: PREDISPATCHINTERMITTENTFCSTTRK .....	35
4.8.2	New table: PREDISPATCH ROOFTOPPV FCST TRK .....	37
4.9	Package: MARKET CONFIG .....	38
4.9.1	New table: AREA .....	39
4.9.2	New table: REGION AREA .....	40
4.10	New Package: SYSTEM SECURITY MANAGEMENT .....	41
4.10.1	New table: SSM CONTRACT UNIT AVAIL .....	41
4.10.2	New table: SSM INSTRUCTION .....	43
4.10.3	New table: SSM SCHEDULE .....	44
4.10.4	New table: SSM SCHEDULED AVAILABILITY .....	46
4.10.5	New table: SSM ENABLEMENT PERIOD .....	47
4.10.6	New table: SSM ENABLEMENT COSTS .....	48
4.11	Package: PDPASA .....	49
4.11.1	Modified Table: PDPASA DUIDAVAILABILITY (Comment Changes Only) .....	49
4.11.2	Modified table: PDPASA REGION SOLUTION (Comment Changes Only) .....	50
4.12	Package: STPASA .....	54
4.12.1	Modified Table: STPASA DUIDAVAILABILITY (Comment Changes Only) .....	54

4.12.2	Modified table: STPASA_REGIONSOLUTION (Comment Changes Only)	55
4.13	File interface changes	58
4.14	Participant interfaces changes	61
4.15	Discontinued reports	63
4.16	Non-functional changes	63
<b>5</b>	<b>FAQs</b>	<b>64</b>
<b>6</b>	<b>Implementation</b>	<b>65</b>
6.1	Transition	65
6.2	Upgrading	65
6.3	Implications	65
6.4	Risks	65
<b>7</b>	<b>Terms</b>	<b>66</b>
7.1	Rules Terms	66
7.2	Glossary	67
<b>8</b>	<b>References</b>	<b>68</b>
8.1	Data interchange and data model resources	68
8.1.1	About	68
8.1.2	Help	68
8.1.3	Software	68
8.1.4	Reports	68
8.1.5	Releases	69
<b>9</b>	<b>Index</b>	<b>70</b>
<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Audience	1
1.2	Objective	1
1.3	Status	1
1.4	Release dates	1
1.5	Rule and procedure changes	2
1.6	Related technical specifications	2
1.7	Related documents	2
1.8	Approval to change	2
1.9	Market systems user group meetings	3
1.10	Version numbers	3



1.11	Changes in this version.....	3
<b>2</b>	<b>Proposed Timeline .....</b>	<b>4</b>
<b>3</b>	<b>Participant Impact .....</b>	<b>6</b>
3.1	Electricity data model v5.6 .....	6
3.2	Data population dates .....	6
3.2.1	ISF .....	6
3.2.2	Operational Forecasting .....	6
3.3	Data subscription .....	6
3.3.1	Auto-subscription .....	6
3.3.2	Legacy files.....	6
<b>4</b>	<b>Electricity Data Model v5.6 .....</b>	<b>7</b>
4.1	Data model changes summary.....	7
4.2	Package: DEMAND_FORECASTS .....	9
4.2.1	New table: INTERMITTENT_GEN_FCST_RUN .....	9
4.2.2	New table: INTERMITTENT_GEN_FCST_PRED .....	11
4.2.3	New table: INTERMITTENT_GEN_FCST_P5_RUN .....	12
4.2.4	New table: INTERMITTENT_GEN_FCST_P5_PRED .....	14
4.2.5	New table: ROOFTOP_PV_FCST_RUN .....	15
4.2.6	New table: ROOFTOP_PV_FCST_PRED .....	17
4.2.7	New table: ROOFTOP_PV_FCST_P5_RUN .....	18
4.2.8	New table: ROOFTOP_PV_FCST_P5_PRED .....	20
4.2.9	New table: ROOFTOP_PV_ACTUAL_RUN .....	21
4.2.10	New table: ROOFTOP_PV_ACTUAL_PRED .....	23
4.3	Package: SETTLEMENT_DATA .....	24
4.3.1	New table: SET_NMAS_MANUAL_PAYMENT .....	24
4.4	Package: BILLING_RUN .....	26
4.4.1	New table: BILLING_NMAS_MANUAL_PAYMENT .....	26
4.4.2	New table: BILLING_NMAS_MANUAL_RECOVERY .....	27
4.5	Package: DISPATCH .....	29
4.5.1	New table: DISPATCH_ROOFTOP_PV_FCST_TRK .....	30
4.6	Package: P5MIN .....	31
4.6.1	New table: P5MIN_INTERMITTENT_FCST_TRK .....	31
4.6.2	New table: P5MIN_ROOFTOP_PV_FCST_TRK .....	32
4.7	Package: PRE-DISPATCH .....	33

4.7.1	New table: PREDISPATCHINTERMITTENTFCSTTRK.....	34
4.7.2	New table: PREDISPATCH_ROOFTOPPV_FCST_TRK.....	35
4.8	Package: MARKET_CONFIG.....	36
4.8.1	New table: AREA.....	36
4.8.2	New table: REGION_AREA.....	38
4.9	New Package: SYSTEM_SECURITY_MANAGEMENT.....	39
4.9.1	New table: SSM_CONTRACT_UNIT_AVAIL.....	39
4.9.2	New table: SSM_INSTRUCTION.....	40
4.9.3	New table: SSM_SCHEDULE.....	42
4.9.4	New table: SSM_SCHEDULED_AVAILABILITY.....	43
4.9.5	New table: SSM_ENABLEMENT_PERIOD.....	44
4.9.6	New table: SSM_ENABLEMENT_COSTS.....	45
4.10	File interface changes.....	47
4.11	Participant interfaces changes.....	50
4.12	Discontinued reports.....	52
4.13	Non-functional changes.....	53
<b>5</b>	<b>FAQs.....</b>	<b>54</b>
<b>6</b>	<b>Implementation.....</b>	<b>55</b>
6.1	Transition.....	55
6.2	Upgrading.....	55
6.3	Implications.....	55
6.4	Risks.....	55
<b>7</b>	<b>Terms.....</b>	<b>56</b>
7.1	Rules Terms.....	56
7.2	Glossary.....	57
<b>8</b>	<b>References.....</b>	<b>58</b>
8.1	Data interchange and data model resources.....	58
8.1.1	About.....	58
8.1.2	Help.....	58
8.1.3	Software.....	58
8.1.4	Reports.....	58
8.1.5	Releases.....	59
<b>9</b>	<b>Index.....</b>	<b>60</b>

# 1 Introduction


## 1.1 Audience

AEMO provides this information as a service targeting business analysts and IT staff in Registered Participant companies.

## 1.2 Objective

The EMMS - Technical Specification - Data Model v5.6 - November 2025 (Release) describes the projects planned by AEMO from a participant perspective and includes any system related changes for participants.

## 1.3 Status

Version	Status
<a href="#">1.01</a>	<a href="#">In progress. The design is not ready for participants' builds</a> <a href="#">Improving Security Frameworks (ISF) – Design complete estimation – 80%</a> <a href="#">Operational Forecasting – Design complete estimation – 80%</a> <a href="#">ST PASA Procedure and Recall Period – Additional updates – 90%</a> <a href="#">Frequency Performance Payments (FPP) Settlements – Additional updates – 90%</a>
1.00	In progress. The design is not ready for participants' builds Improving Security Frameworks (ISF) – Design complete estimation – 10% <a href="#">Operational</a> Forecasting – Design complete estimation – 10%
0.01	 <b>Initial Draft for review. The design is not ready for participants' builds</b> Presents the EMMS - Technical Specification - Data Model v5.6 - November 2025 evolving design. Please send feedback to <a href="#">Contact Us</a> . In the <b>Details of your enquiry</b> section, mention the EAS Knowledge Management team as the Resolver group.



## 1.4 Release dates

Scheduled for implementation in:

- Pre-production: ~~\_\_\_\_\_~~ Tuesday 14 October 2025
- Production: ~~\_\_\_\_\_~~ Wednesday 19 November 2025
- ~~\_\_\_\_\_~~

## 1.5 Rule and procedure changes

The following rules and procedures take precedence over technical specifications and guides.

For details, see the Rule and procedure changes section in [EMMS – Technical Specification – December 2025](#)

## 1.6 Related technical specifications

Title	Project
<a href="#">EMMS – Technical Specification – 31 July 2025</a>	<a href="#">ST PASA Procedure and Recall Period</a>
<a href="#">EMMS – Data Model 5.5 – April 2025</a>	<a href="#">Frequency Performance Payments (FPP) Settlements</a>
<a href="#">EMMS – Technical Specification – December 2025</a> <del>EMMS – Technical Specification – December 2025</del>	Improving Security Frameworks (ISF)

## 1.7 Related documents

Once published, these resources take precedence over this technical specification

These guides and resources are updated according to this technical specification and published by the dates below.

Title	Description	Published
<a href="#">Data Interchange Online Help</a>	Help for participants using Data Interchange and the Data Model	See Release Dates in <a href="#">Timeline</a>

Title	Description	Published
<a href="#">Data Model Reports</a>	Explains the packages, tables and reports in the Electricity and Gas Data Models	
<a href="#">Release Documents</a>	Release Notes	

## 1.8 Approval to change

AEMO request approval to proceed from all participant change controllers by close of business Monday, 7 July 2025.

## 1.9 Market systems user group meetings

The Market Systems User Group (MSUG) is an industry user group established to discuss NEM wholesale and retail IT systems releases. Its purpose is to facilitate the continuing improvement of AEMO's IT systems by seeking feedback and collaboration from participants.

MSUG meetings are open to all interested parties, with invitations sent to all included on the distribution list. If you have a technical question for a project and want to attend the MSUG ask your company's support team to include your email address in their **AEMO Help Desk Bulletin (CRM)** distribution list.

## 1.10 Version numbers

**AEMO releases new versions of this document as the technical requirements are streamlined.**

Incremental version numbers such as 1.01, 2.01 and so on mean there is a minor change to the technical specification.

Major version numbers such as 1.00, 2.00 means there are substantial changes to the technical specification. Participants must carefully review these changes, detailed below.

## 1.11 Changes in this version

The changes in this version are:

- Updates to **Participant Impact**
- Updates to **Proposed Timeline**

- Updates [to Data Model](#) packages

<u>Table</u>	<u>Column</u>	<u>Reason</u>
<a href="#"><u>BIDPEROFFER D</u></a>	<a href="#"><u>RECALL_PERIOD</u></a>	<a href="#"><u>Change missed in Data Model 5.5 and included in Data Model 5.6.</u></a>
<a href="#"><u>INTERMITTENT GEN FCST RUN</u></a>	<a href="#"><u>FORECAST_RUN_DATETIME</u></a> <a href="#"><u>DUID</u></a> <a href="#"><u>PROVIDERID</u></a> <a href="#"><u>FORECAST_PRIORITY</u></a> <a href="#"><u>OFFERDATETIME</u></a> <a href="#"><u>PROVIDER_TIMESTAMP</u></a> <a href="#"><u>REMARKS</u></a> <a href="#"><u>MODEL_USED</u></a> <a href="#"><u>SUPPRESSED_PROVIDER</u></a> <a href="#"><u>TRANSACTION_ID</u></a> <a href="#"><u>LASTCHANGED</u></a>	<a href="#"><u>Column names updated to avoid conflicts with common terms used in Data model scripts.</u></a>
<a href="#"><u>INTERMITTENT GEN FCST P5 RUN</u></a>	<a href="#"><u>FORECAST_RUN_DATETIME</u></a> <a href="#"><u>DUID</u></a> <a href="#"><u>PROVIDERID</u></a> <a href="#"><u>FORECAST_PRIORITY</u></a> <a href="#"><u>OFFERDATETIME</u></a> <a href="#"><u>PROVIDER_TIMESTAMP</u></a> <a href="#"><u>REMARKS</u></a> <a href="#"><u>MODEL_USED</u></a> <a href="#"><u>SUPPRESSED_PROVIDER</u></a> <a href="#"><u>TRANSACTION_ID</u></a> <a href="#"><u>LASTCHANGED</u></a>	<a href="#"><u>Column names updated to avoid conflicts with common terms used in Data model scripts.</u></a>

<u>Table</u>	<u>Column</u>	<u>Reason</u>
<u>ROOFTOP PV FCST RUN</u>	<a href="#">FORECAST_RUN_DATETIME</a> <a href="#">AREAID</a> <a href="#">PROVIDERID</a> <a href="#">FORECAST_PRIORITY</a> <a href="#">OFFERDATETIME</a> <a href="#">PROVIDER_TIMESTAMP</a> <a href="#">REMARKS</a> <a href="#">MODEL_USED</a> <a href="#">SUPPRESSED_PROVIDER</a> <a href="#">INSTALLED_CAPACITY</a> <a href="#">LASTCHANGED</a>	Column names updated to avoid conflicts with common terms used in Data model scripts.
<u>ROOFTOP PV FCST P5 RUN</u>	<a href="#">FORECAST_RUN_DATETIME</a> <a href="#">AREAID</a> <a href="#">PROVIDERID</a> <a href="#">FORECAST_PRIORITY</a> <a href="#">OFFERDATETIME</a> <a href="#">PROVIDER_TIMESTAMP</a> <a href="#">REMARKS</a> <a href="#">MODEL_USED</a> <a href="#">SUPPRESSED_PROVIDER</a> <a href="#">INSTALLED_CAPACITY</a> <a href="#">LASTCHANGED</a>	Column names updated to avoid conflicts with common terms used in Data model scripts.
<u>ROOFTOP PV ACTUAL RUN</u>	<a href="#">PREDICTION_RUN_DATETIME</a> <a href="#">INTERVAL_DURATION</a> <a href="#">AREAID</a> <a href="#">ESTIMATE_TYPE</a> <a href="#">PROVIDERID</a> <a href="#">PREDICTION_PRIORITY</a> <a href="#">OFFERDATETIME</a> <a href="#">PROVIDER_TIMESTAMP</a> <a href="#">REMARKS</a> <a href="#">MODEL_USED</a> <a href="#">SUPPRESSED_PROVIDER</a> <a href="#">INSTALLED_CAPACITY</a> <a href="#">LASTCHANGED</a>	Column names updated to avoid conflicts with common terms used in Data model scripts.

<u>Table</u>	<u>Column</u>	<u>Reason</u>
<u>SET NMAS MANUAL PAYMENT</u>	<u>SETTLEMENTDATE</u>	<u>Column names updated to avoid conflicts with common terms used in Data model scripts.</u>
	<u>VERSIONNO</u>	
	<u>PARTICIPANTID</u>	
	<u>CONTRACTID</u>	
	<u>DUID</u>	
	<u>SERVICETYPE</u>	
	<u>PAYMENTTYPE</u>	
	<u>PERIODID</u>	
	<u>REGIONID</u>	
	<u>PAYMENTAMOUNT</u>	
	<u>LASTCHANGED</u>	
<u>SET FCAS REG RESIDAMT</u>	<u>ASOE MWH</u>	<u>Introduced in Data Model 5.5, comment only changes in Data Model 5.6.</u>
	<u>RESIDUAL MWH</u>	
	<u>USED ASOE AMOUNT</u>	
	<u>USED RESIDUAL AMOUNT</u>	
	<u>UNUSED ASOE AMOUNT</u>	
	<u>UNUSED RESIDUAL AMOUNT</u>	
<u>SET FCAS REG DEF RESIDAMT</u>	<u>RESIDUAL MWH</u>	<u>Introduced in Data Model 5.5, comment only changes in Data Model 5.6.</u>
	<u>UNUSED ASOE AMOUNT</u>	
	<u>UNUSED RESIDUAL AMOUNT</u>	
<u>BILLING NMAS MANUAL PAYMENT</u>	<u>CONTRACTYEAR</u>	<u>New table added in Data Model 5.6.</u>
	<u>WEEKNO</u>	
	<u>BILLRUNNO</u>	
	<u>PARTICIPANTID</u>	
	<u>CONTRACTID</u>	
	<u>DUID</u>	
	<u>SERVICETYPE</u>	
	<u>PAYMENTTYPE</u>	
	<u>REGIONID</u>	
	<u>PAYMENTAMOUNT</u>	
	<u>LASTCHANGED</u>	

<u>Table</u>	<u>Column</u>	<u>Reason</u>
<u>BILLING NMAS MANUAL RECOVERY</u>	<u>CONTRACTYEAR</u>	<u>New table added in Data Model 5.6.</u>
	<u>WEEKNO</u>	
	<u>BILLRUNNO</u>	
	<u>PARTICIPANTID</u>	
	<u>CONTRACTID</u>	
	<u>SERVICETYPE</u>	
	<u>PAYMENTTYPE</u>	
	<u>REGIONID</u>	
	<u>PAYMENTAMOUNT</u>	
	<u>RECOVERYSTARTDATETIME</u>	
	<u>RECOVERYENDDATETIME</u>	
	<u>RECOVERYAMOUNT_ACE</u>	
	<u>RECOVERYAMOUNT_ASOE</u>	
	<u>PARTICIPANTACE_MWH</u>	
	<u>PARTICIPANTASOE_MWH</u>	
	<u>REGIONACE_MWH</u>	
	<u>REGIONASOE_MWH</u>	
	<u>LASTCHANGED</u>	
<u>AREA</u>	<u>AREAID</u>	<u>Column names updated to avoid conflicts with common terms used in Data model scripts.</u>
	<u>EFFECTIVEDATE</u>	
	<u>VERSIONNO</u>	
	<u>AREA_NAME</u>	
	<u>AREA_DESCRIPTION</u>	
	<u>LASTCHANGED</u>	

<u>Table</u>	<u>Column</u>	<u>Reason</u>
<u>SSM_INSTRUCTION</u>	<u>INSTRUCTION_ID</u>	<a href="#">New table added in Data Model 5.6.</a>
	<u>VERSION_DATETIME</u>	
	<u>INITIAL_INSTRUCTION_ID</u>	
	<u>DUID_PARTICIPANTID</u>	
	<u>CONTRACT_ID</u>	
	<u>TNSP_PARTICIPANTID</u>	
	<u>DUID</u>	
	<u>UNIT_COUNT</u>	
	<u>EQUIPMENT_TYPE</u>	
	<u>SERVICE_TYPE</u>	
	<u>MIN_DISPATCH_MW</u>	
	<u>START_INTERVAL_DATETIME</u>	
	<u>END_INTERVAL_DATETIME</u>	
	<u>LASTCHANGED</u>	
<u>SSM_SCHEDULE</u>	<u>INSTRUCTION_ID</u>	<a href="#">New table added in Data Model 5.6.</a>
	<u>CONTRACT_ID</u>	
	<u>DUID_PARTICIPANTID</u>	
	<u>TNSP_PARTICIPANTID</u>	
	<u>DUID</u>	
	<u>UNIT_COUNT</u>	
	<u>EQUIPMENT_TYPE</u>	
	<u>SERVICE_TYPE</u>	
	<u>MIN_DISPATCH_MW</u>	
	<u>START_INTERVAL_DATETIME</u>	
	<u>END_INTERVAL_DATETIME</u>	
	<u>LASTCHANGED</u>	
<u>SSM_SCHEDULED_AVAILABILITY</u>	<u>CONTRACT_ID</u>	<a href="#">New table added in Data Model 5.6.</a>
	<u>DUID</u>	
	<u>AVAILABLE_START_INTERVAL</u>	
	<u>AVAILABLE_END_INTERVAL</u>	
	<u>TNSP_PARTICIPANTID</u>	
	<u>LASTCHANGED</u>	

<u>Table</u>	<u>Column</u>	<u>Reason</u>
<u>SSM_ENABLEMENT_COSTS</u>	<u>INSTRUCTION_ID</u>	<a href="#">New table added in Data Model 5.6.</a>
	<u>ENABLEMENT_REASON</u>	
	<u>ESTIMATED_COSTS</u>	
	<u>LASTCHANGED</u>	
<u>PDPASA_DUIDAVAILABILITY</u>	<u>RUN_DATETIME</u>	<a href="#">Introduced in Data Model 5.5, comment only changes in Data Model 5.6.</a>
	<u>LASTCHANGED</u>	
<u>PDPASA_REGIONSOLUTION</u>	<u>RUN_DATETIME</u>	<a href="#">Introduced in Data Model 5.5, comment only changes in Data Model 5.6.</a>
	<u>RESERVEREQ</u>	
	<u>CAPACITYREQ</u>	
	<u>ENERGYREQDEMAND50</u>	
	<u>UNCONSTRAINEDCAPACITY</u>	
	<u>CONSTRAINEDCAPACITY</u>	
	<u>NETINTERCHANGEUNDERSCARCITY</u>	
	<u>SURPLUSCAPACITY</u>	
	<u>SURPLUSRESERVE</u>	
	<u>RESERVECONDITION</u>	
	<u>MAXSURPLUSRESERVE</u>	
	<u>MAXSPARECAPACITY</u>	
	<u>LASTCHANGED</u>	
	<u>AGGREGATEPASAAVAILABILITY</u>	
	<u>RUNTYPE</u>	
	<u>MSRNETINTERCHANGEUNDERSCARCITY</u>	
	<u>SEMISCHEDULEDCAPACITY</u>	
	<u>LCR2</u>	
	<u>SS_SOLAR_UIGF</u>	
	<u>SS_WIND_UIGF</u>	
<u>STPASA_DUIDAVAILABILITY</u>	<u>RUN_DATETIME</u>	<a href="#">Introduced in Data Model 5.5, comment only changes in Data Model 5.6.</a>
	<u>LASTCHANGED</u>	



<u>Table</u>	<u>Column</u>	<u>Reason</u>
<u>STPASA_REGIONSOLUTION</u>	<u>RUN_DATETIME</u>	<u>Introduced in Data Model 5.5, comment only changes in Data Model 5.6.</u>
	<u>INTERVAL_DATETIME</u>	
	<u>DEMAND10</u>	
	<u>DEMAND50</u>	
	<u>DEMAND90</u>	
	<u>RESERVEREQ</u>	
	<u>CAPACITYREQ</u>	
	<u>ENERGYREQDEMAND50</u>	
	<u>UNCONSTRAINEDCAPACITY</u>	
	<u>CONSTRAINEDCAPACITY</u>	
	<u>NETINTERCHANGEUNDERSCARCITY</u>	
	<u>SURPLUSCAPACITY</u>	
	<u>SURPLUSRESERVE</u>	
	<u>RESERVECONDITION</u>	
	<u>MAXSURPLUSRESERVE</u>	
	<u>MAXSPARECAPACITY</u>	
	<u>LASTCHANGED</u>	
	<u>AGGREGATEPASAAVAILABLEITY</u>	
	<u>MSRNETINTERCHANGEUNDERSCARCITY</u>	
	<u>SEMISCHEDULEDCAPACITY</u>	
	<u>LOR SEMISCHEDULEDCAPACITY</u>	
	<u>LCR2</u>	
	<u>SS SOLAR_CLEARED</u>	
	<u>SS WIND_CLEARED</u>	

• Updates reports

## 2 Proposed Timeline

The dates for the Market System User Group Meetings (MSUG) are tentative. We will provide an invitation one week prior to the meeting.

Milestone	Date	Description
Approval required	7 July 2025	Final date for participant approval of this Release
Revised Technical Specification	<a href="#">August 2025</a> <del>July 2025</del>	<p>AEMO releases new versions of this document as the technical requirements are streamlined. During the project this document is the source of truth</p> <p>From the production release, the technical specification becomes final and the <a href="#">related documents</a> become the source of truth</p> <p><a href="#">Technical Specification Portal</a></p>
Related Documents publication	Tuesday 14 October 2025	Release of guides and resources mentioned in Related on page 2
Next MSUG meeting	<a href="#">27 August 2025</a> <del>13 August 2025</del>	<p>Market Systems User Group Meeting (MSUG) to review the technical specification and ask AEMO technical SMEs questions</p> <p>This date is tentative. The Knowledge Management Team provides the invitation prior to the meeting</p>
Pre-production Data Model auto subscription	14 October 2025 auto-subscription for new files	For any <b>existing</b> files with modified or new tables, if participants are subscribed, AEMO moves them to the Legacy version
Pre-production Data Model release	Tuesday 14 October 2025	Participant Data Model scripts released
Pre-production refresh	18 August 2025 – 5 September 2025 See <a href="#">pre-production refresh</a>	<p>Refresh of the pre-production system with data refreshed from the production system. An outage of up to five days can occur to the pre-production environment during this period. Participant access is not restricted, however, AEMO do not guarantee the pre-production data content or system availability. During the refresh, access to other AEMO systems such as AWEFS, EMMS, OPDMS, and STTM may be intermittently affected</p>

## Proposed Timeline

Milestone	Date	Description
Pre-production implementation	Tuesday 14 October 2025	<p>AEMO implements components of the Release to pre-production for participant testing</p> <p>AEMO has full access to the system during this period</p> <p>Participant access is not restricted; however, the data content or system availability is not guaranteed</p>
Pre-production available	Tuesday 14 October 2025	Testing period begins for participants
Participant Testing	14 October 2025 - 19 November 2025	Unstructured participant testing in the pre-production environment
Production implementation	Wednesday 19 November 2025	AEMO implements the release to production
Production Data Model auto subscription	19 November 2025 auto-subscription for new files	For any <b>existing</b> files with modified or new tables, if participants are subscribed, AEMO moves them to the Legacy version
Production Data Model release	Wednesday 19 November 2025	Participant Data Model scripts released

## 3 Participant Impact

Participants must upgrade to the latest version of Data Model 5.6 to receive the new and updated Data Model information in their Data Interchange environments.

### 3.1 Electricity data model v5.6

Participants must upgrade to [Electricity Data Model v5.6](#) to receive the new Reports.

### 3.2 Data population dates

#### 3.2.1 ISF

Pre-production: Tuesday 28 October 2025

Production: Tuesday 2 December 2025

#### 3.2.2 Operational Forecasting

Pre-production: TBC

Production: TBC

#### 3.2.3 ST PASA Procedure and Recall Period

The ST PASA Procedure and Recall Period project is in production 31 July 2025. The changes in the Data Model 5.6 are comment only changes.

Pre-production: Tuesday 20 May 2025

Production: Tuesday 31 July 2025

#### 3.2.4 FPP Settlements

The FPP Settlements project went in production 8 June 2025. The changes in the Data Model 5.6 are comment only changes.

Pre-production: Sunday 2 February 2025

Production: Sunday 8 June 2025

## 3.3 Data subscription

### 3.3.1 Auto-subscription

Existing participants are auto-subscribed to any new files when they upgrade to the latest data model version. New file names to be advised.

### 3.3.2 Legacy files

On the ~~[Release Dates](#)~~[Release Dates](#), AEMO moves participants subscribed to existing files to the Legacy version. After you have upgraded to v5.6, subscribe to the current files in [Data Subscription. For help, see \[Subscribe to Files\]\(#\).](#)

~~Data Subscription.~~ For help, see ~~Subscribe to Files.~~

~~For help, see:~~

- ~~• Unsubscribe from files~~

## 4 Electricity Data Model v5.6

Participant systems incorrectly configured and not compliant with the Baseline Assumptions in the Data Interchange Framework and Glossary may suffer data loss.

~~Participant systems incorrectly configured and not compliant with the Baseline Assumptions in the Data Interchange Framework and Glossary may suffer data loss.~~

This Release contains an updated version of the Electricity/Gas Data Model 5.6. This section describes the affected packages, tables, files, reports, and interfaces.

### 4.1 Data model changes summary

4.2	Package: BIDS.....	4
4.2.1	Modified table: BIDPEROFFER D.....	4
4.3	Package: DEMAND FORECASTS.....	6
4.3.1	New table: INTERMITTENT GEN FCST RUN .....	6
4.3.2	New table: INTERMITTENT GEN FCST PRED.....	8
4.3.3	New table: INTERMITTENT GEN FCST P5 RUN .....	9
4.3.4	New table: INTERMITTENT GEN FCST P5 PRED.....	11
4.3.5	New table: ROOFTOP PV FCST RUN .....	13
4.3.6	New table: ROOFTOP PV FCST PRED.....	14
4.3.7	New table: ROOFTOP PV FCST P5 RUN .....	16
4.3.8	New table: ROOFTOP PV FCST P5 PRED .....	18
4.3.9	New table: ROOFTOP PV ACTUAL RUN .....	19
4.3.10	New table: ROOFTOP PV ACTUAL PRED.....	21
4.4	Package: SETTLEMENT DATA .....	23
4.4.1	New table: SET NMAS MANUAL PAYMENT .....	23
4.4.2	Modified table: SET FCAS REG RESIDAMT(Comment Changes Only) .....	24
4.4.3	Modified table: SET FCAS REG DEF RESIDAMT(Comment Changes Only) .....	26
4.5	Package: BILLING RUN .....	27
4.5.1	New table: BILLING NMAS MANUAL PAYMENT.....	27
4.5.2	New table: BILLING NMAS MANUAL RECOVERY .....	28
4.6	Package: DISPATCH .....	30
4.6.1	New table: DISPATCH ROOFTOP PV FCST TRK .....	31

4.7	Package: P5MIN.....	32
4.7.1	New table: P5MIN_INTERMITTENT_FCST_TRK.....	32
4.7.2	New table: P5MIN_ROOFTOP_PV_FCST_TRK.....	34
4.8	Package: PRE-DISPATCH.....	35
4.8.1	New table: PREDISPATCHINTERMITTENTFCSTTRK.....	35
4.8.2	New table: PREDISPATCH_ROOFTOPPV_FCST_TRK.....	37
4.9	Package: MARKET_CONFIG.....	38
4.9.1	New table: AREA.....	39
4.9.2	New table: REGION_AREA.....	40
4.10	New Package: SYSTEM_SECURITY_MANAGEMENT.....	41
4.10.1	New table: SSM_CONTRACT_UNIT_AVAIL.....	41
4.10.2	New table: SSM_INSTRUCTION.....	43
4.10.3	New table: SSM_SCHEDULE.....	44
4.10.4	New table: SSM_SCHEDULED_AVAILABILITY.....	46
4.10.5	New table: SSM_ENABLEMENT_PERIOD.....	47
4.10.6	New table: SSM_ENABLEMENT_COSTS.....	48
4.11	Package: PDPASA.....	49
4.11.1	Modified Table: PDPASA_DUIDAVAILABILITY (Comment Changes Only).....	49
4.11.2	Modified table: PDPASA_REGIONSOLUTION (Comment Changes Only).....	50
4.12	Package: STPASA.....	54
4.12.1	Modified Table: STPASA_DUIDAVAILABILITY (Comment Changes Only).....	54
4.12.2	Modified table: STPASA_REGIONSOLUTION (Comment Changes Only).....	55
4.13	File interface changes.....	58
4.14	Participant interfaces changes.....	61
4.15	Discontinued reports.....	63
4.16	Non-functional changes.....	63



## 4.2 Package: BIDS

### Energy and Market Based FCAS Offers

#### 4.2.1 Modified table: BIDPEROFFER D

<b>Comment</b>	<b>BIDPEROFFER D shows the public summary of the energy and FCAS offers applicable in the Dispatch for the intervals identified. BIDPEROFFER D is the child to BIDDAYOFFER D.</b>
<b>Visibility</b>	Public
<b>Data volume</b>	Large
<b>Trigger</b>	Updates daily shortly after 4am.
<b>Participant file share location</b>	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVREPORTS
<b>Primary key (in order)</b>	BIDTYPE, DIRECTION, DUID, INTERVAL_DATETIME, SETTLEMENTDATE
<b>Project</b>	ST PASA Procedure and Recall Period

4.2	Package: DEMAND_FORECASTS	9
4.2.1	New table: INTERMITTENT_GEN_FCST_RUN	9
4.2.2	New table: INTERMITTENT_GEN_FCST_PRED	11
4.2.3	New table: INTERMITTENT_GEN_FCST_P5_RUN	12
4.2.4	New table: INTERMITTENT_GEN_FCST_P5_PRED	14
4.2.5	New table: ROOFTOP_PV_FCST_RUN	15
4.2.6	New table: ROOFTOP_PV_FCST_PRED	17
4.2.7	New table: ROOFTOP_PV_FCST_P5_RUN	18
4.2.8	New table: ROOFTOP_PV_FCST_P5_PRED	20
4.2.9	New table: ROOFTOP_PV_ACTUAL_RUN	21
4.2.10	New table: ROOFTOP_PV_ACTUAL_PRED	23
4.3	Package: SETTLEMENT_DATA	24
4.3.1	New table: SET_NMAS_MANUAL_PAYMENT	24
4.4	Package: BILLING_RUN	26
4.4.1	New table: BILLING_NMAS_MANUAL_PAYMENT	26
4.4.2	New table: BILLING_NMAS_MANUAL_RECOVERY	27
4.5	Package: DISPATCH	29
4.5.1	New table: DISPATCH_ROOFTOP_PV_FCST_TRK	30

<b>4.6</b>	<b>Package: P5MIN</b>	<b>31</b>
4.6.1	New table: P5MIN_INTERMITTENT_FCST_TRK	31
4.6.2	New table: P5MIN_ROOFTOP_PV_FCST_TRK	32
<b>4.7</b>	<b>Package: PRE-DISPATCH</b>	<b>33</b>
4.7.1	New table: PREDISPATCHINTERMITTENTFCSTTRK	34
4.7.2	New table: PREDISPATCH_ROOFTOPPV_FCST_TRK	35
<b>4.8</b>	<b>Package: MARKET_CONFIG</b>	<b>36</b>
4.8.1	New table: AREA	36
4.8.2	New table: REGION_AREA	38
<b>4.9</b>	<b>New Package: SYSTEM_SECURITY_MANAGEMENT</b>	<b>39</b>
4.9.1	New table: SSM_CONTRACT_UNIT_AVAIL	39
4.9.2	New table: SSM_INSTRUCTION	40
4.9.3	New table: SSM_SCHEDULE	42
4.9.4	New table: SSM_SCHEDULED_AVAILABILITY	43
4.9.5	New table: SSM_ENABLEMENT_PERIOD	44
4.9.6	New table: SSM_ENABLEMENT_COSTS	45
<b>4.10</b>	<b>File interface changes</b>	<b>47</b>
<b>4.11</b>	<b>Participant interfaces changes</b>	<b>50</b>
<b>4.12</b>	<b>Discontinued reports</b>	<b>52</b>
<b>4.13</b>	<b>Non-functional changes</b>	<b>53</b>



**New columns**

<u>Field name</u>	<u>Data type</u>	<u>Primary Key</u>	<u>Comment</u>
<u>RECALL PERIOD</u>	NUMBER(8,3)	No	<u>The advance notice (in hours) that a Scheduled Resource requires to achieve the PASA Availability MW for this trading interval</u>

**4.24.3 Package: DEMAND\_FORECASTS**

Regional Demand Forecasts, Intermittent Generator forecasts and Rooftop PV forecasts.

**4.2.14.3.1 New table: INTERMITTENT\_GEN\_FCST\_RUN**

<b>Comment</b>	Contains forecast runs for intermittent wind and solar units, with a 30-minute resolution over the week-ahead PD/STPASA <del>time frame</del> <u>timeframe</u> . This is the parent table to the child table INTERMITTENT_GEN_FCST_PRED, which contains the corresponding forecast predictions over the full horizon.
<b>Visibility</b>	Private, Public Next-Day
<b>Data volume</b>	Small
<b>Trigger</b>	Every 30 minutes when a new intermittent generator forecast is available, covering the 8 days ahead horizon with 30-minute resolution.
<b>Participant file share location</b>	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
<b>Primary key (in order)</b>	FORECAST_RUN_DATETIME, DUID, PROVIDERID, FORECAST_PRIORITY, OFFERDATETIME
<b>Project</b>	<del>P2046</del> —Operational Forecasting



New columns

Field name	Data type	PK	Comment
------------	-----------	----	---------

New columns

Field name	Data type	Primary key	Comment
FORECAST_RUN_DATETIME	DATE	YES	Datetime (interval ending) when this forecast run is valid. It aligns with run_datetime in downstream processes, unless a forecast run is missed, in this case the previous run is used
DUID	VARCHAR2(10)	YES	Dispatchable unit identifier for which this forecast applies
PROVIDERID	VARCHAR2(20)	YES	Forecast provider identifier
FORECAST_PRIORITY	NUMBER(10,0)	YES	Priority of forecast run, higher number is used in preference to lower number for the same provider
OFFERDATETIME	DATE	YES	Datetime when this forecast submission was loaded
PROVIDER_TIMESTAMP	DATE	NO	Datetime when the provider created the forecast
REMARKSCOMMENTS	VARCHAR2(300)	-NO	Comments relating to the forecast run. This column is not made available to the public
MODEL_USED	VARCHAR2(30)	NO	Metadata describing the model used to produce the forecast run. This column is not made available to the public
SUPPRESSED_PROVIDER	NUMBER(1,0)	NO	Flag indicating if the forecast run was suppressed by the provider when submitted. Suppressed forecasts are not used by downstream systems. Suppressed = 1, Unsuppressed = 0
TRANSACTION_ID	VARCHAR2(100)	NO	Transaction identifier for receiving the forecast run
LASTCHANGED	DATE	NO	Datetime when the forecast run was written into AEMO's database



4.2.24.3.2 **New table: INTERMITTENT\_GEN\_FCST\_PRED**

Comment	Contains forecast predictions for intermittent wind and solar units, with a 30-minute resolution over the week-ahead PD/STPASA <a href="#">time frame</a> <del>timeframe</del> . This is the child table of the parent table INTERMITTENT_GEN_FCST_RUN, which contains the corresponding forecast runs.
Visibility	Private, Public Next-Day
Data volume	Large
Trigger	Every 30 minutes when a new intermittent generator forecast is available, covering the 8 days ahead horizon with 30-minute resolution.
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	FORECAST_RUN_DATETIME, DUID, PROVIDERID, FORECAST_PRIORITY, OFFERDATETIME, INTERVAL_DATETIME, FORECAST_TYPE
Project	<a href="#">P2046</a> —Operational Forecasting

~~New columns~~

Field name	Data type	PK	Comment
------------	-----------	----	---------

New columns

<u>Field name</u>	<u>Data type</u>	<u>Primary key</u>	<u>Comment</u>
FORECAST_RUN_DATETIME	DATE	YES	Datetime (interval ending) when this forecast run is valid. It aligns with run_datetime in downstream processes, unless a forecast run is missed, in this case the previous run is used
DUID	VARCHAR2(10)	YES	Dispatchable unit identifier for which this forecast applies



<u>Field name</u>	<u>Data type</u>	<u>Primary key</u>	<u>Comment</u>
<b>PROVIDERID</b>	VARCHAR2(20)	YES	Forecast provider identifier
<b>FORECAST_PRIORITY</b>	NUMBER(10,0)	YES	Priority of forecast run, higher number is used in preference to lower number for the same provider
<b>OFFERDATETIME</b>	DATE	YES	Datetime when this forecast submission was loaded
<b>INTERVAL_DATETIME</b>	DATE	YES	Datetime (interval-ending) for the period that this forecast applies to, within the current forecast_run_datetime
<b>FORECAST_TYPE</b>	VARCHAR2(20)	YES	Type of forecast, for example, POE_10, POE_50, POE_90, MEAN and so on
<b>FORECAST_VALUE</b>	NUMBER(18,8)	NO	Forecast value in MW

#### 4.2.34.3.3 New table: INTERMITTENT\_GEN\_FCST\_P5\_RUN

<b>Comment</b>	Contains forecast runs for intermittent wind and solar units, with a 5-minute resolution over the hour-ahead P5MIN <a href="#">time frame</a> <del>timeframe</del> . This is the parent table to the child table INTERMITTENT_GEN_FCST_P5_PRED, which contains the corresponding forecast predictions over the full horizon.
<b>Visibility</b>	Private, Public Next-Day
<b>Data volume</b>	Small
<b>Trigger</b>	Every 5 minutes when a new intermittent generator forecast is available, covering the 2 hour ahead horizon with 5-minute resolution.
<b>Participant file share location</b>	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
<b>Primary key (in order)</b>	FORECAST_RUN_DATETIME, DUID, PROVIDERID, FORECAST_PRIORITY, OFFERDATETIME



Comment	Contains forecast runs for intermittent wind and solar units, with a 5-minute resolution over the hour-ahead P5MIN <del>time frame</del> <u>timeframe</u> . This is the parent table to the child table INTERMITTENT_GEN_FCST_P5_PRED, which contains the corresponding forecast predictions over the full horizon.
Project	<del>P2046</del> —Operational Forecasting

~~New columns~~

Field name	Data type	PK	Comment
------------	-----------	----	---------

New columns

<u>Field name</u>	<u>Data type</u>	<u>Primary key</u>	<u>Comment</u>
FORECAST_RUN_DATETIME	DATE	YES	Datetime (interval ending) when this forecast run is valid. It aligns with run_datetime in downstream processes, unless a forecast run is missed, in this case the previous run is used
DUID	VARCHAR2(10)	YES	Dispatchable unit identifier for which this forecast applies
PROVIDERID	VARCHAR2(20)	YES	Forecast provider identifier
FORECAST_PRIORITY	NUMBER(10,0)	YES	Priority of forecast run, higher number is used in preference to lower number for the same provider
OFFERDATETIME	DATE	YES	Datetime when this forecast submission was loaded
PROVIDER_TIMESTAMP	DATE	NO	Datetime when the provider created the forecast
<del>REMARKS</del> <u>COMMENTS</u>	VARCHAR2(300)	NO	Comments relating to the forecast run. This column is not made available to the public



<u>Field name</u>	<u>Data type</u>	<u>Primary key</u>	<u>Comment</u>
<b>MODEL_USED</b>	VARCHAR2(30)	NO	Metadata describing the model used to produce the forecast run. This column is not made available to the public
<b>SUPPRESSED_PROVIDER</b>	NUMBER(1,0)	NO	Flag indicating if the forecast run was suppressed by the provider when submitted. Suppressed forecasts are not used by downstream systems. Suppressed = 1, Unsuppressed = 0
<b>TRANSACTION_ID</b>	VARCHAR2(100)	NO	Transaction identifier for receiving the forecast run
<b>LASTCHANGED</b>	DATE	NO	Datetime when the forecast run was written into AEMO's database

#### 4.2.44.3.4 New table: INTERMITTENT\_GEN\_FCST\_P5\_PRED

<b>Comment</b>	Contains forecast predictions for intermittent wind and solar units, with a 5-minute resolution over the hour-ahead P5MIN <a href="#">time frame</a> . This is the child table of the parent table INTERMITTENT_GEN_FCST_P5_RUN, which contains the corresponding forecast runs.
<b>Visibility</b>	Private, Public Next-Day
<b>Data volume</b>	Medium
<b>Trigger</b>	Every 5 minutes when a new intermittent generator forecast is available, covering the 2 hours ahead horizon with 5-minute resolution.
<b>Participant file share location</b>	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
<b>Primary key (in order)</b>	FORECAST_RUN_DATETIME, DUID, PROVIDERID, FORECAST_PRIORITY, OFFERDATETIME, INTERVAL_DATETIME, FORECAST_TYPE
<b>Project</b>	<a href="#">P2046</a> —Operational Forecasting





New columns

Field name	Data type	PK	Comment
------------	-----------	----	---------

New columns

Field name	Data type	Primary key	Comment
FORECAST_RUN_DATETIME	DATE	YES	Datetime (interval ending) when this forecast run is valid. It aligns with run_datetime in downstream processes, unless a forecast run is missed, in this case the previous run is used
DUID	VARCHAR2(10)	YES	Dispatchable unit identifier for which this forecast applies
PROVIDERID	VARCHAR2(20)	YES	Forecast provider identifier
FORECAST_PRIORITY	NUMBER(10,0)	YES	Priority of forecast run, higher number is used in preference to lower number for the same provider
OFFERDATETIME	DATE	YES	Datetime when this forecast submission was loaded
INTERVAL_DATETIME	DATE	YES	Datetime (interval-ending) for the period that this forecast applies to, within the current forecast_run_datetime
FORECAST_TYPE	VARCHAR2(20)	YES	Type of forecast, for example, POE_10, POE_50, POE_90, MEAN and so on
FORECAST_VALUE	NUMBER(18,8)	NO	Forecast value in MW



4.2.54.3.5 **New table: ROOFTOP\_PV\_FCST\_RUN**

Comment	Contains forecast runs for rooftop PV areas, with a 30-minute resolution over the week-ahead PD/STPASA <del>time frame</del> <u>timeframe</u> . This is the parent table to the child table ROOFTOP_PV_FCST_PRED, which contains the corresponding forecast predictions over the full horizon.
Visibility	Public
Data volume	Small
Trigger	Every 30 minutes when a new rooftop PV forecast is available, covering the 8 days ahead horizon with 30-minute resolution.
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	FORECAST_RUN_DATETIME, AREAID, PROVIDERID, FORECAST_PRIORITY, OFFERDATETIME
Project	<del>P2046</del> —Operational Forecasting

~~New columns~~

Field name	Data type	PK	Comment
------------	-----------	----	---------

New columns

<u>Field name</u>	<u>Data type</u>	<u>Primary key</u>	<u>Comment</u>
FORECAST_RUN_DATETIME	DATE	YES	Datetime (interval ending) when this forecast run is valid. It aligns with run_datetime in downstream processes, unless a forecast run is missed, in this case the previous run is used
AREAID	VARCHAR2(10)	YES	Area identifier, aligning with the load forecasting areas.



<u>Field name</u>	<u>Data type</u>	<u>Primary key</u>	<u>Comment</u>
<b>PROVIDERID</b>	VARCHAR2(20)	YES	Forecast provider identifier, for example, AEMO, PROVIDER_A and so on
<b>FORECAST_PRIORITY</b>	NUMBER(10,0)	YES	Priority of forecast run, higher number is used in preference to lower number for the same provider
<b>OFFERDATETIME</b>	DATE	YES	Datetime when this forecast submission was loaded
<b>PROVIDER_TIMESTAMP</b>	DATE	NO	Datetime when the provider created the forecast
<b>REMARKS</b> <del>COMMENTS</del>	VARCHAR2(300)	NO	Comments relating to the forecast run
<b>MODEL</b> <u>USED</u>	VARCHAR2(30)	NO	Metadata describing the model used to produce the forecast run
<b>SUPPRESSED_PROVIDER</b>	NUMBER(1,0)	NO	Flag indicating if the forecast run was suppressed by the provider when submitted. Suppressed forecasts are not used by downstream systems. Suppressed = 1, Unsuppressed = 0
<b>INSTALLED_CAPACITY</b>	NUMBER(18,8)	NO	Installed rooftop PV capacity that was used for the forecast run, in MW
<b>LASTCHANGED</b>	DATE	NO	Datetime when the forecast run was written into AEMO's database

#### 4.2.64.3.6 New table: \_ROOFTOP\_PV\_FCST\_PRED

<b>Comment</b>	Contains forecast predictions for rooftop PV areas, with a 30-minute resolution over the week-ahead PD/STPASA <u>time frame</u> <del>timeframe</del> . This is the child table of the parent table ROOFTOP_PV_FCST_RUN, which contains the corresponding forecast runs.
<b>Visibility</b>	PUBLIC
<b>Data volume</b>	Large
<b>Trigger</b>	Every 30 minutes when a new rooftop PV forecast is available, covering the 8 days ahead horizon with 30-minute resolution.



Comment	Contains forecast predictions for rooftop PV areas, with a 30-minute resolution over the week-ahead PD/STPASA <a href="#">time frame</a> . This is the child table of the parent table ROOFTOP_PV_FCST_RUN, which contains the corresponding forecast runs.
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	FORECAST_RUN_DATETIME, AREAID, PROVIDERID, FORECAST_PRIORITY, OFFERDATETIME, INTERVAL_DATETIME, FORECAST_TYPE
Project	<a href="#">P2046</a> —Operational Forecasting

New columns

Field name	Data type	PK	Comment
------------	-----------	----	---------

New columns

<u>Field name</u>	<u>Data type</u>	<u>Primary key</u>	<u>Comment</u>
FORECAST_RUN_DATETIME	DATE	YES	Datetime (interval ending) when this forecast run is valid. It aligns with run_datetime in downstream processes, unless a forecast run is missed, in this case the previous run is used
AREAID	VARCHAR2(10)	YES	Area identifier, aligning with the load forecasting areas
PROVIDERID	VARCHAR2(20)	YES	Forecast provider identifier, for example, AEMO, PROVIDER_A and so on
FORECAST_PRIORITY	NUMBER(10,0)	YES	Priority of forecast run, higher number is used in preference to lower number for the same provider
OFFERDATETIME	DATE	YES	Datetime when this forecast submission was loaded

<u>Field name</u>	<u>Data type</u>	<u>Primary key</u>	<u>Comment</u>
INTERVAL_DATETIME	DATE	YES	Datetime (interval-ending) for the period that this forecast applies to, within the current forecast_run_datetime
FORECAST_TYPE	VARCHAR2(20)	YES	Type of forecast, for example, POE_10, POE_50, POE_90, MEAN and so on
FORECAST_VALUE	NUMBER(18,8)	NO	Forecast value in MW

4.2.74.3.7 **New table: ROOFTOP\_PV\_FCST\_P5\_RUN**

Comment	Contains forecast runs for rooftop PV areas, with a 5-minute resolution over the hour-ahead DS/P5MIN <del>time frame</del> <u>timeframe</u> . This is the parent table to the child table ROOFTOP_PV_FCST_P5_PRED, which contains the corresponding forecast predictions over the full horizon.
Visibility	Public
Data volume	Small
Trigger	Every 5 minutes when a new rooftop PV forecast is available, covering the 2 hours ahead horizon with 5-minute resolution.
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	FORECAST_RUN_DATETIME, AREAID, PROVIDERID, FORECAST_PRIORITY, OFFERDATETIME
Project	<del>P2046</del> —Operational Forecasting



New columns

Field name	Data type	PK	Comment
------------	-----------	----	---------

New columns

Field name	Data type	Primary key	Comment
FORECAST_RUN_DATETIME	DATE	YES	Datetime (interval ending) when this forecast run is valid. It aligns with run_datetime in downstream processes, unless a forecast run is missed, in this case the previous run is used
AREAID	VARCHAR2(10)	YES	Area identifier, aligning with the load forecasting areas
PROVIDERID	VARCHAR2(20)	YES	Forecast provider identifier, for example, AEMO, PROVIDER_A and so on
FORECAST_PRIORITY	NUMBER(10,0)	YES	Priority of forecast run, higher number is used in preference to lower number for the same provider
OFFERDATETIME	DATE	YES	Datetime when this forecast submission was loaded
PROVIDER_TIMESTAMP	DATE	NO	Datetime when the provider created the forecast
REMARKSCOMMENTS	VARCHAR2(300)	NO	Comments relating to the forecast run
MODEL_USED	VARCHAR2(30)	NO	Metadata describing the model used to produce the forecast run
SUPPRESSED_PROVIDER	NUMBER(1,0)	NO	Flag indicating if the forecast run was suppressed by the provider when submitted. Suppressed forecasts are not used by downstream systems. Suppressed = 1, Unsuppressed = 0
INSTALLED_CAPACITY	NUMBER(18,8)	NO	Installed rooftop PV capacity that was used for the forecast run, in MW
LASTCHANGED	DATE	NO	Datetime when the forecast run was written into AEMO's database



4.2.84.3.8 **New table: ROOFTOP\_PV\_FCST\_P5\_PRED**

Comment	Contains forecast predictions for rooftop PV areas, with a 5-minute resolution over the hour-ahead DS/P5MIN <del>time frame</del> <u>timeframe</u> . This is the child table of the parent table ROOFTOP_PV_FCST_P5_RUN, which contains the corresponding forecast runs.
Visibility	PUBLIC
Data volume	Medium
Trigger	Every 5 minutes when a new rooftop PV forecast is available, covering the 2 hours ahead horizon with 5-minute resolution.
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	FORECAST_RUN_DATETIME, AREAID, PROVIDERID, FORECAST_PRIORITY, OFFERDATETIME, INTERVAL_DATETIME, FORECAST_TYPE
Project	<del>P2046</del> —Operational Forecasting

~~New columns~~

Field name	Data type	PK	Comment
------------	-----------	----	---------

New columns

Field name	Data type	Primary key	Comment
FORECAST_RUN_DATETIME	DATE	YES	Datetime (interval ending) when this forecast run is valid. It aligns with run_datetime in downstream processes, unless a forecast run is missed in which case the previous run is used
AREAID	VARCHAR2(10)	YES	Area identifier, aligning with the load forecasting areas



<u>Field name</u>	<u>Data type</u>	<u>Primary key</u>	<u>Comment</u>
PROVIDERID	VARCHAR2(20)	YES	Forecast provider identifier, for example, AEMO, PROVIDER_A and so on
FORECAST_PRIORITY	NUMBER(10,0)	YES	Priority of forecast run, higher number is used in preference to lower number for the same provider
OFFERDATETIME	DATE	YES	Datetime when this forecast submission was loaded
INTERVAL_DATETIME	DATE	YES	Datetime (interval-ending) for the period that this forecast applies to, within the current forecast_run_datetime
FORECAST_TYPE	VARCHAR2(20)	YES	Type of forecast, for example, POE_10, POE_50, POE_90, MEAN and so on
FORECAST_VALUE	NUMBER(18,8)	NO	Forecast value in MW

#### 4.2.94.3.9 New table: ROOFTOP\_PV\_ACTUAL\_RUN

<b>Comment</b>	Contains prediction runs for rooftop PV area estimated actuals, with a 5-minute and 30-minute resolution for different estimate types. This is the parent table to the child table ROOFTOP_PV_ACTUAL_PRED, which contains the corresponding actual predictions.
<b>Visibility</b>	Public
<b>Data volume</b>	Small
<b>Trigger</b>	Every 5 or 30 minutes when a new rooftop PV estimated actual is available, covering the most recent 5 or 30-minute interval that is available.
<b>Participant file share location</b>	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
<b>Primary key (in order)</b>	PREDICTION_RUN_DATETIME, INTERVAL_DURATION, AREAID, ESTIMATE_TYPE, PROVIDERID, PREDICTION_PRIORITY, OFFERDATETIME





Comment	Contains prediction runs for rooftop PV area estimated actuals, with a 5-minute and 30-minute resolution for different estimate types. This is the parent table to the child table ROOFTOP_PV_ACTUAL_PRED, which contains the corresponding actual predictions.
Project	P2046—Operational Forecasting

New columns

Field name	Data type	PK	Comment
------------	-----------	----	---------

New columns

Field name	Data type	Primary key	Comment
PREDICTION_RUN_DATETIME	DATE	YES	Datetime (interval ending) from which this prediction run is valid
INTERVAL_DURATION	NUMBER(1,0)	YES	Duration of each interval (in minutes) for this prediction, for example, 5 or 30
AREAID	VARCHAR2(10)	YES	Area identifier, aligning with the load forecasting areas
ESTIMATE_TYPE	VARCHAR2(20)	YES	Type of Rooftop PV estimate, for example, MEASURED, SATELLITE and so on
PROVIDERID	VARCHAR2(20)	YES	Provider identifier, for example, AEMO, PROVIDER_A and so on
PREDICTION_PRIORITY	NUMBER(10,0)	YES	Priority of prediction run, higher number is used in preference to lower number for the same provider
OFFERDATETIME	DATE	YES	Datetime when this prediction submission was loaded
PROVIDER_TIMESTAMP	DATE	NO	Datetime when the provider created the forecast
REMARKSCOMMENTS	VARCHAR2(300)	NO	Comments relating to the prediction run



<u>Field name</u>	<u>Data type</u>	<u>Primary key</u>	<u>Comment</u>
<b>MODEL <u>USED</u></b>	VARCHAR2(30)	NO	Metadata describing the model used to produce the prediction run
<b>SUPPRESSED_PROVIDER</b>	NUMBER(1,0)	NO	Flag indicating if the prediction run was suppressed by the provider when submitted. Suppressed predictions are not used by downstream forecasting systems. Suppressed = 1, Unsuppressed = 0
<b>INSTALLED_CAPACITY</b>	NUMBER(18,8)	NO	Installed rooftop PV capacity used for the prediction run, in MW
<b>LASTCHANGED</b>	DATE	NO	Datetime when the prediction run was written into AEMO's database

#### ~~4.2.104.3.10~~ **New table: ROOFTOP\_PV\_ACTUAL\_PRED**

<b>Comment</b>	Contains predictions for rooftop PV area estimated actuals, with a 5-minute and 30-minute resolution for different estimate types. This is the child table of the parent table ROOFTOP_PV_ACTUAL_RUN, which contains the corresponding actual prediction runs.
<b>Visibility</b>	PUBLIC
<b>Data volume</b>	Small
<b>Trigger</b>	Every 5 or 30 minutes when a new rooftop PV estimated actual is available, covering the most recent 5 or 30-minute interval that is available.
<b>Participant file share location</b>	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
<b>Primary key (in order)</b>	PREDICTION_RUN_DATETIME, INTERVAL_DURATION, AREAID, ESTIMATE_TYPE, PROVIDERID, FORECAST_PRIORITY, OFFERDATETIME, INTERVAL_DATETIME
<b>Project</b>	<del>P2046</del> —Operational Forecasting



New columns

Field name	Data type	PK	Comment
------------	-----------	----	---------

New columns

Field name	Data type	Primary key	Comment
PREDICTION_RUN_DATETIME	DATE	YES	Datetime (interval ending) from which this prediction run is valid
INTERVAL_DURATION	NUMBER(1,0)	YES	Duration of each interval (in minutes) for this prediction, for example, 5 or 30
AREAID	VARCHAR2(10)	YES	Area identifier, aligning with the load forecasting areas
ESTIMATE_TYPE	VARCHAR2(20)	YES	Type of Rooftop PV estimate, for example, MEASURED, SATELLITE and so on
PROVIDERID	VARCHAR2(20)	YES	Provider identifier, for example, AEMO, PROVIDER_A and so on
PREDICTION_PRIORITY	NUMBER(10,0)	YES	Priority of prediction run, higher number is used in preference to lower number for the same provider
OFFERDATETIME	DATE	YES	Datetime when this prediction submission was loaded
INTERVAL_DATETIME	DATE	YES	Date and Time the forecast applies (dispatch interval ending
PREDICTION_VALUE	NUMBER(18,8)	NO	Prediction value in MW
PREDICTION_QUALITY	NUMBER(2,1)	NO	Prediction quality. Higher number represents better quality



### 4.34.4 Package: SETTLEMENT\_DATA

Results from a published Settlements Run. The settlement data and billing run data are updated daily between 6 am and 8 am for AEMO's prudential processes. In a normal week, AEMO publishes one PRELIM, one FINAL and two REVISION runs in addition to the daily runs.

#### 4.3.14.4.1 New table: SET\_NMAS\_MANUAL\_PAYMENT

Comment	This report contains the NMAS Manual TI Payments that are uploaded by the Settlement Business Team. Amounts in this table are not calculated by the Settlement System.
Visibility	Private
Data volume	Low
Trigger	Daily Billing Run & Posting a PRELIM/FINAL and REVISE Billing Run.
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	SETTLEMENTDATE, VERSIONNO, PARTICIPANTID, CONTRACTID, DUID, SERVICE, PAYMENTTYPE, PERIODID
Project	<a href="#">Improving Security Frameworks</a>

#### New columns

Field name	Data type	Primary key	Comment
SETTLEMENTDATE	DATE	Yes	The Settlement Date of the Billing Week
VERSIONNO	NUMBER(3,0)	Yes	The Settlement Run No



Field name	Data type	Primary key	Comment
<b>PARTICIPANTID</b>	VARCHAR2(20)	Yes	The Contract Participant Id
<b>CONTRACTID</b>	VARCHAR2(20)	Yes	The NMAS System Security Contract ID
<b>DUID</b>	VARCHAR2(10)	Yes	The DUID associated with the Contract Payment
<a href="#"><b>SERVICETYPESERVICE</b></a>	VARCHAR2(20)	Yes	The NMAS System Security Service Types (INERTIA, SYSTEM STRENGTH, TYPE1, TYPE2 and so on)
<b>PAYMENTTYPE</b>	VARCHAR2(20)	Yes	The Payment Type associated with the Service like Availability, Usage, Enablement, Energy Revenue, Test, ADHOC and so on
<b>PERIODID</b>	NUMBER(3,0)	Yes	The Settlement Period Id (1-288)
<b>REGIONID</b>	VARCHAR2(10)	No	The Contract Region Id
<b>PAYMENTAMOUNT</b>	NUMBER(18,8)	No	The NMAS Contract Manual Payment for the Payment Type
<b>LASTCHANGED</b>	DATE	No	The last changed date time of the record

#### 4.4.2 [Modified table: SET FCAS REG RESIDAMT\(Comment Changes Only\)](#)

<a href="#"><b>Comment</b></a>	<a href="#">This report contains the FCAS Regulation Residue Amounts that include FPP Residual Amounts, Used Residual Amounts and Unused Residual Amounts calculated using the Energy Ratio for each Requirement Region.</a>
<a href="#"><b>Visibility</b></a>	<a href="#">Private</a>
<a href="#"><b>Data volume</b></a>	<a href="#">Medium</a>
<a href="#"><b>Trigger</b></a>	<a href="#">Daily Billing Run &amp; Posting a PRELIM/FINAL and REVISE Billing Run.</a>



<u>Comment</u>	<u>This report contains the FCAS Regulation Residue Amounts that include FPP Residual Amounts, Used Residual Amounts and Unused Residual Amounts calculated using the Energy Ratio for each Requirement Region.</u>
<u>Participant file share location</u>	<u>&lt;#INTERFACE&gt;\&lt;#PARTICIPANTID&gt;\IMPORT\REPORTS\CSVReports</u>
<u>Primary key (in order)</u>	<u>SETTLEMENTDATE, VERSIONNO, PARTICIPANTID, CONSTRAINTID, PERIODID, REGIONID</u>
<u>Project</u>	<u>Frequency Performance Payments (FPP)</u>

### Modified columns

<u>Field name</u>	<u>Data type</u>	<u>Primary key</u>	<u>Comment</u>
<u>ASOE MWH</u>	<u>NUMBER(18,8)</u>	<u>No</u>	<u>The ASOE MWh value that is used for the FCAS Residual Calculation.(Excluding CPID with CF).</u>
<u>RESIDUAL MWH</u>	<u>NUMBER(18,8)</u>	<u>No</u>	<u>Sum of ABS(ACE MWh) + ASOE MWh. The MWh is not netted for residual calculation.</u>
<u>USED ASOE AMOUNT</u>	<u>NUMBER(18,8)</u>	<u>No</u>	<u>The Used Recovery ASOE Amount calculated using the portion of ASOE MWh value against the Total residual MWh of the requirement regions.</u>
<u>USED RESIDUAL AMOUNT</u>	<u>NUMBER(18,8)</u>	<u>No</u>	<u>Sum of USED ACE AMOUNT + USED ASOE AMOUNT</u>
<u>UNUSED ASOE AMOUNT</u>	<u>NUMBER(18,8)</u>	<u>No</u>	<u>The Unused Recovery ASOE Amount calculated using the portion of ASOE MWh value against the Total residual MWh of the requirement regions.</u>
<u>UNUSED RESIDUAL AMOUNT</u>	<u>NUMBER(18,8)</u>	<u>No</u>	<u>Sum of UNUSED ACE AMOUNT + UNUSED ASOE AMOUNT</u>

#### 4.4.3 Modified table: SET FCAS REG DEF RESIDAMT(Comment Changes Only)

<u>Comment</u>	<u>This report contains the FCAS Regulation Residue Amounts that include FPP Residual Amounts, Used Residual Amounts and Unused Residual Amounts calculated using the Energy Ratio for each Requirement Region and the Default Residual CF.</u>
<u>Visibility</u>	<u>Private</u>
<u>Data volume</u>	<u>Medium</u>
<u>Trigger</u>	<u>Daily Billing Run &amp; Posting a PRELIM/FINAL and REVISE Billing Run.</u>
<u>Participant file share location</u>	<u>&lt;#INTERFACE&gt;\&lt;#PARTICIPANTID&gt;\IMPORT\REPORTS\CSVReports</u>
<u>Primary key (in order)</u>	<u>SETTLEMENTDATE, VERSIONNO, PARTICIPANTID, CONSTRAINTID, PERIODID, REGIONID</u>
<u>Project</u>	<u>Frequency Performance Payments (FPP)</u>

#### Modified columns

<u>Field name</u>	<u>Data type</u>	<u>Primary key</u>	<u>Comment</u>
<u>RESIDUAL MWH</u>	<u>NUMBER(18,8)</u>	<u>No</u>	<u>Sum of ABS(ACE _MWh) + ASOE _MWh. The MWh is not netted for residual calculation.</u>
<u>UNUSED ASOE AMOUNT</u>	<u>NUMBER(18,8)</u>	<u>No</u>	<u>The Unused Recovery ASOE Amount calculated using the ASOE MWh value of the requirement regions.</u>
<u>UNUSED RESIDUAL AMOUNT</u>	<u>NUMBER(18,8)</u>	<u>No</u>	<u>Sum of UNUSED ACE AMOUNT + UNUSED ASOE AMOUNT</u>



### 4.44.5 Package: BILLING\_RUN

Results from a published Billing Run. The settlement data and billing run data are updated daily between 6 am and 8 am for AEMO's prudential processes. In a normal week, AEMO publishes one PRELIM, one FINAL and two REVISION runs in addition to the daily runs.

Each billing run is uniquely identified by contract year, week no and bill run number.

#### 4.4.14.5.1 New table: BILLING\_NMAS\_MANUAL\_PAYMENT

Comment	This report contains the NMAS Manual Weekly Payments that are uploaded by the Settlement Business Team. Amounts in this table are not calculated by the Settlement System.
Visibility	Private
Data volume	Low
Trigger	Daily Billing Run & Posting a PRELIM/FINAL and REVISE Billing Run.
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	CONTRACTYEAR, WEEKNO, BILLRUNNO, PARTICIPANTID, CONTRACTID, DUID, SERVICE, PAYMENTTYPE
Project	<a href="#">Improving Security Frameworks</a>

### New columns

Field name	Data type	Primary key	Comment
CONTRACTYEAR	NUMBER(4,0)	Yes	The Billing Contract Year





Field name	Data type	Primary key	Comment
WEEKNO	NUMBER(3,0)	Yes	The Billing WeekNo
BILLRUNNO	NUMBER(4,0)	Yes	The Billing RunNo
PARTICIPANTID	VARCHAR2(20)	Yes	The Contract Participant Id
CONTRACTID	VARCHAR2(20)	Yes	The NMAS System Security Contract ID
DUID	VARCHAR2(10)	Yes	The DUID associated with the Contract Payment
<a href="#">SERVICETYPE</a> <del>SERVICE</del>	VARCHAR2(20)	Yes	The NMAS System Security Service Types (INERTIA, SYSTEM STRENGTH, TYPE1, TYPE2 and so on)
PAYMENTTYPE	VARCHAR2(20)	Yes	The Payment Type associated with the Service like Availability, Usage, Enablement, Energy Revenue, Test, ADHOC and so on
REGIONID	VARCHAR2(10)	No	The Contract Region Id
PAYMENTAMOUNT	NUMBER(18,8)	No	The NMAS Contract Manual Payment for the Payment Type
LASTCHANGED	DATE	No	The last changed date time of the record

[4.4.24.5.2](#) **New table: BILLING\_NMAS\_MANUAL\_RECOVERY**

Comment	This report <del>shows</del> <a href="#">show</a> the summary of the Billing NMAS Recovery Amounts. This table will have recovery data for manual payments for System Security Services.
Visibility	Private
Data volume	Medium
Trigger	Daily Billing Run & Posting a PRELIM/FINAL and REVISE Billing Run.



Comment	This report <del>shows</del> <a href="#">show</a> the summary of the Billing NMAS Recovery Amounts. This table will have recovery data for manual payments for System Security Services.
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	CONTRACTYEAR, WEEKNO, BILLRUNNO, PARTICIPANTID, CONTRACTID, SERVICE, PAYMENTTYPE, REGIONID
<a href="#">Project</a>	<a href="#">Improving Security Frameworks</a>

New columns

Field name	Data type	Primary key	Comment
CONTRACTYEAR	NUMBER(4,0)	Yes	The Billing Contract Year
WEEKNO	NUMBER(3,0)	Yes	The Billing WeekNo
BILLRUNNO	NUMBER(4,0)	Yes	The Billing RunNo
PARTICIPANTID	VARCHAR2(20)	Yes	The Contract Participant Id
CONTRACTID	VARCHAR2(20)	Yes	The NMAS System Security Contract ID
<a href="#">SERVICE</a>	VARCHAR2(20)	Yes	The NMAS System Security Service Types (INERTIA, SYSTEM STRENGTH, TYPE1, TYPE2 and so on)
PAYMENTTYPE	VARCHAR2(20)	Yes	The Payment Type associated with the Service like Availability, Usage, Enablement, Energy Revenue, Test, ADHOC and so on
REGIONID	<a href="#">VARCHAR2</a> <del>VARCHAR</del> (10)	Yes	Region Identifier
<a href="#">RBF</a>	<a href="#">NUMBER(18,8)</a>	<del>No</del>	<a href="#">Region Benefit Factor</a>



Field name	Data type	Primary key	Comment
PAYMENTAMOUNT	NUMBER(18,8)	No	The NMAS Contract Manual Payment for the Payment Type
RECOVERYSTARTDATETIME	DATE	No	The Recovery Start Date and Time for the Payment Calculation
RECOVERYENDDATETIME	DATE	No	The Recovery End Date and Time for the Payment Calculation
RECOVERYAMOUNT_ACE	NUMBER(18,8)	No	Recovery Amount on ACE portion (\$)
RECOVERYAMOUNT_ASOE	NUMBER(18,8)	No	Recovery Amount on ASOE portion (\$)
PARTICIPANTACE_MWH	NUMBER(18,8)	No	Participant Consumed Energy in MWh
PARTICIPANTASOE_MWH	NUMBER(18,8)	No	Participant Sent Out Energy in MWh
REGIONACE_MWH	NUMBER(18,8)	No	Region Consumed Energy in MWh
REGIONASOE_MWH	NUMBER(18,8)	No	Region Sent Out Energy in MWh
LASTCHANGED	DATE	No	The last changed date time of the record

-

## 4.6 Package: DISPATCH

[Results from a published Dispatch Run.](#)

## 4.5 Package: DISPATCH

[Results from a published Dispatch Run.](#)



4.5.14.6.1 **New table: DISPATCH\_ROOFTOP\_PV\_FCST\_TRK**

Comment	Uniquely tracks which Rooftop PV forecast run (from ROOFTOP_PV_FCST_P5_RUN) was used for the Area in which Dispatch run.
Visibility	PUBLIC
Data volume	Small
Trigger	Every 5 minutes when a new dispatch run is published.
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	RUN_DATETIME, AREAID
Project	P2046—Operational Forecasting

~~New columns~~

Field name	Data type	PK	Comment
------------	-----------	----	---------

New columns

<u>Field name</u>	<u>Data type</u>	<u>Primary key</u>	<u>Comment</u>
RUN_DATETIME	DATE	YES	Datetime (interval ending) of the Dispatch run



<u>Field name</u>	<u>Data type</u>	<u>Primary key</u>	<u>Comment</u>
<b>AREAID</b>	VARCHAR2(10)	YES	Area identifier aligning with the load forecasting areas, tracks to ROOFTOP_PV_FCST_P5_RUN.AREAID
<b>FORECAST_RUN_DATETIME</b>	DATE	NO	Datetime (interval ending) when this forecast run is valid. It aligns with run_datetime, unless a forecast run is missed, in this case the previous run is used. Tracks to ROOFTOP_PV_FCST_P5_RUN.FORECAST_RUN_DATETIME
<b>PROVIDERID</b>	<del>VAR</del> CHAR2(20)	NO	Provider identifier of the forecast run used for the DS run, tracks to ROOFTOP_PV_FCST_P5_RUN.PROVIDERID
<b>FORECAST_PRIORITY</b>	NUMBER(10,0)	NO	Priority of the forecast run used for the DS run, tracks to ROOFTOP_PV_FCST_P5_RUN.FORECAST_PRIORITY
<b>OFFERDATETIME</b>	DATE	NO	Submission datetime of the forecast run used for the DS run, tracks to ROOFTOP_PV_FCST_P5_RUN.OFFERDATETIME

#### 4.6.4.7 Package: P5MIN

Results from a published Five-Minute ~~Pre-dispatch~~Predispatch Run.

##### 4.6.14.7.1 New table: P5MIN\_INTERMITTENT\_FCST\_TRK

<b>Comment</b>	Uniquely tracks which Intermittent Generation forecast run (from INTERMITTENT_GEN_FCST_P5_RUN) was used for the DUID in which 5-Minute Pre-dispatch run.
<b>Visibility</b>	Private, Public Next-Day
<b>Data volume</b>	Small



<b>Comment</b>	Uniquely tracks which Intermittent Generation forecast run (from INTERMITTENT_GEN_FCST_P5_RUN) was used for the DUID in which 5-Minute Pre-dispatch run.
<b>Trigger</b>	Every 5 minutes when a new 5-Minute Pre-dispatch run is published.
<b>Participant file share location</b>	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
<b>Primary key (in order)</b>	RUN_DATETIME, DUID
<b>Project</b>	<del>P2046</del> —Operational Forecasting

### New columns

Field name	Data type	<a href="#">Primary key</a> <sup>PK</sup>	Comment
<b>RUN_DATETIME</b>	DATE	YES	Datetime (interval ending) of the 5-Minute Pre-dispatch run
<b>DUID</b>	VARCHAR2(10)	YES	Dispatchable unit identifier, tracks to INTERMITTENT_GEN_FCST_P5_RUN.DUID
<b>FORECAST_RUN_DATETIME</b>	DATE	NO	Datetime (interval ending) when this forecast run is valid. It aligns with run_datetime, unless a forecast run is missed in which case the previous run is used. Tracks to INTERMITTENT_GEN_FCST_P5_RUN.FORECAST_RUN_DATETIME
<b>PROVIDERID</b>	<del>VARCHAR2</del> VARCHAR(20)	NO	Provider of the forecast run used for the 5MPD run, tracks to INTERMITTENT_GEN_FCST_P5_RUN.PROVIDERID
<b>FORECAST_PRIORITY</b>	NUMBER(10,0)	NO	Priority of the forecast run used for the 5MPD run, tracks to INTERMITTENT_GEN_FCST_P5_RUN.FORECAST_PRIORITY
<b>OFFERDATETIME</b>	DATE	NO	Submission datetime of the forecast run used for the 5MPD run, tracks to INTERMITTENT_GEN_FCST_P5_RUN.OFFERDATETIME



**4.6.24.7.2** New table: P5MIN\_ROOFTOP\_PV\_FCST\_TRK

Comment	Uniquely tracks which Rooftop PV forecast run (from ROOFTOP_PV_FCST_P5_RUN) was used for the Area in which 5-Minute Pre-dispatch run.
Visibility	PUBLIC
Data volume	Small
Trigger	Every 5 minutes when a new 5-Minute Pre-dispatch run is published.
Participant file share location	<#INTRFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	RUN_DATETIME, AREAID
Project	<del>P2046</del> —Operational Forecasting

**New columns**

Field name	Data type	PK	Comment
------------	-----------	----	---------

**New columns**

<u>Field name</u>	<u>Data type</u>	<u>Primary key</u>	<u>Comment</u>
RUN_DATETIME	DATE	YES	Datetime (interval ending) of the 5-Minute Pre-dispatch run

Field name	Data type	Primary key	Comment
AREAID	VARCHAR2(10)	YES	Area identifier aligning with the load forecasting areas, tracks to ROOFTOP_PV_FCST_P5_RUN.AREAID
FORECAST_RUN_DATETIME	DATE	NO	Datetime (interval ending) when this forecast run is valid. It aligns with run_datetime, unless a forecast run is missed, in this case the previous run is used. Tracks to ROOFTOP_PV_FCST_P5_RUN.FORECAST_RUN_DATETIME
PROVIDERID	<del>VAR</del> CHAR2 <del>2</del> VAR <del>CHAR</del> (20)	NO	Provider identifier of the forecast run used for the DS run, tracks to ROOFTOP_PV_FCST_P5_RUN.PROVIDERID
FORECAST_PRIORITY	NUMBER(10,0)	NO	Priority of the forecast run used for the DS run, tracks to ROOFTOP_PV_FCST_P5_RUN.FORECAST_PRIORITY
OFFERDATETIME	DATE	NO	Submission datetime of the forecast run used for the DS run, tracks to ROOFTOP_PV_FCST_P5_RUN.OFFERDATETIME

-

4.74.8 Package: PRE-DISPATCH

Results from a published 30 ~~minutes~~ Pre-dispatch Run.

4.7.14.8.1 New table: PREDISPATCHINTERMITTENTFCSTTRK

Comment	Uniquely tracks which Intermittent Generation forecast run (from INTERMITTENT_GEN_FCST_RUN) was used for the DUID in which Pre-dispatch run.
Visibility	Private, Public Next-Day





Comment	Uniquely tracks which Intermittent Generation forecast run (from INTERMITTENT_GEN_FCST_RUN) was used for the DUID in which Pre-dispatch run.
Data volume	Small
Trigger	Every 30 minutes when a new Pre-dispatch run is published.
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	PREDISPATCHSEQNO, DUID
Project	<del>P2046</del> —Operational Forecasting

~~New columns~~

Field name	Data type	PK	Comment
------------	-----------	----	---------

New columns

Field name	Data type	Primary key	Comment
PREDISPATCHSEQNO	DATE	YES	Unique identifier of Pre-dispatch run in the form YYYYMMDDPP with 01 at 04:30
DUID	VARCHAR2(10)	YES	Dispatchable unit identifier, tracks to INTERMITTENT_GEN_FCST_RUN.DUID
FORECAST_RUN_DATETIME	DATE	NO	Datetime (interval ending) when this forecast run is valid. It aligns with run_datetime, unless a forecast run is missed, in this case the previous run is used. Tracks to INTERMITTENT_GEN_FCST_RUN.FORECAST_RUN_DATETIME



<u>Field name</u>	<u>Data type</u>	<u>Primary key</u>	<u>Comment</u>
PROVIDERID	<del>VARCHAR2</del> VARCHAR(20)	NO	Provider of the forecast run used for the PD run, tracks to INTERMITTENT_GEN_FCST_RUN.PROVIDERID
FORECAST_PRIORITY	NUMBER(10,0)	NO	Priority of the forecast run used for the PD run, tracks to INTERMITTENT_GEN_FCST_RUN.FORECAST_PRIORITY
OFFERDATETIME	DATE	NO	Submission datetime of the forecast run used for the PD run, tracks to INTERMITTENT_GEN_FCST_RUN.OFFERDATETIME

4.7.24.8.2 New table: PREDISPATCH\_ROOFTOPPV\_FCST\_TRK

Comment	Uniquely tracks which Rooftop PV forecast run (from ROOFTOP_PV_FCST_RUN) was used for the Area in which Pre-dispatch run.
Visibility	Public
Data volume	Small
Trigger	Every 30 minutes when a new Pre-dispatch run is published.
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	PREDISPATCHSEQNO, AREAID
Project	<del>P2046</del> —Operational Forecasting



New columns

<u>Field name</u>	<u>Data type</u>	<u>Primary key</u>	<u>Comment</u>
-------------------	------------------	--------------------	----------------

~~New columns~~

Field name	Data type		PK	Comment
PREDISPATCHSEQNO	DATE	YES		Unique identifier of Pre-dispatch run in the form YYYYMMDDPP with 01 at 04:30
AREAID	VARCHAR2(10)	YES		Area identifier aligning with the load forecasting areas, tracks to ROOFTOP_PV_FCST_RUN.AREAID
FORECAST_RUN_DATETIME	DATE	NO		Datetime (interval ending) when the forecast run is valid. It would align with run_datetime, unless a forecast run is missed, in this case the previous run will be used. Tracks to ROOFTOP_PV_FCST_RUN.FORECAST_RUN_DATETIME
PROVIDERID	<del>VARCHAR2</del> VARCHAR(20)		NO	Provider identifier of the forecast run used for the PD run, tracks to ROOFTOP_PV_FCST_RUN.PROVIDERID
FORECAST_PRIORITY	NUMBER(10,0)		NO	Priority of the forecast run used for the PD run, tracks to ROOFTOP_PV_FCST_RUN.FORECAST_PRIORITY
OFFERDATETIME	DATE		NO	Submission datetime of the forecast run used for the PD run, tracks to ROOFTOP_PV_FCST_RUN.OFFERDATETIME

4.84.9 Package: MARKET\_CONFIG

Standing data for the market.



4.8.14.9.1 **New table: AREA**

Comment	Table containing static metadata for the Areas, which are sub-regions used in load forecasting and rooftop PV forecasting. The latest metadata can be obtained for each AreaID using the most recent EffectiveDate and then VersionNo. If an AreaID is not mapped to an active RegionID in the corresponding REGION_AREA table, then that AreaID can be considered inactive.
Visibility	Public
Data volume	Small
Trigger	Ad hoc when Areas are updated or added.
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	AREAID, EFFECTIVEDATE, VERSIONNO
Project	P2046—Operational Forecasting

New columns

<u>Field name</u>	<u>Data type</u>	<u>Primary key</u>	<u>Comment</u>
-------------------	------------------	--------------------	----------------

~~New columns~~

<del>Field name</del>	<del>Data type</del>	<del>PK</del>	<del>Comment</del>
AREAID	VARCHAR2(10)	YES	Area identifier
EFFECTIVEDATE	DATE	YES	Calendar date from when this record set is effective



Field name	Data type	PK	Comment
VERSIONNO	NUMBER(3,0)	YES	Version number for the same effective date
AREA_NAME	VARCHAR2(20)	NO	Area name
<a href="#">AREA</a> _DESCRIPTION	VARCHAR2(200)	NO	Area description
LASTCHANGED	DATE	NO	Last date and time record changed

[4.8.24.9.2](#) **New table: REGION\_AREA**

Comment	Table containing static metadata for mapping the Areas to Regions. The latest mapping can be obtained for each RegionID using the most recent EffectiveDate and then VersionNo.
Visibility	Public
Data volume	Small
Trigger	Ad hoc when Area-Region mappings are updated or added.
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	REGIONID, EFFECTIVEDATE, VERSIONNO, AREAID
Project	<a href="#">P2046</a> —Operational Forecasting

### New columns

Field name	Data type	<a href="#">Primary key</a> <sup>PK</sup>	Comment
REGIONID	VARCHAR2(10)	YES	Region identifier
EFFECTIVEDATE	DATE	YES	Calendar date from when this record set is effective
VERSIONNO	NUMBER(3,0)	YES	Version number for the same effectivedate
AREAID	VARCHAR2(10)	YES	Area identifier
LASTCHANGED	DATE	NO	Last date and time record changed

### 4.94.10 New Package: SYSTEM\_SECURITY\_MANAGEMENT

Package for ISF (Improving Security Frameworks) for Electricity Power System Security procurement (not related to IT security)

#### 4.9.14.10.1 New table: SSM\_CONTRACT\_UNIT\_AVAIL

Comment	The variable parameters associated to the Unit within an SSM Contract, allowing changes to the base contract values due to unit availabilities (e.g Maintenance, Outages).
Visibility	Private
Data volume	Small
Trigger	On change of the Contract Availability.
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports



<b>Comment</b>	The variable parameters associated to the Unit within an SSM Contract, allowing changes to the base contract values due to unit availabilities (e.g Maintenance, Outages).
<b>Primary key (in order)</b>	CONTRACT_ID,DUID,INTERVAL_DATETIME,VERSION_DATETIME
<b>Project</b>	Improving Security Frameworks (ISF) Phase 1 (Dec 2025 rule change)

## New columns

Field name	Data type	<a href="#">Primary keyPK</a>	Comment
<b>CONTRACT_ID</b>	VARCHAR2(20)	Yes	Unique Contract Identifier
<b>DUID</b>	VARCHAR2(10)	Yes	Dispatchable Unit Identifier
<b>INTERVAL_DATETIME</b>	DATE	Yes	The starting Dispatch Interval for the availability change. This will be the active availability until the next INTERVAL_DATETIME record for this Contract and DUID
<b>VERSION_DATETIME</b>	DATE	Yes	Effective Date and Time of this record
<b>AVAILABLE</b>	NUMBER(1,0)	No	Indicates if DUID is available for the INTERVAL_DATETIME (1 = True, 0 = False)
<b>UNIT_COUNT</b>	NUMBER(4,0)	No	Number of sub-units within a DUID that are available for enablement
<b>ACTIVATION_LEAD_TIME</b>	NUMBER(6,0)	No	The expected maximum lead time for the system security service to be enabled from a non-operational state in hour or min
<b>MIN_DISPATCH_MW</b>	NUMBER(18,8)	No	Minimum Dispatch Target required for DUID to enable the contract
<b>MIN_ENABLEMENT_DURATION</b>	NUMBER(6,0)	No	Minimum duration a unit must be active to enable the contract
<b>LASTCHANGED</b>	DATE	No	Last time record was changed

**4.9.24.10.2 New table: SSM\_INSTRUCTION**

<b>Comment</b>	An enablement of an SSM Contract that instructs a Dispatchable Unit is to provide a System Security Service.
<b>Visibility</b>	Private
<b>Data volume</b>	Medium
<b>Trigger</b>	On enablement of a contract to provide System Security Services.
<b>Participant file share location</b>	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
<b>Primary key (in order)</b>	INSTRUCTION_ID, VERSION_DATETIME
<b>Project</b>	Improving Security Frameworks (ISF) Phase 1 (Dec 2025 rule change)

**New columns**

Field name	Data type	<a href="#">Primary keyPK</a>	Comment
<b>INSTRUCTION_ID</b>	VARCHAR2(20)	Yes	Unique Instruction Identifier
<b>VERSION_DATETIME</b>	DATE	Yes	Effective Date and Time of this record
<b>INITIAL_INSTRUCTION_ID</b>	VARCHAR2(20)	No	Unique transaction identifier of initiating transaction if instruction related to an amendment or cancellation
<a href="#">DUID</a> PARTICIPANTID	VARCHAR2(10)	No	Primary recipient (SSM Service Provider) of enablement instruction
<b>CONTRACT_ID</b>	VARCHAR2(20)	No	Unique Contract Identifier used to create enablement
<b>TNSP</b> <a href="#">PARTICIPANTID</a>	VARCHAR2(10)	No	Participant ID of TNSP if contract procurer is TNSP





Field name	Data type	<a href="#">Primary key</a> <a href="#">PK</a>	Comment
DUID	VARCHAR2(20)	No	Dispatchable Unit Identifier
UNIT_COUNT	NUMBER(4,0)	No	Number of sub-units within a DUID that are required for enablement. Value of zero means cancellation of instruction
EQUIPMENT_TYPE	VARCHAR2(40)	No	Dispatchable Unit resource (for example, GENERATOR, LOAD, BIDIRECTIONAL, SYNCHRONOUS CONDENSER)
SERVICE_TYPE	VARCHAR2(40)	No	Requested Service to provide ( <a href="#">System strength – combination</a> , <a href="#">System strength – coefficient</a> , <a href="#">NSCAS – voltage control</a> , <a href="#">NSCASfor example</a> , Inertia, <a href="#">System Strength</a> , Transitional <a href="#">service – typeService-Type 1</a> , <a href="#">MSL</a> , Transitional <a href="#">service – type 1</a> , <a href="#">Transitional service – typeService-Type 2</a> , <a href="#">Voltage</a> )
MIN_DISPATCH_MW	NUMBER(18,8)	No	Minimum Dispatch Target required for DUID to enable the contract. Value of zero means cancellation of instruction
START_INTERVAL_DATETIME	DATE	No	The first Dispatch Interval of the enablement
END_INTERVAL_DATETIME	DATE	No	The last Dispatch Interval of the enablement
LASTCHANGED	DATE	No	Last time record was changed

[4.9.34.10.3](#) **New table: SSM\_SCHEDULE**

Comment	Scheduled SSM contract enablement's
Visibility	Private
Data volume	Medium
Trigger	Timed trigger once per day for previous day.



Comment	Scheduled SSM contract enablement's
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	INSTRUCTION_ID
Project	Improving Security Frameworks (ISF) Phase 1 (Dec 2025 rule change)

### New columns

Field name	Data type	<a href="#">Primary key/PK</a>	Comment
INSTRUCTION_ID	VARCHAR2(20)	Yes	Unique Instruction Identifier
CONTRACT_ID	VARCHAR2(20)	No	Unique Contract Identifier used to create enablement
<a href="#">DUID</a> PARTICIPANTID	VARCHAR2(10)	No	Primary recipient (SSM Service Provider)
TNSP <a href="#">PARTICIPANTID</a>	VARCHAR2(10)	No	Participant ID of TNSP if contract procurer is TNSP
DUID	VARCHAR2(20)	No	Dispatchable Unit Identifier
UNIT_COUNT	NUMBER(4,0)	No	Number of sub-units within a DUID that are required for enablement
EQUIPMENT_TYPE	VARCHAR2(40)	No	Dispatchable Unit resource (for example, GENERATOR, LOAD, BIDIRECTIONAL, SYNCHRONOUS CONDENSER)
SERVICE_TYPE	VARCHAR2(40)	No	Requested Service to provide ( <a href="#">System strength – combination</a> , <a href="#">System strength – coefficient</a> , <a href="#">NSCAS – voltage control</a> , <a href="#">NSCAS for example</a> , Inertia, <a href="#">System Strength</a> , <a href="#">Transitional service – type</a> <a href="#">Service Type 1</a> <a href="#">MSL</a> , <a href="#">Transitional service – type</a> <a href="#">Service Type 2</a> , <a href="#">Voltage</a> )
MIN_DISPATCH_MW	NUMBER(18,8)	No	Minimum Dispatch Target required for DUID to enable the contract



Field name	Data type	<a href="#">Primary key</a> <a href="#">PK</a>	Comment
START_INTERVAL_DATETIME	DATE	No	The first Dispatch Interval of the enablement
END_INTERVAL_DATETIME	DATE	No	The last Dispatch Interval of the enablement
LASTCHANGED	DATE	No	Last time record was changed

[4.9.44.10.4](#) **New table: SSM\_SCHEDULED\_AVAILABILITY**

Comment	Scheduled SSM availability
Visibility	Private
Data volume	Medium
Trigger	Timed trigger once per day for previous day
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	CONTRACT_ID, DUID, <a href="#">AVAILABLE</a> <del>UNAVAILABLE</del> _START_INTERVAL
Project	Improving Security Frameworks (ISF) Phase 1 (Dec 2025 rule change)



New columns

Field name	Data type	<a href="#">Primary key</a> <b>PK</b>	Comment
CONTRACT_ID	VARCHAR2(20)	Yes	Unique Contract Identifier
DUID	VARCHAR2(20)	Yes	Dispatchable Unit Identifier
<a href="#">AVAILABLEUNAVAILABLE</a> _START_INTERVAL	DATE	Yes	The first Dispatch Interval the unit is <a href="#">availableunavailable</a>
<a href="#">AVAILABLEUNAVAILABLE</a> _END_INTERVAL	DATE	No	The last Dispatch Interval the unit is <a href="#">availableunavailable</a>
TNSP <a href="#">PARTICIPANTID</a>	VARCHAR2(10)	No	TNSP Participant ID
LASTCHANGED	DATE	No	Last time record was changed

[4.9.54.10.5](#) New table: SSM\_ENABLEMENT\_PERIOD

Comment	SSM Contract Enablement Periods
Visibility	Public
Data volume	Medium
Trigger	Timed trigger once per day for previous day.
Participant file share location	<#INTRFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	INSTRUCTION_ID, DUID, ENABLEMENT_START_INTERVAL
Project	Improving Security Frameworks (ISF) Phase 1 (Dec 2025 rule change)



New columns

Field name	Data type	<a href="#">Primary key</a> <a href="#">PK</a>	Comment
INSTRUCTION_ID	VARCHAR2(20)	Yes	Unique Instruction Identifier
DUID	VARCHAR2(20)	Yes	Dispatchable Unit Identifier
ENABLEMENT_START_INTERVAL	DATE	Yes	The first Dispatch Interval the unit is enabled for SSM Services
ENABLEMENT_END_INTERVAL	DATE	No	The last Dispatch Interval the unit is enabled for SSM Services
ENABLEMENT_REASON	VARCHAR2(40)	No	Reason for the enablement
LASTCHANGED	DATE	No	Last time record was changed

[4.9.64.10.6](#) New table: SSM\_ENABLEMENT\_COSTS

Comment	SSM Contract Enablement Costs
Visibility	Public
Data volume	Medium
Trigger	Timed trigger once per day for previous day
Participant file share location	<#INTERFACE>\<#PARTICIPANTID>\IMPORT\REPORTS\CSVReports
Primary key (in order)	INSTRUCTION_ID, DUID, ENABLEMENT_START_INTERVAL
Project	Improving Security Frameworks (ISF) Phase 1 (Dec 2025 rule change)



New columns

Field name	Data type	<a href="#">Primary key</a> <sup>PK</sup>	Comment
INSTRUCTION_ID	VARCHAR2(20)	Yes	Unique Instruction Identifier
<a href="#">ENABLEMENT_REASON</a> <del>REGIONID</del>	VARCHAR2(20)	Yes	<a href="#">Primary Service type associated to the DUID</a> <del>Region Identifier</del>
ESTIMATED_COSTS	NUMBER(9,2)	Yes	The first Dispatch Interval the unit is enabled for SSM Services
LASTCHANGED	DATE	No	Last time record was changed

[4.11 Package: PDPASA](#)

[The PDPASA package provides a 30-minute solving process to the Market systems. Currently to calculate reserves in the Pre-dispatch timeframe, this is determined by a post processing step using a heuristic calculation-based result and Interconnector limits from the Pre-dispatch run. The calculation is a reserve assessment based on the PASA solver, like existing ST and MT PASA business processes. The process reflects all intra-regional and inter-regional network constraints as an input to the process.](#)

[4.11.1 Modified Table: PDPASA DUIDAVAILABILITY \(Comment Changes Only\)](#)

<a href="#">Comment</a>	<a href="#">This report delivers available capacity, PASA availability and given recall period for all scheduled resources. Note that for an MNSP, DUID = LINKID in the MNSP INTERCONNECTOR table.</a>
<a href="#">Visibility</a>	<a href="#">Public</a>
<a href="#">Data volume</a>	<a href="#">Medium</a>
<a href="#">Trigger</a>	<a href="#">Close to or start of PDPASA run.</a>



<u>Comment</u>	<u>This report delivers available capacity, PASA availability and given recall period for all scheduled resources. Note that for an MNSP, DUID = LINKID in the MNSP INTERCONNECTOR table.</u>
<u>Participant file share location</u>	<u>&lt;#INTERFACE&gt;\&lt;#PARTICIPANTID&gt;\IMPORT\REPORTS\CSVReports</u>
<u>Primary key (in order)</u>	<u>RUN DATETIME, INTERVAL DATETIME, DUID</u>
<u>Project</u>	<u>ST PASA Procedure and Recall Period</u>

### Modified columns

#### Comment changes only

<u>Field name</u>	<u>Data type</u>	<u>Primary key</u>	<u>Comment</u>
<u>RUN_DATETIME</u>	<u>DATE</u>	<u>Yes</u>	<u>PDPASA run, identified by the first half hour ended interval of the run</u>
<u>LASTCHANGED</u>	<u>DATE</u>	<u>No</u>	<u>Report Creation Date Time</u>

-

#### 4.11.2 Modified table: PDPASA\_REGIONSOLUTION (Comment Changes Only)

<u>Comment</u>	<u>The PDPASA region solution data.</u> <u>Note that the OUTAGE LRC Run Type is no longer reported from 31 July 2025.</u>
<u>Visibility</u>	<u>Public</u>
<u>Data volume</u>	<u>Medium</u>



<u>Comment</u>	<u>The PDPASA region solution data.</u> <u>Note that the OUTAGE LRC Run Type is no longer reported from 31 July 2025.</u>
<u>Trigger</u>	<u>PDPASA_REGIONSOLUTION is updated each PDPASA run (i.e. half-hourly).</u>
<u>Participant file share location</u>	<u>&lt;#INTERFACE&gt;\&lt;#PARTICIPANTID&gt;\IMPORT\REPORTS\CSVReports</u>
<u>Primary key (in order)</u>	<u>INTERVAL_DATETIME, REGIONID, RUN_DATETIME, RUNTYPE</u>
<u>Project</u>	<u>ST PASA Procedure and Recall Period</u>

### Modified columns

#### Comment changes only

<u>Field name</u>	<u>Data type</u>	<u>Primary key</u>	<u>Comment</u>
<u>RUN_DATETIME</u>	<u>DATE</u>	<u>Yes</u>	<u>Unique Timestamp Identifier for this run, identified by the first half hour ended interval of the run</u>
<u>RESERVEREQ</u>	<u>NUMBER(12,2)</u>	<u>No</u>	<u>Reserve Requirement (MW). This field is not populated after 30 July 2025.</u>
<u>CAPACITYREQ</u>	<u>NUMBER(12,2)</u>	<u>No</u>	<u>Demand + Reserve requirements (MW). This field is not populated after 30 July 2025.</u>
<u>ENERGYREQDEMAND50</u>	<u>NUMBER(12,2)</u>	<u>No</u>	<u>Sum of: (Region Demand50)/Period (sum by trading day, entered in first period of trading day, GWh)</u>
<u>UNCONSTRAINEDCAPACITY</u>	<u>NUMBER(12,0)</u>	<u>No</u>	<u>Aggregate generation + WDR capacity from Non-Energy Constrained plant subjected to restrictions due to network constraints</u>
<u>CONSTRAINEDCAPACITY</u>	<u>NUMBER(12,0)</u>	<u>No</u>	<u>Aggregate generation + WDR capacity from Energy Constrained plant subjected to restrictions due to network constraints</u>



<u>Field name</u>	<u>Data type</u>	<u>Primary key</u>	<u>Comment</u>
<u>NETINTERCHANGEUNDERSCARCITY</u>	NUMBER(12,2)	No	Net export (MW) out of this region in the LOR evaluation. Export if > 0, Import if < 0. This value is the same as LORNETINTERCHANGEUNDERSCARCITY.
<u>SURPLUSCAPACITY</u>	NUMBER(12,2)	No	Regional surplus capacity (MW), +/- values indicate surplus/deficit capacity respectively. This value reflects Regional LOR reserve.
<u>SURPLUSRESERVE</u>	NUMBER(12,2)	No	Regional surplus reserve (MW). This value also reflects Regional LOR reserve. Note: For LOR runs, RESERVEREQ requirement input is not used.
<u>RESERVECONDITION</u>	NUMBER(1,0)	No	Regional reserve condition from LRC run. This field is not populated after 30 July 2025.
<u>MAXSURPLUSRESERVE</u>	NUMBER(12,2)	No	Maximum Surplus Reserve (MW) evaluated for this region from LRC runs. This field is no longer populated.
<u>MAXSPARECAPACITY</u>	NUMBER(12,2)	No	Maximum Spare Capacity (MW) evaluated for this region. Calculated for each region in turn. This value reflects Regional LOR reserve.
<u>LASTCHANGED</u>	DATE	No	Date time this record was created
<u>AGGREGATEPASAAVAILABLEITY</u>	NUMBER(12,0)	No	Sum of PASAAVAILABLEITY for all scheduled generating units and scheduled bidirectional units (Gen side) with a Recall Period <= 24 hours plus the sum of Unconstrained Intermittent Generation Forecasts (UIGF) for all semi-scheduled generating units. For the OUTAGE LRC run, UIGF is the POE90 forecast. For the LOR Run, UIGF is the POE50 forecast. Note that the OUTAGE LRC Run Type is discontinued from 31 July 2025.
<u>RUNTYPE</u>	VARCHAR2(20)	Yes	Type of run. Values are OUTAGE LRC and LOR. Note that the PDPASA OUTAGE LRC Run Type is discontinued from 31 July 2025, with only the LOR Run Type reported.
<u>MSRNETINTERCHANGEUNDERSCARCITY</u>	NUMBER(12,2)	No	Net interconnector flow from the region for this interval from the MSR assessment. This field is no longer populated.



<u>Field name</u>	<u>Data type</u>	<u>Primary key</u>	<u>Comment</u>
<u>SEMISCHEDULEDCAPACITY</u>	NUMBER(12,2)	No	<u>Constrained generation forecast (MW) for semi-scheduled units for the region. For OUTAGE_LRC run and LOR run, semi-scheduled generation is constrained by both System Normal and Outage constraints. All run types (OUTAGE_LRC, LOR) incorporate MAXAVAIL limits.</u>
<u>LCR2</u>	NUMBER(16,6)	No	<u>Two Largest Credible Risks. MW value for highest two credible contingencies.</u>
<u>SS_SOLAR_UIGF</u>	NUMBER(12,2)	No	<u>Unconstrained Intermittent Generation Forecast for solar for the region. For OUTAGE_LRC run, this is the POE90 forecast (determined by LRCUIGFOption in CaseSolution). For LOR run, this is the POE50 forecast.</u>
<u>SS_WIND_UIGF</u>	NUMBER(12,2)	No	<u>Unconstrained Intermittent Generation Forecast for wind for the region. For OUTAGE_LRC run, this is the POE90 forecast (determined by LRCUIGFOption in CaseSolution). For LOR run, this is the POE50 forecast.</u>
<u>SS_SOLAR_CAPACITY</u>	NUMBER(12,2)	No	<u>Constrained generation forecast for solar for the region. For OUTAGE_LRC run and LOR run, solar generation is constrained by both System Normal and Outage constraints. All run types (OUTAGE_LRC, LOR) incorporate MAXAVAIL limits.</u>
<u>SS_WIND_CAPACITY</u>	NUMBER(12,2)	No	<u>Constrained generation forecast for wind for the region. For OUTAGE_LRC run and LOR run, wind generation is constrained by both System Normal and Outage constraints. All run types (OUTAGE_LRC, LOR) incorporate MAXAVAIL limits.</u>
<u>SS_SOLAR_CLEARED</u>	NUMBER(12,2)	No	<u>Constrained generation forecast (MW) for solar for the region. For OUTAGE_LRC run and LOR run, solar generation is constrained by both System Normal and Outage constraints. All run types (OUTAGE_LRC, LOR) incorporate MAXAVAIL limits. This value is the same as SS_SOLAR_CAPACITY.</u>
<u>SS_WIND_CLEARED</u>	NUMBER(12,2)	No	<u>Constrained generation forecast (MW) for wind for the region. For OUTAGE_LRC run and LOR run, wind generation is constrained by both System Normal and Outage constraints. All run types (OUTAGE_LRC, LOR) incorporate MAXAVAIL limits. This value is the same as SS_WIND_CAPACITY.</u>



## 4.12 Package: STPASA

Results from a published Short Term PASA Run.

### 4.12.1 Modified Table: STPASA DUIDAVAILABILITY (Comment Changes Only)

<u>Comment</u>	<u>This report delivers available capacity, PASA availability and given recall period for all scheduled resources. Note that for an MNSP, DUID = LINKID in the MNSP INTERCONNECTOR table.</u>
<u>Visibility</u>	<u>Public</u>
<u>Data volume</u>	<u>Medium</u>
<u>Trigger</u>	<u>Start of each STPASA run (every hour).</u>
<u>Participant file share location</u>	<u>&lt;#INTERFACE&gt;\&lt;#PARTICIPANTID&gt;\IMPORT\REPORTS\CSVReports</u>
<u>Primary key (in order)</u>	<u>RUN DATETIME, INTERVAL DATETIME, DUID</u>
<u>Project</u>	<u>ST PASA Procedure and Recall Period</u>

### Modified columns

#### Comment changes only

<u>Field name</u>	<u>Data type</u>	<u>Primary key</u>	<u>Comment</u>
<u>RUN DATETIME</u>	<u>DATE</u>	<u>Yes</u>	<u>STPASA run, identified by the nominal start time of the run</u>
<u>LASTCHANGED</u>	<u>DATE</u>	<u>No</u>	<u>Report Creation Date Time</u>



4.12.2 Modified table: STPASA\_REGIONSOLUTION (Comment Changes Only)

<u>Comment</u>	<u>STPASA_REGIONSOLUTION shows the results of the regional capacity, maximum surplus reserve and maximum spare capacity evaluations for each period of the study.</u> <u>Note that the RELIABILITY LRC and OUTAGE LRC Run Types are no longer reported from 31 July 2025.</u>
<u>Visibility</u>	<u>Public</u>
<u>Data volume</u>	<u>Large</u>
<u>Trigger</u>	<u>Start of each STPASA run (every hour).</u>
<u>Participant file share location</u>	<u>&lt;#INTERFACE&gt;\&lt;#PARTICIPANTID&gt;\IMPORT\REPORTS\CSVReports</u>
<u>Primary key (in order)</u>	<u>INTERVAL DATETIME, REGIONID, RUN DATETIME, RUNTYPE</u>
<u>Project</u>	<u>ST PASA Procedure and Recall Period</u>

Modified columns

Comment changes only

<u>Field name</u>	<u>Data type</u>	<u>Primary key</u>	<u>Comment</u>
<u>RUN_DATETIME</u>	<u>DATE</u>	<u>Yes</u>	<u>Unique Timestamp Identifier for this run, identified by the nominal start time of the run</u>
<u>INTERVAL_DATETIME</u>	<u>DATE</u>	<u>Yes</u>	<u>End date time of the interval</u>
<u>DEMAND10</u>	<u>NUMBER(12,2)</u>	<u>No</u>	<u>10% Probability of Exceedance demand forecast</u>
<u>DEMAND50</u>	<u>NUMBER(12,2)</u>	<u>No</u>	<u>50% Probability of Exceedance demand forecast</u>



<u>Field name</u>	<u>Data type</u>	<u>Primary key</u>	<u>Comment</u>
<u>DEMAND90</u>	NUMBER(12,2)	No	90% Probability of Exceedance demand forecast
<u>RESERVEREQ</u>	NUMBER(12,2)	No	Reserve Requirement (MW). This field is not populated after 30 July 2025.
<u>CAPACITYREQ</u>	NUMBER(12,2)	No	Demand + Reserve requirements (MW). This field is not populated after 30 July 2025.
<u>ENERGYREQDEMAND50</u>	NUMBER(12,2)	No	Sum of: (Region Demand50)/Period (sum by trading day, entered in first period of trading day, GWh)
<u>UNCONSTRAINEDCAPACITY</u>	NUMBER(12,0)	No	Aggregate generation + WDR capacity from Non-Energy Constrained plant subjected to restrictions due to network constraints
<u>CONSTRAINEDCAPACITY</u>	NUMBER(12,0)	No	Aggregate generation + WDR capacity from Energy Constrained plant subjected to restrictions due to network constraints
<u>NETINTERCHANGEUNDERSCARCITY</u>	NUMBER(12,2)	No	Net export (MW) out of this region in the LOR evaluation. Export if > 0, Import if < 0. This value is the same as LORNETINTERCHANGEUNDERSCARCITY.
<u>SURPLUSCAPACITY</u>	NUMBER(12,2)	No	Regional surplus capacity (MW), +/- values indicate surplus/deficit capacity respectively. This value reflects Regional LOR reserve.
<u>SURPLUSRESERVE</u>	NUMBER(12,2)	No	Regional surplus reserve (MW). This value also reflects Regional LOR reserve. Note: For LOR runs, RESERVEREQ requirement input is not used.
<u>RESERVECONDITION</u>	NUMBER(1,0)	No	Regional reserve condition from LRC run. This field is not populated after 30 July 2025.
<u>MAXSURPLUSRESERVE</u>	NUMBER(12,2)	No	Maximum Surplus Reserve (MW) evaluated for this region from LRC runs. This field is no longer populated.
<u>MAXSPARECAPACITY</u>	NUMBER(12,2)	No	Maximum Spare Capacity (MW) evaluated for this region. Calculated for each region in turn. This value reflects Regional LOR reserve.
<u>LASTCHANGED</u>	DATE	No	Date time this record was created



<u>Field name</u>	<u>Data type</u>	<u>Primary key</u>	<u>Comment</u>
<u>AGGREGATEPASA AVAILABILITY</u>	NUMBER(12,0)	No	<u>Sum of PASAAVAILABILITY for all scheduled generating units and scheduled bidirectional units (Gen side) with a Recall_Period &lt;= 24 hours plus the sum of Unconstrained Intermittent Generation Forecasts (UIGF) for all semi-scheduled generating units. For the RELIABILITY_LRC and OUTAGE_LRC runs, UIGF is the POE90 forecast. For the LOR Run, UIGF is the POE50 forecast. Note that the RELIABILITY_LRC and OUTAGE_LRC Run Types are discontinued from 31 July 2025.</u>
<u>MSRNETINTERCHANGEUNDERSCARCITY</u>	NUMBER(12,2)	No	<u>Net interconnector flow from the region for this interval from the MSR assessment. This field is no longer populated.</u>
<u>SEMISCHEDULEDCAPACITY</u>	NUMBER(12,2)	No	<u>Constrained generation forecast (MW) for semi-scheduled units for the region. For RELIABILITY_LRC run, semi-scheduled generation is constrained only by System Normal constraints. For OUTAGE_LRC run and LOR run, semi-scheduled generation is constrained by both System Normal and Outage constraints. All three run types (RELIABILITY_LRC, OUTAGE_LRC, LOR) incorporate MAXAVAIL limits.</u>
<u>LOR SEMISCHEDULEDCAPACITY</u>	NUMBER(12,2)	No	<u>Constrained generation forecast for semi-scheduled units for the region for the LOR run. Semi-scheduled generation is constrained by both System Normal and Outage constraints, and incorporate MAXAVAIL limits.</u>
<u>LCR2</u>	NUMBER(16,6)	No	<u>Two Largest Credible Risks. MW value for highest two credible contingencies.</u>
<u>SS SOLAR_CLEARED</u>	NUMBER(12,2)	No	<u>Constrained generation forecast (MW) for solar for the region. For RELIABILITY_LRC run, solar generation is constrained only by System Normal constraints. For OUTAGE_LRC run and LOR run, solar generation is constrained by both System Normal and Outage constraints. All three run types (RELIABILITY_LRC, OUTAGE_LRC, LOR) incorporate MAXAVAIL limits. This value is the same as SS_SOLAR_CAPACITY.</u>

<u>Field name</u>	<u>Data type</u>	<u>Primary key</u>	<u>Comment</u>
<u>SS WIND CLEARED</u>	NUMBER(12,2)	No	<u>Constrained generation forecast (MW) for wind for the region. For RELIABILITY_LRC run, wind generation is constrained only by System Normal constraints. For OUTAGE_LRC run and LOR run, wind generation is constrained by both System Normal and Outage constraints. All three run types (RELIABILITY_LRC, OUTAGE_LRC, LOR) incorporate MAXAVAIL limits.</u> <u>This value is the same as SS_WIND_CAPACITY.</u>

4.104.13 File interface changes

Package	File ID	Description	Batcher file masks	Frequency	Change	Auto-subscription
---------	---------	-------------	--------------------	-----------	--------	-------------------



DEMAND_FORECASTS	INTERMITTENT_GEN_FCST	Real-time private forecasts for intermittent wind and solar units (30-min PD/STPASA timeframe)	*_INTERMITTENT_GEN_FCST_*.CSV	30 min	Ne w	Yes
	NEXT_DAY_INTERMITTENT_GEN_FCST	Next day public forecasts for intermittent wind and solar units (30-min PD/STPASA timeframe)	PUBLIC_NEXT_DAY_INTERMITTENT_GEN_FCST_*.CSV	Daily	Ne w	No
	INTERMITTENT_GEN_FCST_P5	Real-time private forecasts for intermittent wind and solar units (5-min P5MIN timeframe)	*_INTERMITTENT_GEN_FCST_P5_*.CSV	5 min	Ne w	Yes
	NEXT_DAY_INTERMITTENT_GEN_FCST_P5	Next day public forecasts for intermittent wind and solar units (5-min P5MIN timeframe)	PUBLIC_NEXT_DAY_INTERMITTENT_GEN_FCST_P5_*.CSV	Daily	Ne w	No
	ROOFTOP_PV_FCST	Real-time public forecasts for rooftop PV Areas (30-min PD/STPASA timeframe)	PUBLIC_ROOFTOP_PV_FCST_*.CSV	30 min	Ne w	No
	ROOFTOP_PV_FCST_P5	Real-time public forecasts for rooftop PV Areas (5-min DS/P5MIN timeframe)	PUBLIC_ROOFTOP_PV_FCST_P5_*.CSV	5 min	Ne w	No





	ROOFTOP_PV_ACTL	Real-time public estimated actuals for rooftop PV Areas (5-min and 30-min resolution)	PUBLIC_ROOFTOP_PV_ACTL_*.CSV	5 and 30 min	New	No
MARKET_CONFIG	AREA	Static metadata for the Areas (sub-regions used in load forecasting and rooftop PV forecasting)	PUBLIC_AREA_*.CSV	Ad hoc	New	Yes
	REGION_AREA	Static metadata for mapping the Areas (sub-regions) to Regions	PUBLIC_REGION_AREA_*.CSV	Ad hoc	New	Yes
SYSTEM_SECURITY_MANAGEMENT	SSM_CONTACT_UNIT_AVAIL	-	-	-	New	Yes
	SSM_INSTRUCTION	-	-	-	New	Yes
	SSM_DAILY_SCHEDULE	-	-	-	New	Yes
	SSM_AVAILABILITY	-	-	-	New	Yes
	SSM_ENABLEMENT_PERIOD	-	-	-	New	Yes
	SSM_ENABLEMENT_COSTS	-	-	-	New	Yes



4.114.14 Participant interfaces changes

Package	Data model table	File ID	CSV report type	Change
DEMAND_FORECASTS	INTERMITTENT_GEN_FCST_RUN	INTERMITTENT_GEN_FCST, NEXT_DAY_INTERMITTENT_GEN_FCST	INTERMITTENT_GEN,FORECAST,1	New
	INTERMITTENT_GEN_FCST_PRED	INTERMITTENT_GEN_FCST, NEXT_DAY_INTERMITTENT_GEN_FCST	INTERMITTENT_GEN,FORECAST,1	New
	INTERMITTENT_GEN_FCST_P5_RUN	INTERMITTENT_GEN_FCST_P5, NEXT_DAY_INTERMITTENT_GEN_FCST_P5	INTERMITTENT_GEN,FORECAST,1	New
	INTERMITTENT_GEN_FCST_P5_PRED	INTERMITTENT_GEN_FCST_P5, NEXT_DAY_INTERMITTENT_GEN_FCST_P5	INTERMITTENT_GEN,FORECAST,1	New
	ROOFTOP_PV_FCST_RUN	ROOFTOP_PV_FCST	ROOFTOP,FORECAST,1	New
	ROOFTOP_PV_FCST_PRED	ROOFTOP_PV_FCST	ROOFTOP,FORECAST,1	New
	ROOFTOP_PV_FCST_P5_RUN	ROOFTOP_PV_FCST_P5	ROOFTOP,FORECAST,1	New
	ROOFTOP_PV_FCST_P5_PRED	ROOFTOP_PV_FCST_P5	ROOFTOP,FORECAST,1	New
	ROOFTOP_PV_ACTUAL_RUN	ROOFTOP_PV_ACTL	ROOFTOP,ACTUAL1	New
	ROOFTOP_PV_ACTUAL_PRED	ROOFTOP_PV_ACTL	ROOFTOP,ACTUAL,1	New



Package	Data model table	File ID	CSV report type	Change	
<b>SETTLEMENT_DATA</b>	SET_NMAS_MANUAL_PAYMENT	SETTLEMENTS <a href="#">EXTN</a>	SETTLEMENTS,NMAS_MANUAL_PAYMENT,1	New	-
<b>BILLING_RUN</b>	BILLING_NMAS_MANUAL_PAYMENT	BILLING	BILLING,NMAS_MANUAL_PAYMENT,1	New	-
	BILLING_NMAS_MANUAL_RECOVERY	BILLING	BILLING,NMAS_MANUAL_RECOVERY,1	New	-
<b>DISPATCH</b>	DISPATCH_ROOFTOP_PV_FCST_TRK	DISPATCHIS	DISPATCH,ROOFTOP_PV,1	New	-
<b>P5MIN</b>	P5MIN_INTERMITTENT_FCST_TRK	P5MIN, NEXT_DAY_INTERMITTENT_GEN_FCST_P5	P5MIN,INTERMITTENT_GEN,1	New	-
	P5MIN_ROOFTOP_PV_FCST_TRK	P5MIN	P5MIN,ROOFTOP_PV,1	New	-
<b>PRE-DISPATCH</b>	PREDISPATCHINTERMITTENTFCST_TRK	PREDISPATCHIS, NEXT_DAY_INTERMITTENT_GEN_FCST	PREDISPATCH,INTERMITTENT_GEN,1	New	-
	PREDISPATCH_ROOFTOPPV_FCST_TRK	PREDISPATCHIS	PREDISPATCH,ROOFTOP_PV,1	New	-
<b>MARKET_CONFIG</b>	AREA	AREA	MARKET_CONFIG,AREA,1	New	-
	REGION_AREA	REGION_AREA	MARKET_CONFIG,REGION_AREA,1	New	-
<b>SYSTEM_SECURITY_MANAGEMENT</b>	SSM <a href="#">CONTRACTCONTACT</a> _UNIT_AVAIL	SSM <a href="#">CONTRACTCONTACT</a> _UNIT_AVAIL	SSM,CONTRACT_UNIT_AVAIL,1	New	-

Package	Data model table	File ID	CSV report type	Change
	SSM_INSTRUCTION	SSM_INSTRUCTION	SSM,INSTRUCTION,1	New
	SSM_SCHEDULE	SSM_DAILY_SCHEDULE	SSM,SCHEDULE,1	New
	SSM_SCHEDULED_AVAILABILITY	SSM_AVAILABILITY	SSM,SCHEDULED_AVAILABILITY,1	New
	SSM_ENABLEMENT_PERIOD	SSM_ENABLEMENT_PERIOD	SSM,ENABLEMENT_PERIOD,1	New
	SSM_ENABLEMENT_COSTS	SSM_ENABLEMENT_COSTS	SSM,ENABLEMENT_COSTS,1	New

4.134.15 Discontinued reports

Data model table	File ID	Delivered in file	CSV report type	Replaced by
None				

4.134.16 Non-functional changes

Table 1 MMS Data Model 5.6 non-functional changes

MMS Data Model table	Change detail
None	

## 5 FAQs

This section is updated based on the participant queries from the MSUG meetings.

## 6 Implementation

### 6.1 Transition

See [Participant Impact](#).

### 6.2 Upgrading

You can upgrade your pre-production or production Data Model environments once you receive the Data Model scripts. Applying the scripts sets up the new Data Model structure on your local database. You receive the same data until the new versions of fields, files, and reports are released into pre-production or production and you update your subscriptions.

For help, see:

- [Upgrading your DI environments](#)
- [Updating your subscriptions:](#)

### 6.3 Implications

To maintain systems in-line with AEMO's market systems, participants need to:

- Review and assess the impact on their market systems with respect to the changes implemented as part of this Release.
- Change their systems prior to the implementation of this Release.
- Schedule staff and resources to upgrade their market systems for the production implementation of this Release.

### 6.4 Risks

See [Participant Impact](#).

# 7 Terms

## 7.1 Rules Terms

You can find the following terms defined in the [National Electricity Rules \(NER\)](#) and the [Settlements Residue Auction Rules](#).

Term	Term
AEMO	
AEMO Markets Portal	
AEMO Website	
Directional interconnector	
Linked Bid	
Market Clearing Price	
Market Participants	
Maximum Units	
NEM	
National Interconnector	
Region	
Regional reference prices	
Registered Participant	
Trading Interval	
Trading Limit	
Trading Margin	
Trading Position	
Unit Category	
Unit	

## 7.2 Glossary

You can find a full list of AEMO glossary terms in [Industry Terminology](#) on AEMO's website.

Abbreviation/Term	Explanation
<b>AEST</b>	Australian Eastern Standard Time
<b>B2B</b>	Business-to-business
<b>B2M</b>	Business-to-market
<b>EMMS</b>	Electricity Market Management System; software, hardware, network and related processes to implement the wholesale energy market
<b>FCAS</b>	frequency control ancillary services
<b>FTP</b>	File transfer protocol
<b>MSATS</b>	Market Settlement and Transfer Solution for retail electricity
<b>NER</b>	National Electricity Rules
<b>MW</b>	Megawatt
<b>Release</b>	EMMS - Technical Specification - Data Model v5.6 - November 2025
<b>Release Dates</b>	Pre-production: Tuesday 14 October 2025 Production: Wednesday 19 November 2025
<b>TBC</b>	To be confirmed



## 8 References

**Guide to AEMO's e-Hub APIs:** Provides details about using AEMO's e-Hub as an interface to communicate information with AEMO. It assists Wholesale electricity and gas participants developing their own APIs.

**Guide to Information Systems:** Provides guidance for *Registered Participants* and interested parties about AEMO's participant electricity market systems.

**Guide to User Rights Management:** Assists participant administrators (PAs) to use the user rights management functions in the MSATS Web Portal.

**Retail Electricity Market Glossary and Framework:** assist participants of the Retail Electricity Market to understand the overall framework. It also contains a list of terms used in the Retail Electricity Market Procedures and a full list of NEM procedures, guidelines, and documents.

### 8.1 Data interchange and data model resources

#### 8.1.1 About

Information about setting up a Data Interchange environment: Data Interchange Help > [About Data Interchange](#).

#### 8.1.2 Help

- [Data interchange online help](#)

#### 8.1.3 Software

You can find Data Interchange software in the following locations:

- Data Interchange Help > [Software Releases](#).
- Releases directory on the participant file share: FTP to 146.178.211.2 > Data Interchange, pdrBatcher, pdrLoader, or pdrMonitor.

#### 8.1.4 Reports

- Data Interchange Help > [Data Model Reports](#).

### 8.1.5 Releases

- Data Interchange Help > [Release Documents](#).

# 9 Index

## C

continuing improvement of AEMO's IT systems, 3

## D

Data Interchange software, 58

## I

industry user group, 3

## M

Market Systems User Group, 3  
MSUG, 3

